



## 50kN Clamped Boss Load Ring

Code: 78-0860

Product Group: [Clamped Boss Load Rings](#), [Digital Tritest 50 Load Frame](#), [Load Measurement](#), [Proving Rings](#), [Accessories for the Marshall test](#), [Accessories for the Marshall Test](#), [CBR-Test 50 Machine](#), [Load Measurement](#), [CBR Loading Press](#), [Hand-Operated](#), [Force measurement](#)

Calibrated in compression.

## Standards

EN 12697-34

## Specification

Capacity - kN	50
Capacity - kgf	5000
Capacity - lbf	11,200
Typical Design Sensitivity - kN/div	45.5
Typical Design Sensitivity - Kgf/div	4.54
Typical Design Sensitivity - lbf/div	10.18
Overall Height	9.76" (248 mm)
Approx Weight	6.35 kg

## Accessories



### Clamped Boss Load Ring - 10.0 kN

Code: 78-0460



### Clamped Boss Load Ring - 2.0 kN

Code: 78-0060



## Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)

---



## Clamped Boss Load Ring - 3.0 kN

Code: [78-0160](#)

---



## Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)

---



## Digital Proving Ring, 11,200 lbs (50.0 kN)

Code: [78-0864](#)

---

## Spares/Consumables



## Spare Dial Indicator for Load Rings

Code: [78-5461](#)

---

## Alternatives



## Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



## Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



## Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



## Clamped Boss Load Ring - 3.0 kN

Code: [78-0160](#)



## Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)



## Digital Proving Ring, 11,200 lbs (50.0 kN)

Code: [78-0864](#)