Product Sheet





Motorized Liquid Limit Device

Code: 24-0441/02

Product Group: Motorized Liquid Limit Device

• Motorized for greater uniformity of test procedure.

• Mechanical counter automatically records number of cup drops.

• Includes ten precision molded Plastic ASTM Grooving Tools.

• Optional Grooving Tool available for testing to AASHTO standards.

The Motorized Liquid Limit Device eliminates many human variables in classification testing. It allows the operator to more closely duplicate test results on the same soil. The unit incorporates a totally enclosed gear motor system which drives the liquid limit device and mechanical counter assembly.

Supplied complete with ASTM Grooving Tools, the Motorized Liquid Limit Device is ideal for use in any soils laboratory.

Standards ASTM D4318, AASHTO T89

Further Information

110vAC, 60 Hz, 1ø.

Specification

Counter

Cup

Base Cam Dimensions

Weight

Mechanical; records number of cup drops. Spun brass; pin and slot mounting. Molded hard rubber. Molded, self-lubricating plastic. 8-1/2" w. x 15 " d. x 7-1/2" h. (21 6 x 381 x 191 mm). Net 14 -1/2 lbs. (6.6 kg).

Accessories









Casagrande Grooving Tool Aashto

Code: 24-0461

Spares/Consumables



ASTM Plastic Grooving Tools Code: 24-0451



ASTM Slider and Pin Cup Holder Assembly

Code: 24-0435/12



Brass Cup Code: 24-0435/10

Alternatives



Liquid Limit Device

Code: 24-0435









Liquid Limit Device with counter

Code: 24-0437

