

12" Diameter ASTM Sieves



12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-5800

Attributes: Aperture Size = 6.30 mm, Sieve Type = Mesh, Sieve Opening, " = 0.25, Alternative designation = 1/4 inch, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame

Standards: ASTM E11



12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.

Code: 79-5910

Attributes: Aperture Size = 1 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0394, Alternative designation = 18, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.

Code: 79-5900

Attributes: Aperture Size = 1.18 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0469, Alternative designation = 16, AASHTO M92 = Yes, Description = 2in Dia ASTM Sieve 1.18mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 1.40mm Stainless Steel Mesh.

Code: 79-5890

Attributes: Aperture Size = 1.40 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0555, Alternative designation = 14, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 1.40mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.

Code: 79-5880

Attributes: Aperture Size = 1.70 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0661, Alternative designation = 12, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.

Code: 79-5870

Attributes: Aperture Size = 2 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0787, Alternative designation = 10, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 2.80mm Stainless Steel Mesh.

Code: 79-5850

Attributes: Aperture Size = 2.80 mm, Sieve Type = Mesh, Alternative designation = 8, AASHTO M92 = Yes

Standards: ASTM E11



12in Dia ASTM Sieve 3.35mm Stainless Steel Mesh.

Code: 79-5840

Attributes: Aperture Size = 3.35 mm, Sieve Type = Mesh, Sieve Opening, " = 0.132, Alternative designation = 6, Description = 12in Dia ASTM Sieve 3.35mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.

Code: 79-5860

Attributes: Aperture Size = 2.36 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0937, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.

Code: 79-5830

Attributes: Aperture Size = 4 mm, Sieve Type = Mesh, Sieve Opening, " = 0.157, Alternative designation = 5, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-5820

Attributes: Aperture Size = 4.75 mm, Sieve Type = Mesh, Sieve Opening, " = 0.187, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh. Non Standard Frame

Standards: ASTM E11



12in Dia ASTM Sieve 5.60mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-5810

Attributes: Aperture Size = 5.60 mm, Sieve Type = Mesh, Sieve Opening, " = 0.223, Alternative designation = 5, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 5.60mm Stainless Steel Mesh. Non Standard Frame

Standards: ASTM E11



12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.

Code: 79-6360

Attributes: Aperture Size = 75 mm, Sieve Type = Mesh, Sieve Opening, " = 3, Alternative designation = 3 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 6.70mm Stainless Steel Mesh.

Code: 79-6190

Attributes: Aperture Size = 6.70 mm, Sieve Type = Mesh, AASHTO M92 = Yes

Standards: ASTM E11



12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.

Code: 79-6200

Attributes: Aperture Size = 8 mm, Sieve Type = Mesh, Sieve Opening, " = 0.312, Alternative designation = 5/16 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.

Code: 79-6210

Attributes: Aperture Size = 9.50 mm, Sieve Type = Mesh, Sieve Opening, " = 0.375, Alternative designation = 3/8 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 11.2mm Stainless Steel Mesh.

Code: 79-6220

Attributes: Aperture Size = 11.20 mm, Sieve Type = Mesh, Sieve Opening, " = 0.438, Alternative designation = 7/16 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 11.2mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 12.5mm Stainless Steel Mesh

Code: 79-6230

Attributes: Aperture Size = 12.50 mm, Sieve Type = Mesh, Sieve Opening, " = 0.5, Alternative designation = 1/2 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 12.5mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.

Code: 79-6240

Attributes: Aperture Size = 13.20 mm, Sieve Type = Mesh, Alternative designation = 0.530 in, AASHTO M92 = Yes

Standards: ASTM E11



12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.

Code: 79-6250

Attributes: Aperture Size = 16 mm, Sieve Type = Mesh, Sieve Opening, " = 0.625, Alternative designation = 5/8 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.

Code: 79-6260

Attributes: Aperture Size = 19 mm, Sieve Type = Mesh, Sieve Opening, " = 0.75, Alternative designation = 3/4 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 22.4mm Stainless Steel Mesh.

Code: 79-6270

Attributes: Aperture Size = 22.40 mm, Sieve Type = Mesh, Sieve Opening, " = 0.875, Alternative designation = 7/8 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 22.4mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.

Code: 79-6280

Attributes: Aperture Size = 25 mm, Sieve Type = Mesh, Sieve Opening, " = 1, Alternative designation = 1 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 26.5mm Stainless Steel Mesh.

Code: 79-6290

Attributes: Aperture Size = 26.50 mm, Sieve Type = Mesh, Alternative designation = 1.06 in, AASHTO M92 = Yes

Standards: ASTM E11



12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh.

Code: 79-6300

Attributes: Aperture Size = 31.50 mm, Sieve Type = Mesh, Sieve Opening, " = 1.25, Alternative designation = 11/4 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.

Code: 79-6310

Attributes: Aperture Size = 37.50 mm, Sieve Type = Mesh, Sieve Opening, " = 1.5, Alternative designation = 1 1/2 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 45.0mm Stainless Steel Mesh.

Code: 79-6320

Attributes: Aperture Size = 45 mm, Sieve Type = Mesh, Sieve Opening, " = 1.75, Alternative designation = 1 3/4 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 45.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.

Code: 79-6330

Attributes: Aperture Size = 50 mm, Sieve Type = Mesh, Sieve Opening, " = 2, Alternative designation = 2 in, Description = 12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 53.0mm Stainless Steel Mesh.

Code: 79-6340

Attributes: Aperture Size = 53 mm, Sieve Type = Mesh, Alternative designation = 2.12 in, AASHTO M92 = AASHTO M92

Standards: ASTM E11



12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh

Code: 79-6350

Attributes: Aperture Size = 63 mm, Sieve Type = Mesh, Sieve Opening, " = 2.5, Alternative designation = 2 1/2 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 90.0mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-6370

Attributes: Aperture Size = 90 mm, Sieve Type = Mesh, Sieve Opening, " = 3.5, Alternative designation = 3 1/2 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 90.0mm Stainless Steel Mesh. Non Standard Frame

Standards: ASTM E11



12in Dia ASTM Sieve 100mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-6380

Attributes: Aperture Size = 100 mm, Sieve Type = Mesh, Sieve Opening, " = 4, Alternative designation = 4 in, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 100mm Stainless Steel Mesh. Non Standard Frame

Standards: ASTM E11



12in Dia ASTM Sieve 125mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-6400

Attributes: Aperture Size = 125 mm, Sieve Type = Mesh, Alternative designation = 5 in, AASHTO M92 = Yes

Standards: ASTM E11



12in Dia ASTM Sieve 38 Mic Stainless Steel Mesh.

Code: 79-6100

Attributes: Aperture Size = 38 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0015, Alternative designation = 400, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 38 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 45 Mic Stainless Steel Mesh.

Code: 79-6090

Attributes: Aperture Size = 45 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0017, Alternative designation = 325, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 45 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 53 Mic Stainless Steel Mesh.

Code: 79-6080

Attributes: Aperture Size = 53 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0021, Alternative designation = 270, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 53 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 63 Mic Stainless Steel Mesh.

Code: 79-6070

Attributes: Aperture Size = 63 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0025, Alternative designation = 230, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 63 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 75 Mic Stainless Steel Mesh.

Code: 79-6060

Attributes: Aperture Size = 75 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0029, Alternative designation = 200, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 75 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 90 Mic Stainless Steel Mesh.

Code: 79-6050

Attributes: Aperture Size = 90 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0035, Alternative designation = 170, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 90 Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 106Mic Stainless Steel Mesh.

Code: 79-6040

Attributes: Aperture Size = 106 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0041, Alternative designation = 140, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 106Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 125Mic Stainless Steel Mesh.

Code: 79-6030

Attributes: Aperture Size = 125 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0049, Alternative designation = 120, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 125Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 150Mic Stainless Steel Mesh.

Code: 79-6020

Attributes: Aperture Size = 150 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0059, Alternative designation = 100, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 150Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 180Mic Stainless Steel Mesh.

Code: 79-6010

Attributes: Aperture Size = 180 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.007, Alternative designation = 80, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 180Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 212Mic Stainless Steel Mesh.

Code: 79-6000

Attributes: Aperture Size = 212 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0083, Alternative designation = 70, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 212Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 250Mic Stainless Steel Mesh.

Code: 79-5990

Attributes: Aperture Size = 250 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0098, Alternative designation = 60, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 250Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 300Mic Stainless Steel Mesh.

Code: 79-5980

Attributes: Aperture Size = 300 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0117, Alternative designation = 50, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 300Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 355Mic Stainless Steel Mesh.

Code: 79-5970

Attributes: Aperture Size = 355 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0139, Alternative designation = 45, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 355Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 425Mic Stainless Steel Mesh.

Code: 79-5960

Attributes: Aperture Size = 425 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0165, Alternative designation = 40, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 425Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 500Mic Stainless Steel Mesh.

Code: 79-5950

Attributes: Aperture Size = 500 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0197, Alternative designation = 35, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 500Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 600Mic Stainless Steel Mesh.

Code: 79-5940

Attributes: Aperture Size = 600 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0234, Alternative designation = 30, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 600Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 710Mic Stainless Steel Mesh.

Code: 79-5930

Attributes: Aperture Size = 710 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0278, Alternative designation = 25, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 710Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 850Mic Stainless Steel Mesh.

Code: 79-5920

Attributes: Aperture Size = 850 μm , Sieve Type = Mesh, Sieve Opening, " = 0.331, Alternative designation = 20, AASHTO M92 = Yes, Description = 12in Dia ASTM Sieve 850Mic Stainless Steel Mesh

Standards: ASTM E11



12in Dia Lid ASTM.

Code: 79-6150

Attributes: Sieve Type = Lid, AASHTO M92 = Yes, Description = 12in Dia Lid ASTM

Standards: ASTM E11



12in Dia Receiver ASTM.

Code: 79-6160

Attributes: Sieve Type = Receiver, AASHTO M92 = Yes, Description = 12in Dia Receiver ASTM

Standards: ASTM E11