## **Product Sheet**







### **Hand Operated Pressure System with** Pressure Gauge & Flexible Hose

Code: 70-5000

Product Group: Hydraulic Constant Pressure Systems

#### **Specification**

Pump Maximum pressure

Gauge

Weight

Single piston 70 mPa

250 mm diameter scale marked 0-70 MN/m<sup>2</sup>

14.8 kg

#### **Accessories**



Nylon Tubing 6 mm OD x 4 mm ID 3500 Kpa

Code: 26-1926



**Specimen Extruder Bench Mounting Frame for Extruding Specimens From Hoek Cells** 

Code: 70-2725

**= +1 (800) 323 1242** www.ele.com Page 1 of 3

## **Product Sheet**







**Standard Distance Piece - 20 mm Depth** 

Code: 37-4980



**Support Assembly** 

Code: 81-0094

#### **Spares/Consumables**



**Spare Jacket Nx Size.** 

Code: 70-1712

#### **Alternatives**



**ELE-Hoek Cell ADR Touch 2000 Compression Machine** 

Code: 70-2630/01



**ELE-Hoek Cell NX 54.74 mm Diameter** 

Code: 70-1710

+44 (0)1525 249 200

**= +1 (800) 323 1242** 

## **Product Sheet**







## Pair of Permeability End Caps NX supplied with Distance Block

Code: 70-1750



# **Pressure Test 3500 Oil/Water Constant Pressure System** with Digital Pressure Gauge

Code: 70-5130/01

www.ele.com 🚆 +44 (0)1525 249 200 📕 +1 (800) 323 1242 Page 3 of 3