



## Pocket Shearmeter with 3 Vanes 0 to 1Kgf/Cm2 X 0.5Kgf/Cm2.

Code: [26-2261](#)

Product Group: [Torvane Shear Device, Pocket Shearmeter](#)

The shearmeter can be used on tube samples, on the sides of pits, cuttings etc. It is an invaluable tool for initial site investigation work.

## Further Information

Complete with sensitive vane, standard vane and high-capacity vane. Range 0 to 1 x 0.05 kgf/cm<sup>2</sup>.

## Specification

|               |  |
|---------------|--|
| Vane Driver   | 1.6" (41 mm) diam. x 3.2" (81 mm) l. with vane attached. |
| Dial Scale    | 1 kg/sq. cm (tons/sq. ft.) x 0.05 subdivisions.          |
| Carrying Case | Plastic; 6" w. x 4" d. x 2" h. (152 x 102 x 51 mm).      |
| Weight        | Net 10.5 oz. (300 g).                                    |

## Accessories



## Laboratory Vane Apparatus with 4 Springs and 12.7mm Vane; Hand Operated.

Code: [26-2270](#)

## Spares/Consumables



## High-Capacity Vane

Code: [26-2261/14](#)



## Laboratory Vane Apparatus (Motorised)

Code: [26-2275/01](#)



## Sensitive Vane

Code: [26-2261/10](#)



## Standard Vane

Code: [26-2261/12](#)

## Alternatives



## Digital Direct/Residual Shear Apparatus Complete with Lever Loading Assembly. 110-120V 50/60Hz 1Ph.

Code: [26-2114/02](#)



## Digital Direct/Residual Shear Apparatus Complete with Lever Loading Assembly. 220-240V 50/60Hz 1Ph.

Code: [26-2114/01](#)



## Hand Vane Tester

Code: 26-3346