

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
23-1501	100mm Dia Soil Auger Head	75.97	57.48	1.5000	0.0029	902480 90 0
23-1504	150mm Dia Soil Auger Head	73.00	55.22	2.3000	0.0063	902480 90 0
23-1517	150mm Dia Gravel Auger Head.	88.76	67.15	0.8500	0.0036	902480 90 0
23-1525	50mm Dia Dutch Soil Auger Head.	108.00	86.51	0.4000	0.0000	902480 90 0
23-1541	Extension Rod 27mm Diameter 1m Long. for Use with Auger Heads	27.00	21.63	1.5000	0.0010	902490 00 0
23-1543	Stillson Wrench Size 14.	62.00	49.66	1.3000	0.0006	902490 00 0
23-1547	Handle and T Piece for Use with EL23-1541.	17.00	12.86	1.9000	0.0050	902490 00 0
23-1577	38mm Diameter Sample Tube 230mm Long Complete with End Caps.	17.00	12.86	0.3790	0.0004	902490 00 0
23-1579	Adaptor for EL23-1577 to Fit Extension Rods.	26.97	20.41	0.5000	0.0001	902490 00 0
23-1587	Jarring Link for Driving Sample Tubes.	46.79	35.40	4.6000	0.0000	902490 00 0
23-1617	Spiral Auger 40mm Diameter. One Piece Model	189.00	142.98	1.5000	0.0142	902480 90 0
23-1717	Subsurface boring Kit	3,071.59	2,506.42	35.8800	0.0648	843049 00 0
23-3000	Riffle Box 7mm Slot Width Complete with Three Containers.	173.00	130.87	2.2000	0.0057	902480 90 0
23-3050	Riffle Box 13mm Slot Width Complete with Three Containers.	190.00	143.74	7.4000	0.0302	902480 90 0
23-3070	Riffle Box 15mm Slot Width Complete with Three Containers.	165.71	125.37	8.3000	0.0294	902490 00 0
23-3100	Riffle Box 19mm Slot Width Complete with Three Containers.	170.53	129.01	9.9000	0.0356	902480 90 0
23-3150	Riffle Box 25mm Slot Width Complete with Three Containers.	184.00	139.20	13.5000	0.0544	902490 00 0
23-3170	Riffle Box 30mm Slot Width Complete with Three Containers.	212.86	161.03	15.1000	0.0292	902490 00 0
23-3200	Riffle Box 38mm Slot Width Complete with Three Containers.	200.00	151.30	21.2000	0.0948	902480 90 0
23-3300	Riffle Box 50mm Slot Width Complete with Three Containers.	207.90	157.28	27.0000	0.1307	902490 00 0
23-3350	Riffle Box 64mm Slot Width Complete with Three Containers.	221.13	167.11	33.0000	0.1415	902480 90 0
23-3425	Large Capacity Sample Splitter.	557.55	446.60	55.0000	0.4242	902480 90 0
23-3500	Rubber Headed Pestle.	30.75	24.64	0.1000	0.0002	902480 90 0
23-3505	Mortar and Pestle Porcelain.	88.58	70.96	1.2000	0.0307	902480 90 0
23-4090	38mm Hand Operated Hydraulic Sample Extruder with Trimming Knife 38mm Split Former & Cutting Tool.	789.11	655.00	10.5000	0.0101	902480 90 0
23-4090/10	Saw Blades for 38mm Hand Operated Hydraulic Sample Extruder Pk 10	15.55	12.55	10.5000	0.0101	902480 90 0
23-4120	38mm Split Former.	115.35	87.26	0.2500	0.0064	902480 90 0
23-4200	Proctor/Core Cutter Extruder Frame and Hydraulic Jack. Extrudes 100mm/4 Inch Diameter Specimens	272.16	205.89	9.5000	0.0168	902480 90 0
23-4250	Cbr/Core Cutter Extruder Frame and Hydraulic Jack Extrudes 150mm/6 Inch Diameter Specimens.	439.00	332.10	20.4000	0.0400	902480 90 0
23-4300	Adaptor Plate. Adapts EL 23-4250 to Extrude 100mm/4 Inch Diameter and Marshall Specimens.	365.00	276.12	2.5000	0.0030	902480 90 0
23-5800	Hand Operated Soil Lathe for 38mm Dia Specimens Up to 100mm Long.	440.00	332.86	5.0000	0.0058	902480 90 0
23-6191/01	Bench-Mounting Mixer 4.7Litre Capacity Complete with Bowl Beater and Whisk. 220-240V 50Hz 1Ph.	3,300.45	2,762.70	24.0000	0.0823	902480 90 0
23-6191/06	Bench-Mounting Mixer 4.7Litre Capacity Complete with Bowl Beater and Whisk. 220-240V 60Hz 1Ph.	2,750.00	2,202.75	24.0000	0.3063	902480 90 0
23-6191/11	Spare beater for bench mounted mixer	183.15	175.82	0.6000	0.0027	960400 00 0
23-7150	Soil Colour Chart Set	242.00	194.02	0.5000	0.0017	902480 90 0
23-7452	Speedy Moisture Tester D2 Large 0-20% Moisture Range. Supplied Less Calcium Carbide	1,353.24	963.51	7.0000	0.0800	902480 90 0
23-7462	Speedy Moisture Tester G2 Large 0-50% Moisture Range. Supplied Less Calcium Carbide	1,237.01	880.74	6.5000	0.0000	902480 90 0
23-7462/80	Speedy Moisture Tester G2 Large 0-50% Moisture Range. C/W Plastic Case and Electronic Balance.	1,699.00	1,467.94	6.5000	0.0352	902480 90 0
23-7502	Speedy Moisture Tester D2 Small 0-20% Moisture Range. Supplied Less Calcium Carbide	1,392.88	991.73	8.0000	0.0449	902480 90 0
23-7600	Speedy Calibration Unit Self Contained Unit.	1,617.84	1,151.90	3.0000	0.0280	902480 90 0
23-7700	Calcium Carbide Powder 500G.	21.89	17.53	0.6000	0.0009	284910 00 0
23-7702	Reagent for Speedy Moisture Testers. Pack of 12 Cans 500 G Each. (Calcium Carbide)	262.75	210.47	7.2000	0.0000	284910 00 0
24-0410	Liquid Limit Device BS with Counter. C/W Metal Grooving Tool & Test Gauge.	170.10	128.69	2.8240	0.0050	902480 90 0
24-0417/01	Motorised Liquid Limit Device W/ Counter BS 220-240V 50Hz 1Ph.	385.00	308.39	7.0000	0.0131	902480 90 0
24-0425	Grooving Tool and Gauge B.S.	18.00	13.62	0.2000	0.0000	902490 00 0
24-0430	Glass Plate.	43.00	34.44	7.0000	0.0112	701710 00 0
24-0434	Liquid Limit Device ASTM/ Aashto Hand-Operated W/ Revolution Counter. Supplied Less Grooving Tool.	220.00	176.22	2.1000	0.0040	902480 90 0
24-0441/02	Motorised Liquid Limit Device w/counter to ASTM D-4318 110V 60Hz single phase with USA plug	1,130.44	836.00	0.5000	0.0120	902480 90 0
24-0453	ASTM Metal Grooving Tool.	43.83	35.11	0.1480	0.0006	902480 90 0
24-0461	Casagrande Grooving Tool Aashto	27.00	20.43	0.0700	0.0001	902480 90 0
24-0540	Cone Penetrometer. Complete with Stainless Steel Test Cone.	547.16	389.57	7.6000	0.0219	902480 90 0
24-0544	Penetration Test Cone	29.00	21.94	0.1000	0.0003	902490 00 0
24-0545/01	Semi-Automatic Cone Penetrometer to BS:1377:Part 2	915.00	651.48	8.6000	0.0495	902480 90 0
24-0546	Test Gauge for Checking Condition of Cone Point.	13.00	9.83	0.0300	0.0000	902490 00 0
24-0548	Penetration Test Cup.	12.91	9.77	0.0800	0.0001	902480 90 0
24-0552/01	Automatic Controller with Digital Timer 0-99 Secs Switchable 110-240V 50/60Hz 1Ph.	482.14	386.20	1.5000	0.0097	902480 90 0
24-0810	Plastic Limit Plate 12x12	53.00	40.00	7.0000	0.0112	701710 00 0
24-0811	Rod Comparator	26.00	20.00	0.0160	0.0002	902480 90 0
24-1500	Prong Plate.	26.56	20.10	0.0500	0.0000	902490 00 0
24-1550	Shrinkage Dish.	30.75	24.64	0.0270	0.0000	902490 00 0
24-1600	Glass Cup.	10.00	8.01	0.1410	0.0025	701710 00 0
24-1800	Shrinkage Mould to BS 1377	35.00	26.48	0.2300	0.0003	848079 00 0
24-2830	Gas Jar 75mm Dia X 300mm with Glass Cover and Rubber Bung.	50.00	37.83	1.5700	0.0000	701710 00 0
24-2830/10	Gas Jar Cover.	8.00	6.91	0.0700	0.0001	902480 90 0
24-2854/01	Mechanical End-Over-End Shaker Ce with Friction Safety Device and Control Panel 220-240V 50Hz 1Ph.	1,463.77	1,074.18	24.0000	0.1850	902480 90 0
24-2885	Pvknometer Complete with Non-Corrodable Cone and Rubber Seal 1Kg Capacity	30.00	22.70	0.8000	0.0042	902480 90 0
24-2890	Density Bottle 25Ml.	27.74	20.99	0.1000	0.0007	701710 00 0
24-2900	50Ml Density Bottle with Perforated Stopper.	30.79	23.30	0.0630	0.0006	701710 00 0
24-2950	100Ml Density Bottle with Perforated Stopper.	32.00	24.21	0.1000	0.0008	902480 90 0
24-4125/01	High Speed Stirrer Complete with Paddle Cup & Baffle. 220-240V 50/60Hz 1Ph.	345.00	276.35	3.9000	0.0337	902480 90 0
24-4125/10	Mixing Paddle for 24-4125 Series High Speed Stirrer	27.00	21.63	0.0200	0.0000	902480 90 0
24-4125/11	Soil Dispersion Cup & Baffle.	166.00	132.97	0.4000	0.0022	902480 90 0
24-4145	Sodium Hexametaphosphate 500G.	38.72	31.02	0.6000	0.0011	283539 00 0
24-4620	Long Stem Soil Hydrometer	53.00	42.46	0.2000	0.0014	902480 90 0
24-4640	Soil Hydrometer Type 152H ASTM/Aashto Graduated -5 to + 60G/Litre.	45.00	36.05	0.2000	0.0004	902480 90 0
24-4650	Soil Hydrometer Type 151H ASTM D422 Graduated 0.995 to 1.038 Specific Gravity.	45.00	36.05	0.1500	0.0015	902480 90 0
24-4700	1000Ml Glass Hydrometer Sedimentation Cylinder with Rubber Bung.	29.50	23.63	1.0000	0.0085	701710 00 0
24-4800	Nomographic Chart for The Determination of Stokes Law.	8.00	6.41	0.0600	0.0114	902480 90 0
24-4853	Andreasen Pipette 10Ml.	76.89	61.59	0.6000	0.0101	701710 00 0
24-4855	Measuring Cylinder 500Ml with Rubber Bung.	28.47	24.60	0.7000	0.0056	902480 90 0
24-4865/01	Constant Temperature Bath 0 to 99.9 Deg.C X 0.1 Deg.C with Led Display and False Base Support.	1,997.55	1,465.88	16.0000	0.1997	902480 10 0
24-4917	Sand Equivalent Test Set	678.67	586.24	7.0000	0.0564	902480 90 0
24-4919	Sand Equivalent Apparatus ASTM Aashto with Carrying Case.	378.00	302.78	8.7000	0.0600	902480 90 0
24-4919/10	Concentrated Stock Solution for Sand Equivalent Apparatus.	30.97	24.80	8.7000	0.0600	902480 90 0
24-4925	5 Litre Syphon Assembly with Connection for 5mm Id Tubing.	64.00	48.42	0.7000	0.0016	902480 90 0
24-4930	Calcium Chloride 2.5Kg.	123.78	99.15	2.5000	0.0081	282720 00 0
24-4932	Formaldehyde 36% Aqueous Solution 2.5 Litre.	77.00	62.57	6.5000	0.0047	291211 00 0
24-4934	Glycerol Analar 2.5 Litre	218.00	174.62	4.5000	0.0051	152000 00 0
24-4945/01	Motorised Sand Equivalent Shaker ASTM. 220-240V 50Hz 1Ph.	1,195.00	957.19	32.0000	0.0640	902480 90 0
24-4945/06	Motorised Sand Equivalent Shaker ASTM. 220-240V 60Hz 1Ph.	1,260.00	1,009.26	32.0000	0.0640	902480 90 0
24-9000	BS Standard Compaction Mould 1000Cm Capacity.	70.00	52.96	5.8000	0.0058	848079 00 0
24-9002	Standard Compaction Rammer 2.5Kg BS1377-1975	79.00	59.76	4.8000	0.0038	902490 00 0
24-9004	BS Compaction Rammer 4.5Kg Wt.	69.00	52.20	8.0000	0.0059	902490 00 0
24-9010	Straight Edge 300mm.	23.00	18.42	0.6000	0.0001	902490 00 0
24-9060	Proctor Mould 1/30 Ft3.	64.00	48.42	6.0000	0.0061	848079 00 0
24-9063	ASTM Compaction Rammer 2.5Kg.	72.56	58.12	4.8000	0.0042	902480 90 0
24-9066	ASTM Compaction Mould 152mm.	84.11	63.63	8.3000	0.0097	848079 00 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarrriff Code
24-9070	ASTM Compaction Rammer 4.5Kg.	66.00	52.87	9.0000	0.0055	902490 00 0
24-9090/01	Automatic Soil Compactor BS 220-240V 50Hz 1Ph.	4,534.11	3,026.52	150.0000	0.4736	902480 90 0
24-9095/01	Automatic Soils Compactor ASTM 220-240V 50Hz 1Ph.	4,563.41	3,046.07	160.0000	0.6890	902480 10 0
24-9095/06	Automatic Soils Compactor ASTM 220-240V 60Hz 1Ph.	4,829.00	3,223.36	160.0000	0.6890	902480 10 0
24-9150/01	Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar.	2,400.00	1,602.00	130.0000	0.6082	902480 90 0
24-9150/06	Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar 220/240V 60H	2,675.00	1,785.56	80.0000	0.6991	902480 90 0
24-9182	Penetration Piston	62.00	44.14	4.7000	0.0015	902490 00 0
24-9183	Cbr Penetration Piston (Adjustable).	189.00	134.57	3.8000	0.0015	902480 90 0
24-9184	Penetration/Swell Dial Gauge ASTM.	111.51	89.32	0.3000	0.0113	902480 90 0
24-9186	Penetration Dial Gauge BS	111.51	89.32	0.2420	0.0011	902480 90 0
24-9188	Bracket and Adaptor. Dual Purpose Mounting Bracket for CBR Penetration Gauges EL24-9184/EL24-9186	45.00	32.04	0.3000	0.0001	902480 90 0
24-9198	BS Cbr Mould Body.	36.00	25.63	3.3000	0.0044	848079 00 0
24-9200	BS Extension Collar	28.00	19.94	1.8500	0.0038	902490 00 0
24-9202	BS Perforated Base Plate.	44.00	31.33	2.6000	0.0005	902490 00 0
24-9204	BS Solid Base or Top Plate	37.00	26.34	2.5000	0.0032	902490 00 0
24-9206	Cbr Cutting Collar with Area Ratio of 21.9% to Fit BS Moulds.	54.00	38.45	1.7000	0.0026	902490 00 0
24-9208	C-Spanner for BS Cbr Mould. Two Required.	35.00	24.92	1.6000	0.0006	902490 00 0
24-9210	Base Plate Tool for BS Mould	12.91	9.19	0.9000	0.0007	848079 00 0
24-9212	Static Compaction Plug.	59.00	42.01	7.3000	0.0038	902490 00 0
24-9214	2Kg Annular Surcharge Weight	26.53	18.89	2.0500	0.0005	901600 90 0
24-9216	2Kg Split Surcharge Weight.	35.00	24.92	2.1740	0.0029	901600 90 0
24-9220	Filter Papers 150mm Dia Equivalent to Whatman No 1. Box of 100.	5.97	4.79	0.2000	0.0006	902490 00 0
24-9228	ASTM Cbr Mould Complete with Collar & Perferated Base	87.00	61.94	8.7000	0.0106	848079 00 0
24-9234	ASTM Solid Base Plate.	44.00	39.16	2.9000	0.0025	902480 90 0
24-9236	ASTM Cutting Collar.	18.00	12.82	1.8000	0.0036	902480 90 0
24-9238	ASTM Spacing Disc.	52.00	37.02	8.8000	0.0034	902490 00 0
24-9240	Filter Screen 150mm Dia with 0.15mm Mesh.	4.00	2.85	0.1000	0.0004	902490 00 0
24-9243	4.5Kg Annular Surcharge Weight ASTM.	33.00	23.50	4.5000	0.0035	902480 90 0
24-9244	5Lb (2.27Kg) Split Surcharge Weight.	25.00	17.80	2.4500	0.0029	901600 90 0
24-9245	5 Lb. Annular Surcharge Weight ASTM.	54.00	43.25	2.5000	0.0025	902480 90 0
24-9248	9.1Kg (20 Lb) Slotted Surcharge Weight (Cbr).	233.00	186.63	9.1200	0.0019	902480 90 0
24-9250	Filter Paper Equivalent to Whatman No 5 150mm Dia Box of 100.	9.00	7.21	0.2000	0.0006	902490 00 0
24-9260	Swell Plate	46.31	32.97	0.5000	0.0025	902480 90 0
24-9262	Swell Tripod	45.00	36.05	0.9000	0.0061	902490 00 0
24-9275	Dial Gauge 25mm Travel X 0.01mm Divisions.	108.68	87.05	0.2250	0.0024	902480 90 0
24-9290	45kN (10000Lb) Capacity Mechanical Jack.	827.62	607.34	8.3800	0.0165	902490 00 0
24-9298	Land Rover Bracket to Attach EL29-200 Jack. for Land Rovers Models 90 & 110 From 1983 Onwards.	235.00	188.24	14.2000	0.0338	902480 90 0
24-9300	Ball Seating for EL 24-9290 45 kN Jack	137.00	109.74	1.8000	0.0018	902490 00 0
24-9308	Set of Extension Rods Complete	325.00	260.33	14.9000	0.0118	902490 00 0
24-9312	Datum Bar Assembly.	135.00	108.14	6.1000	0.0480	902490 00 0
24-9320	10Lb (4.5Kg) Annular Surcharge Weight.	97.00	77.70	4.5000	0.0005	902490 00 0
24-9322	10Lb (4.5Kg) Slotted Surcharge Weight.	101.00	80.90	4.7000	0.0038	902490 00 0
24-9341	Conversion Frame.	409.00	327.61	25.0000	0.1116	902480 90 0
25-0402	Consolidation Frame One Dimensional Consolidation Incremental Loading Device.	730.49	487.60	24.0000	0.0677	902480 90 0
25-0408	Set of Weights 100Kg Total Weight.	306.18	245.25	100.0000	0.0277	901600 90 0
25-0429	Floor Mounting Stand.	330.00	234.96	40.0000	0.1152	902480 90 0
25-0440	Dial Gauge 10mm Travel X 0.002mm Divisions.	133.25	94.87	0.2250	0.0006	902480 90 0
25-0455	Consolidation Cell Complete 50mm Diameter Sample.	278.74	204.55	2.4000	0.0010	902480 90 0
25-0455/10	Upper Porous Disc 50mm Cell.	42.88	30.53	0.1000	0.0000	902480 90 0
25-0455/11	Lower Porous Disc (dia 59mm) for 50mm Consolidation Cell	35.00	24.92	0.1000	0.0000	902480 90 0
25-0455/13	50mm Dia Upper and Lower Porous Stones for Use on EL25-0455 Series Cell.	78.00	55.54	0.2000	0.0000	902480 90 0
25-0458	Cutting Ring 50mm Cell.	31.00	22.07	0.1000	0.0075	902490 00 0
25-0461	Calibration Disc 50mm Cell	43.00	30.62	0.3500	0.0001	902480 90 0
25-0479	Consolidation Cell Complete 2.5 Inch Diameter Sample. Inc. Porous Discs and Cutting Ring.	270.00	192.24	0.0000	0.0000	902480 90 0
25-0479/10	Upper Porous Disc 2.5 Inch Cell	75.00	53.40	0.1040	0.0000	902480 90 0
25-0479/13	2.5 Inch Dia Upper and Lower Porous Stones for Use on EL25-0479 Series Cell.	120.00	85.44	0.2000	0.0000	902480 90 0
25-0485	Calibration Disc 2.5 Inch Cell	46.00	32.75	0.0465	0.0001	902480 90 0
25-0503	Consolidation Cell Complete 75mm Diameter Sample	315.00	280.35	3.5300	0.0014	902480 90 0
25-0503/10	Upper Porous Disc 75mm Cell.	94.76	71.69	0.2000	0.0001	902480 90 0
25-0503/11	Lower Porous Disc (dia 85mm) for 75mm Consolidation Cell	68.82	52.07	0.0300	0.0001	902480 90 0
25-0503/13	75mm Dia Upper and Lower Porous Stones for Use on EL25-0503 Series Cell.	140.00	105.91	0.1300	0.0000	902480 90 0
25-0506	Cutting Ring 75mm Cell.	34.00	25.72	0.2000	0.0002	902490 00 0
25-0509	Calibration Disc 75mm Cell	52.00	39.34	0.7000	0.0001	902480 90 0
25-0580	Constant Head Permeability Cell 75mm Diameter Specimen.	590.63	446.81	4.5000	0.0198	902480 90 0
25-0591	Manometer Tubes & Stand.	219.00	165.67	9.5000	0.1262	902610 81 0
25-0591/10	Replacement glass tubes (set of 3)	54.40	47.47	0.5000	0.0110	902610 81 0
25-0593	Constant Level Tank.	291.00	220.14	2.5000	0.0227	902610 81 0
25-0605	Falling Head Permeability Cell.	280.00	211.82	3.3000	0.0079	902480 90 0
25-0607	Compaction Permeameter.	452.00	341.94	7.9000	0.0087	902610 81 0
25-0609	Standpipe Panel.	420.00	317.72	5.0000	0.0653	902480 90 0
25-0609/10	Replacement glass tubes (set of 3)	54.47	47.54	0.0000	0.0000	902480 90 0
25-0611	De-Airing Tank.	289.00	218.63	2.9000	0.0230	902480 90 0
25-0613	Soaking Tank.	94.00	71.11	4.0000	0.0097	902480 90 0
25-0623	Combination Permeameter	728.00	583.13	4.0000	0.0454	902480 90 0
25-0650	Guelph Permeameter Supplied Complete with Extension Kit.	3,650.00	2,782.00	25.5000	0.1420	902480 90 0
25-0655	Extension Kit 800mm Long.	194.00	172.66	0.5000	0.0050	902480 90 0
25-0697/01	Tri-Flex 2 Master Control Panel, 220V, 50/60Hz, 1P	5,775.00	4,546.08	35.0000	0.3231	902480 90 0
25-0698	Tri-Flex 2 Water De-Airing Tank System	425.00	334.56	0.5000	0.0363	902480 90 0
25-0705/10	Diaphragm 151.4mm	93.68	75.04	0.3500	0.0014	902480 90 0
25-1833/01	De-Aired Water Apparatus. 15 L Cap. 220-240V 50/60Hz 1Ph.	3,646.34	2,675.83	40.0000	0.4052	902480 90 0
25-3518/01	Digital Triitest 50 Triaxial Load Frame for Use on 220-240V 50/60Hz 1 Ph.	4,468.91	2,983.00	115.0000	0.6708	902480 90 0
25-3605	Unconfined Compression Tester, Hand Operated	4,838.07	3,550.37	19.0900	0.0778	902480 90 0
25-3650	Unconfined Compression Platens. for Use on Ele Load Frames Max Sample Dia 95mm.	521.00	417.32	1.3800	0.0061	902480 90 0
25-3700/01	Multiplex 50 Machine 50kN Capacity Supplied with Stabilising Bar.	4,283.69	3,317.22	100.0000	0.4518	902480 90 0
25-4047	50mm Triaxial Cell 1700Kpa with 5 Pressure/ Drainage Ports. Supplied with Two Valves.	574.56	409.09	5.3000	0.0170	902480 90 0
25-4117	70mm Triaxial Cell 1700Kpa with 5 Pressure/ Drainage Ports. Supplied with Two Valves.	655.83	466.95	8.0000	0.0304	902480 90 0
25-4157	100mm Triaxial Cell 1700Kpa with 5 Pressure/ Drainage Ports. Supplied with Two Valves.	1,135.00	807.78	15.5000	0.0566	902480 90 0
25-4166	38mm/1.5 Inch Base Adaptor with Twin Pore Pressure Ports for 50mm Cells.	58.00	41.30	0.5000	0.0002	902610 81 0
25-4168	50mm Base Adapter with Twin Pore Pressure Ports for 50mm Cells.	53.97	38.43	0.2000	0.0006	902610 81 0
25-4174	50mm Base Adaptor with Twin Pore Pressure Ports for 70mm Cells.	72.00	51.26	0.5000	0.0004	902610 81 0
25-4176	70mm Base Adaptor with Twin Pore Pressure Ports for 70mm Cells.	55.00	39.16	0.3000	0.0007	902610 81 0
25-4186	100 mm Base Adaptor with Twin Pore Pressure Ports for 100 mm Triaxial Cell.	64.00	45.57	0.5000	0.0003	902610 81 0
25-4200	Piston Restraint Clamp for Ele Triaxial Cells Manufactured From July 1996.	127.97	91.12	0.4690	0.0001	902480 90 0
25-4210	Dial Gauge 25mm Travel X 0.01mm Divisions	134.53	95.79	0.5000	0.0011	902480 90 0
25-4261	Rubber Membrane 35mm/1.4 Inch Diameter Pack of 10.	5.35	4.29	0.0550	0.0003	902480 90 0
25-4290	Membrane Placing Tool 35mm/38mm.	17.00	12.10	0.0390	0.0001	902490 00 0
25-4460	Porous Disc 35mm/1.4 Inch Diameter.	8.00	6.41	0.0200	0.0000	902480 90 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarrriff Code
25-4520	Valve No Volume Change 1/4 Inch BSp Fitted with 6 mm Connector and Integral Sealing Ring.	27.00	19.22	0.1270	0.0002	902490 00 0
25-4540	10Ml Burette Single Tube Drainage.	65.00	46.28	0.3000	0.0018	701710 00 0
25-5050	Pressure Pad 38mm/1.5 Inch Diameter.	69.00	49.13	0.1000	0.0004	902490 00 0
25-5050/10	Tubing and Connector for 38mm Pressure Pad.	21.78	15.51	0.1000	0.0000	902480 90 0
25-5061	Rubber Membrane 38mm/1.5 Inch Diameter. Pack of 10.	28.00	19.94	0.1000	0.0003	902480 90 0
25-5081	Membrane Sealing Ring 38mm/1.5 Inch Diameter. Pack of 10.	5.00	3.56	0.1000	0.0000	902480 90 0
25-5100	Suction Membrane Device 38mm/1.5 Inch Diameter.	27.00	19.22	0.1100	0.0008	902490 00 0
25-5120	Two-Way Split Former 38mm/1.5 Inch Diameter.	108.59	77.32	0.3000	0.0003	902490 00 0
25-5130	Two Part Split Mould 38mm	264.81	212.11	0.5000	0.0011	848079 00 0
25-5181	Porous Disc 38mm/1.5 Inch Diameter. Pack of 2.	104.44	79.76	0.0400	0.0000	902480 90 0
25-5200	Filter Paper Drain 38mm/1.5 Inch Diameter. Pack of 50.	35.78	25.48	0.0280	0.0001	902490 00 0
25-5430	Pressure Pad 50mm Diameter.	66.00	46.99	0.2000	0.0001	902610 81 0
25-5430/10	Tubing and Connector for 50mm Pressure Pad.	21.78	15.51	0.1000	0.0000	902480 90 0
25-5441	Rubber Membrane 50mm Diameter Pack of 10.	31.00	22.07	0.1000	0.0004	902490 00 0
25-5461	Membrane Sealing Ring 50mm Diameter Pack of 10.	9.03	6.63	0.1000	0.0001	902490 00 0
25-5470	Membrane Placing Tool 50mm Diameter.	21.53	15.33	0.2000	0.0001	902480 90 0
25-5480	Suction Membrane Device 50mm Diameter.	23.72	16.89	0.1100	0.0662	902480 90 0
25-5500	Two-Way Split Former 50mm Diameter.	123.00	98.52	0.6000	0.0016	902480 90 0
25-5530	Two Part Split Mould 50mm	273.00	218.67	0.9000	0.0008	848079 00 0
25-5561	Porous Disc 50mm Pack of 2	110.89	90.00	0.0280	0.0000	902490 00 0
25-5580	Filter Paper Drain 50mm Diameter. Pack of 50	48.91	34.83	0.0480	0.0002	902480 90 0
25-6430	Pressure Pad 70mm Diameter.	79.75	56.78	0.4000	0.0007	902610 81 0
25-6430/10	Tubing and Connector for 70mm Pressure Pad.	21.63	15.40	0.4000	0.0000	902480 90 0
25-6441	Rubber Membrane 70mm/2.8 Inch Diameter. Pack of 10.	55.00	39.16	0.1430	0.0003	902480 90 0
25-6461	Membrane Sealing Ring 70mm Diameter Pack of 10.	8.00	5.70	0.0100	0.0001	902480 90 0
25-6470	Membrane Placing Tool 70mm/2.8 Inch Diameter.	27.00	19.22	0.2000	0.0002	902480 90 0
25-6480	Suction Membrane Device 70mm Diameter.	48.00	34.18	0.1100	0.0015	902480 90 0
25-6500	Two-Way Split Former 70mm Diameter.	221.00	177.02	1.0000	0.0058	902480 90 0
25-6530	Two Part Split Mould 70mm	514.00	411.71	2.0000	0.0039	848079 00 0
25-6561	Porous Disc 70mm Diameter Pack of 2.	126.88	97.00	0.2000	0.0000	902480 90 0
25-6580	Filter Paper Drain 70mm/2.8 Inch Diameter. Pack of 50.	25.00	17.80	0.1500	0.0003	902480 90 0
25-7590	Pressure Pad 100mm Diameter.	92.00	65.50	0.7000	0.0008	902610 81 0
25-7610	Membrane Placing Tool 100mm/4 Inch Diameter.	34.00	24.21	0.2500	0.0003	902480 90 0
25-7621	Rubber Membrane 100mm/4 Inch Diameter. Pack of 10	87.61	64.29	0.3410	0.0006	902480 90 0
25-7631	Membrane Sealing Ring 100mm Diameter. Pack of 10.	9.00	6.41	0.2000	0.0002	902480 90 0
25-7640	Suction Membrane Device 100mm/4 Inch Diameter.	43.00	30.62	0.1100	0.0037	902480 90 0
25-7650	Two-Way Split Former 100mm Diameter.	576.56	410.51	2.0000	0.0056	902480 90 0
25-7661	Porous Disc 100mm Diameter Pack of 2.	50.80	40.69	0.4000	0.0001	902480 90 0
25-7670	Filter Paper Drain 100mm/4 Inch Diameter. Pack of 50.	69.00	49.13	0.2500	0.0006	902480 90 0
25-8090	Silicon Grease Lubricant.	12.00	9.61	0.0500	0.0003	848060 00 0
26-1746	Bladder-Type Air/Water Pressure Assembly. 1000 Kpa Maximum Working Pressure.	407.55	357.45	6.5000	0.0287	902480 90 0
26-1746/10	Replacement Bladder Wide Neck (38mm Id)	28.00	19.94	0.2270	0.0023	902480 90 0
26-1760	Pneumatic Pressure Reducing Panel. Provides Two Independent Pressure Outlets 1000 Kpa Max.	972.00	720.90	3.9000	0.0164	902480 90 0
26-1769	Nylon Tubing 30 Metre Length.	126.84	90.32	2.0000	0.0176	902490 00 0
26-1800/01	Pressure Test 1700 Oil/Water Constant Pressure System 0 to 1700Kpa 220-240V 50/60Hz 1Ph.	2,532.60	1,690.51	32.0000	0.3465	902610 81 0
26-1805	Oil 5 Litres T46	28.00	19.94	4.3000	0.0083	848060 00 0
26-1820	Digital Pressure Gauge 1700 Kpa. for Use with 26-1800 Series Oil/Water Constant Pressure System.	396.00	317.20	0.2500	0.0011	902480 90 0
26-1865/10	Pressure Gauge 1700Kpa (250Psi) 250mm Diameter.	601.00	481.40	3.6000	0.0147	902480 90 0
26-1872	Six-Way Pneumatic Pressure Control Panel.	4,490.00	3,710.00	19.0000	0.0963	902480 90 0
26-1880	Universal Pump and Pressure Indicating Panel 1700Kpa.	1,350.22	1,015.22	15.0000	0.1247	902610 81 0
26-1892	Twin Burette Volume Change Unit.	977.13	782.68	8.3000	0.0351	902480 90 0
26-1900	Red Dye Kerosene Soluble 1G Phial for Colouring Kerosene.	153.00	122.55	0.0300	0.0002	902490 00 0
26-1922	6mm Connector 1/4BSp.	4.76	3.86	0.0170	0.0000	902480 90 0
26-1926	Nylon Tubing 6mm Od 3500Kpa.	2.00	1.42	0.3000	0.0002	902480 90 0
26-2114/01	Digital Direct/Residual Shear Apparatus Complete with Lever Loading Assembly. 220-240V 50/60Hz 1Ph.	5,594.40	3,734.26	130.0000	0.9126	902480 90 0
26-2132	Set of Weights 50Kg Slotted.	173.00	130.87	50.0000	0.0160	901600 90 0
26-2137	Slotted Surcharge Weight 10Kg.	58.00	43.61	10.0000	0.0203	902480 90 0
26-2139	Slotted Surcharge Weight 5Kg.	24.00	18.16	5.0000	0.0010	902480 90 0
26-2141	Slotted Surcharge Weight 2Kg.	13.00	9.83	2.0000	0.0005	902480 90 0
26-2143	Slotted Surcharge Weight 1Kg.	8.00	6.05	1.0000	0.0002	902480 90 0
26-2145	Slotted Surcharge Weight 0.5Kg.	31.82	24.07	0.5000	0.0001	902480 90 0
26-2147	Slotted Surcharge Weight 0.25Kg.	35.00	26.48	0.3000	0.0004	902480 90 0
26-2181	Shear Box Assembly 60mm Sq.	409.00	291.20	2.0000	0.0020	902480 90 0
26-2181/10	Porous Plate 60mm Sq.	29.00	21.94	0.1000	0.0000	902480 90 0
26-2185	Specimen Cutter 60mm Sq.	82.00	65.68	0.1610	0.0001	902490 00 0
26-2189	Specimen Extrusion Tool 60mmsq.	40.00	30.26	1.0000	0.0013	902480 90 0
26-2197	Shear Box Assembly 100mm Sq.	845.78	602.19	4.9000	0.0026	902480 90 0
26-2197/10	Porous Plate 100mm Sq.	89.00	67.33	0.1580	0.0000	902480 90 0
26-2201	Specimen Cutter 100mmsq.	105.72	75.28	0.3000	0.0005	902480 90 0
26-2205	Specimen Extrusion Tool 100mmsq	49.66	35.36	1.0000	0.0013	902480 90 0
26-2213	Shear Box Assembly 2.5 Inch Diameter	673.79	479.74	2.6000	0.0015	902480 90 0
26-2213/10	Porous Plate 2.5 Inch Diameter	50.21	38.40	0.1000	0.0000	902480 90 0
26-2217	Specimen Cutter 2.5 Inch Diameter.	25.00	17.80	0.2000	0.0001	902480 90 0
26-2221	Specimen Extrusion Tool 2.5 Inch Diameter.	52.00	39.34	0.2000	0.0013	902480 90 0
26-2261	Pocket Shearmeter with 3 Vanes 0 to 1Kg/Cm2 X 0.5Kg/Cm2.	259.00	212.71	0.4000	0.0010	902480 90 0
26-2270	Laboratory Vane Apparatus with 4 Springs and 12.7mm Vane; Hand Operated.	2,443.77	1,739.97	10.6000	0.0484	902480 90 0
26-2275/10	Set of 4 Calibrated Springs for Laboratory Vane Apparatus.	359.00	271.58	0.1000	0.0021	902480 90 0
26-2279	Vane 12.7mm Diameter X 12.7mm Long.	88.94	67.28	0.0250	0.0022	902490 00 0
26-2281	Vane 12.7mm Diameter X 19mm Long	90.00	68.09	0.0300	0.0000	902480 90 0
26-2283	Vane 12.7mm Diameter X 25.4mm Long.	91.00	68.84	0.0400	0.0000	902480 90 0
26-3335	H60 Field Inspection Vane Tester 0-200Kpa In Carrying Case. includes calibration and certificates.	1,788.60	1,447.14	5.3000	0.0578	902480 90 0
26-3335/11	H605 Extension Rod 0.5M and connection piece	62.63	44.59	0.4000	0.0001	902480 90 0
27-1200/09	Ecu Electronic Control & Readout Unit for Use with Ele CBR Multiplex and Marshall Machines.	3,327.82	2,442.09	3.3000	0.0197	902480 90 0
27-1293	Distance Piece Stainless Steel for Use with Submersible Load Cells and Axial Strain Transducers.	89.69	63.86	0.6000	0.0001	902480 90 0
27-1500/01	GDU 8 Channel Data Acquisition Unit RS232 Interface and Lead.	2,194.50	1,648.90	16.0000	0.0552	847410 00 0
27-1505	GDU 8 Channel Expansion Analogue Input Module. Fitted with 8 Standard 5 Pin Din Sockets.	425.00	339.00	0.3180	0.0021	902490 00 0
27-1505	GDU 8 Channel Expansion Analogue Input Module. Fitted with 8 Standard 5 Pin Din Sockets.	425.00	339.00	0.3180	0.0021	902490 00 0
27-1551	S-Type Load Cell 5 kN.for Triaxial Tests. Fitted with 5 Pin Din Plug.	675.00	480.60	0.5500	0.0039	902480 90 0
27-1553	S-Type Load Cell 10 kN.for Triaxial Tests. Fitted with 5 Pin Din Plug.	797.59	567.89	0.5500	0.0039	902480 90 0
27-1559	S-Type Load Cell 50 kN.for Cbr or Marshall Tests . Fitted with 5 Pin Din Plug.	735.00	523.32	2.0000	0.0032	902480 90 0
27-1561	S-Type Load Cell 5 kN.for Use with Direct/ Residual Shear Machine. Fitted with 5 Pin Din Plug.	665.00	473.48	0.7600	0.0039	902480 90 0
27-1573	Submersible Load Transducer Assembly 5kN Capacity In Compression.	1,121.72	798.66	1.7000	0.0046	902610 81 0
27-1575	Submersible Load Transducer Assembly 10kN Capacity In Compression.	1,202.00	855.82	3.0000	0.0042	902480 90 0
27-1617	Axial Strain Transducer Assembly 50mm Travel Fitted with 5 Pin Din Plug.	633.32	532.00	0.6500	0.0032	902610 81 0
27-1620	Digital Pressure Gauge 1700Kpa. for Ele Triaxial Cells.	337.37	240.20	0.4500	0.0002	902480 90 0
27-1633	Pressure Transducer Assembly 1700Kpa Fitted with 5 Pin Din Plug.	437.63	321.15	0.5500	0.0031	902610 81 0
27-1641	Volume Change Transducer Assembly 80Cm3 Capacity Maximum Working Pressure 1700Kpa	1,703.00	1,322.00	5.5000	0.0356	902610 81 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
27-1649	Consolidation Transducer Assembly 15mm Travel Fitted with 5 Pin Din Plug.	606.69	431.96	0.3600	0.0034	902610 81 0
27-1689	Vertical Displacement Transducer Assembly 15mm Travel with 5 Pin Din Plug Bracket for Shear Box	563.22	401.02	0.5000	0.0032	902610 81 0
27-1697	Horizontal Displacement Transducer Assembly 15mm Travel 5 Pin Din Plug Mounting Pillar	563.22	401.02	0.4000	0.0032	902610 81 0
27-1705	CBR Penetration Transducer 50mm Travel Fitted with 5 Pin Din Plug.	645.00	545.00	0.7000	0.0034	902610 81 0
27-1710/10	Transducer Extension Cable 10m In Length C/W 5 Pin Din Plug and Socket	57.23	49.45	0.5000	0.0000	902480 90 0
27-1715	Transducer Extension Cable 1.5M; TO DRAWING 1659A2001	43.00	32.54	0.1000	0.0006	902480 90 0
27-1717	Transducer Extension Cable 3.0M	44.00	33.29	0.9100	0.0005	902480 90 0
27-1719	Transducer Extension Cable 4.5M; 1653A2003 ISSUE 1	45.00	34.04	0.2000	0.0008	902480 90 0
27-1752	DS7.1 Undrained Triaxial Shear Strength Program for Windows 7, 32/64 bit	554.40	394.74	0.3000	0.0020	852380 99 0
27-1762	DS7.1 CU/CD Triaxial Shear Strength Program for Windows 7, 32/64 bit	806.65	574.34	0.3000	0.0020	852380 99 0
27-1767	DS7.1 Permeability in a Triaxial Cell Program for Windows 7, 32/64 bit	591.80	421.37	0.3000	0.0020	852380 99 0
27-1772	DS7.1 One-Dimensional Consolidation Program for Windows 7, 32/64 bit	806.65	574.34	0.3000	0.0020	852380 99 0
27-1792	DS7.1 Direct and Residual Shear Strength Program for Windows 7, 32/64 bit	806.65	574.34	0.3000	0.0020	902480 90 0
27-1797	DS7.1 California Bearing Ratio (CBR) Penetration Program for Windows 7, 32/64 bit	591.80	421.37	0.3000	0.0020	902480 90 0
29-3720	Dynamic Cone Penetrometer 8Kg Hammer (Trl Design).	1,280.22	1,025.24	25.0000	0.0486	902480 90 0
29-3720/10	Spare Cone for Dynamic Cone Penetrometer.	150.92	120.89	0.1000	0.0000	902480 90 0
29-3729	Pocket Penetrometer.	68.00	54.29	0.2160	0.0011	843061 00 0
29-3729/10	Adaptor Foot for Soils Pocket Penetrometer 1" (25.4mm) Dia	32.78	24.72	0.2160	0.0011	843061 00 0
29-3794	500kN Hydraulic Jack with Integral Ball Seating.	1,375.00	1,040.19	24.0000	0.0118	902480 90 0
29-3800	Plate Bearing Apparatus Complete. 500kN Capacity	4,500.00	3,604.49	250.0000	1.2024	902480 90 0
29-3808	Hand Operated Pressure System for 500kN Jack.	920.00	695.98	15.0000	0.0454	902610 81 0
29-3818	Datum Bar Assembly.	320.31	228.06	23.0000	0.1659	902480 90 0
29-3822	Dial Gauge 50mm Travel X 0.01mm Divisions Complete with Adjustable Clamp Assembly.	298.00	238.43	1.2500	0.0094	902480 90 0
29-3826	Bearing Plate 150mm Dia.	38.00	27.06	4.1000	0.0007	902480 90 0
29-3834	Bearing Plate 305mm Dia.	162.00	115.34	14.7000	0.0028	902480 90 0
29-3838	Bearing Plate 455mm Dia.	282.53	201.17	34.0000	0.0053	902480 90 0
29-3846	Bearing Plate 760mm Dia.	851.00	605.91	90.0000	0.0173	902480 90 0
29-3925	Proctor Penetrometer Spring Type with Adaptor Stem.Supplied Complete with Set of Needle Points	387.23	301.00	2.5000	0.0001	843061 00 0
29-3929	Set of Needle Points 1 3/4 1/2 1/3 1/5 1/10 1/20 1/30 1/40 Square Inches Area.	139.42	127.02	0.5000	0.0002	902480 90 0
29-3933	Case for Proctor Penetrometer.	95.00	75.65	1.6500	0.0081	902480 90 0
29-4000	100mm Sand Pouring Cylinder.	224.66	159.96	3.2000	0.0172	902480 90 0
29-4020	100mm Calibrating Container 100mm Id X 150mm Deep with 200mm Dia Rim.	89.00	63.37	2.7500	0.0093	902480 90 0
29-4040	Metal Tray 300mm Sq. X 40mm Deep with A 100mm Dia Hole.	36.00	25.63	1.3000	0.0036	902490 00 0
29-4100	150mm Sand Pouring Cylinder.	271.22	193.10	8.7000	0.0479	902480 90 0
29-4120	150mm Calibrating Container 150mm Id X Deep with 250mm Dia Rim.	116.00	82.59	4.4000	0.0131	902480 90 0
29-4140	Metal Tray 300mm Sq X 40mm Deep with A 150mm Dia Hole.	28.00	19.94	1.2000	0.0041	902490 00 0
29-4200	200mm Sand Pouring Cylinder.	358.16	255.00	14.0000	0.0416	902480 90 0
29-4220	200mm Calibrating Container 200mm Id X 250mm Deep with A 350mm Dia Rim.	146.00	103.95	8.2000	0.0383	902480 90 0
29-4240	Metal Tray 500mm Sq X 50mm Deep with A 200mm Dia Hole.	44.84	31.93	3.3000	0.0159	902480 90 0
29-4300	6 Inch (152mm) Sand Cone.	98.28	69.97	0.7150	0.0069	902490 00 0
29-4320	5 Litre Plastic Container for Sand Cone	12.00	9.61	0.3000	0.0126	902490 00 0
29-4340	Density Plate for EL29-4300.	83.16	59.21	1.6000	0.0019	902490 00 0
29-5000	Density Spoon.	13.00	10.41	0.1000	0.0007	902490 00 0
29-5020	Soft Headed Mallet.	7.00	5.61	0.6000	0.0018	902480 90 0
29-5040	Club Hammer (2kg).	17.75	14.22	2.0000	0.0015	902480 90 0
29-5060	Density Chisel.	13.00	10.41	0.3500	0.0000	902480 90 0
29-5080	Metal Dibbler Tool	14.00	11.21	0.3000	0.0008	902490 00 0
29-5120	Density Hand Pick.	29.72	23.81	0.9000	0.0017	902480 90 0
29-5140	Steel Pointed Rod.	37.75	30.24	0.3000	0.0003	902490 00 0
29-5300	Core Cutter 100mm Id By 130mm Long.	23.00	16.38	1.1000	0.0022	902490 00 0
29-5320	Driving Dolly for EL 29-5300	28.84	20.54	0.7000	0.0030	902490 00 0
29-5340	Driving Rammer for EL 29-5320	98.00	69.78	15.0000	0.0236	902490 00 0
34-0110	Slump Cone	27.00	21.63	1.3000	0.0121	902480 90 0
34-0130	Tamping Rod 16mm Dia X 600mm Long Hemispherical At Both Ends.	15.77	11.57	0.9500	0.0001	902480 90 0
34-0140	300 mm Stainless Steel Rule.	9.00	7.21	0.0600	0.0000	902490 00 0
34-0160	Base Plate for Slump Test.	60.70	44.50	2.0000	0.0101	902480 90 0
34-0180	Slump Cone Funnel	26.00	20.83	1.3000	0.0042	701710 00 0
34-0192	Slump Test Set BS & ASTM. C/W Slump Cone Base Plate Steel Rule Tamping Rod & Funnel.	81.27	65.09	6.8700	0.1634	902480 90 0
34-0300/01	Vibro Consistometer 220-240V 50Hz 1Ph. En12350-3.	1,336.23	951.39	64.0000	0.1577	902480 90 0
34-0300/06	Vibro Consistometer 220-240V 60Hz 1Ph. En12350-3.	1,336.23	951.39	64.0000	0.1577	902480 90 0
34-0450	Apparatus for Determining Flow In Concrete (Flow Table).	655.00	466.36	39.4000	0.1969	902480 90 0
34-0580	K - Slump Tester.	258.89	207.37	0.3000	0.0015	902480 90 0
34-0810	Set of Needle Points 1 1/2 1/4 1/10 1/20 1/40 Inch Sq.	122.00	86.86	0.2000	0.0002	902480 90 0
34-2800	Bulk Density Measure 30L	125.00	94.56	17.0000	0.0544	902480 90 0
34-2820	Bulk Density Measure 15 Decimetre Cubed Capacity.	111.00	83.97	9.8000	0.0308	902480 90 0
34-2830	10 Dm3 Bulk Density Measure	130.00	98.35	8.6000	0.0248	902480 90 0
34-2910	Compacting Bar 25mm Sq X 380mm	16.65	12.59	1.9000	0.0009	902480 90 0
34-3265	Air Entrainment Meter inBin Type Complete with Carrying Case. Supplied with Aluminium Tamping Bar.	895.00	644.40	10.1000	0.0613	902480 90 0
34-3540/01	Ele Concrete Mixer 56/40 Litre Capacity. 220-240 V Ac 50Hz 1Ph	2,896.43	1,933.58	326.0000	1.4505	902480 90 0
34-3590/01	Concrete Mixer 120/90LJ (4/3Cu.Ft) Complete with Stand. 240V 50Hz 1Ph	599.00	506.45	100.0000	1.5170	902480 90 0
34-3590/06	Concrete Mixer 130L Complete with Stand. 240V 60Hz 1Ph	773.33	619.43	100.0000	1.5170	902480 90 0
34-4520	100mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	59.54	42.39	8.0000	0.0035	848079 00 0
34-4570	150mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	68.99	46.05	17.0000	0.0077	848079 00 0
34-4650	100mm Cube Mould 2-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	67.00	50.69	9.0000	0.0051	848079 00 0
34-4670	150mm Cube Mould 2-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	88.00	66.57	15.0000	0.0112	848079 00 0
34-4690/80	150mm Cube Mould Single Piece Plastic Construction Pk of 6	13.99	10.82	8.0000	0.0035	848079 00 0
34-5003	100 X 100 X 500mm Beam Mould.	211.29	178.65	17.0000	0.0144	848079 00 0
34-5053	150 X 150 X 750mm Beam Mould.	356.31	301.16	43.0000	0.0444	848079 00 0
34-5210	100mm Dia Cylinder Mould 200mm Long.	130.53	92.93	6.4000	0.0113	848079 00 0
34-5230	150mm Dia Cylinder Mould 150mm Long.	149.31	119.60	8.0000	0.0053	848079 00 0
34-5260	150mm Dia Cylinder Mould 300mm Long.	163.49	116.40	13.1000	0.0139	848079 00 0
34-6031	Cylinder Capping Frame Complete with 100mm and 150mm Dia Capping Plates.	439.43	332.42	12.8000	0.0084	902480 90 0
34-6100	Flake Capping Compound to ASTM C617 22Kg	214.00	171.41	24.0000	0.0293	902480 90 0
34-6122/01	Melting Pot 4 Litre Capacity. 50 to 300 Deg. C. Temperature Range. 220-240V 50/60Hz 1Ph.	570.00	456.56	3.2000	0.0211	902480 90 0
34-6220/01	Vibrating Table 625 X 313mm Table Top. 220-240V 50Hz 1Ph.	987.00	790.59	68.0000	0.3300	902480 90 0
34-6250/01	Vibrating Table 600 X 400mm Table Top. 220-240V 50Hz 1Ph.. Supplied with clamping assm.	942.00	754.72	60.0000	0.0936	902480 90 0
34-6250/06	Vibrating Table 600 X 400mm Table Top. 220-240V 60Hz 1Ph.. Supplied with clamping assm.	942.00	754.72	60.0000	0.2250	902480 90 0
34-6431/01	Vibrating Poker 25mm Dia Tip 290mm Long. 220-240V 50/60Hz 1Ph.	660.00	528.66	7.5000	0.0520	902480 90 0
34-6575/01	Large Curing Tank C/W with Circulating Pump Heater/Thermostat Unit and Lower Rack. 220-240V 50-60Hz	1,143.95	814.49	64.0000	0.9364	902480 90 0
34-6755/01	Small Curing/Soaking Tank with Heater for Use on 220-240V 50Hz 1Ph.	465.00	372.47	55.0000	0.4158	902480 90 0
34-8100/09	Buoyancy Balance 15Kg X 0.1G W/ Auto Density Calculation. 110-240V Ac 50-60Hz 1Ph.	1,824.80	1,380.46	41.2000	0.0000	902480 90 0
34-8100/10	Lifting Frame Only for Buoyancy Balances. Less Tank.	529.00	406.27	29.0000	0.2700	902480 90 0
34-8100/12	Lifting Frame and Water Tank for Buoyancy Balance.	605.58	485.08	31.2000	0.0000	902480 90 0
34-8105	Cradle for Concrete Cubes to 150mm and Cylinders.	85.00	68.09	1.5000	0.0074	902490 00 0
34-8500	Drying Shrinkage & Moisture Movement Apparatus Complete with Two Calibration Rods	598.19	425.91	5.4000	0.0165	902480 90 0
34-8505/10	Length Comparator 11 5/8in Total Length; 3/8in Dia Tips.	137.00	97.54	0.5000	0.0002	902480 90 0
34-8538	Prism Mould 75 X 75 X 254mm	252.00	179.42	9.5000	0.0062	848079 00 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarrriff Code
34-8541	Steel Inserts for EI34-8538 (Pack of 10)	33.08	23.55	0.0400	0.0000	902490 00 0
34-8544	Two Gang Prism Mould Produces 1 Inch Square X 11 1/4 Inch Long Specimen (10 Inch Gauge Length)	202.00	143.82	4.3000	0.0034	848079 00 0
34-8547	Inserts for EL 34-8544 (Pack of 10)	29.00	20.65	0.0420	0.0000	902480 90 0
3494-0004	Lid Gasket for 34-3265 Air Entrainment Meter	21.49	20.63	0.2000	0.0006	902480 90 0
35-1480	Concrete Test Hammer Normal Type. EN 12504-2.	215.46	153.41	1.6000	0.0021	902480 90 0
35-1530	Test Anvil	426.00	341.23	16.0000	0.0184	902480 90 0
35-2015	Micro Covermeter, data logging unit. C/w probe, spacer block, download software.	2,430.00	1,982.88	1.4000	0.0050	902480 90 0
35-2016	Micro Covermeter, data logging unit. C/w probe. download software.	2,730.00	2,282.88	1.4000	0.0050	902480 90 0
35-2302/09	Pundit Lab Ultrasonic Concrete Tester 110-240V 50/60Hz 1Ph	3,647.93	3,327.01	6.0000	0.0320	902480 90 0
35-2305	Ultrasound Couplant Supplied In 250ml bottle	44.00	35.24	0.3000	0.0013	902490 00 0
35-2505	Crack Detection Microscope Magnification X 40 Measuring Range of 4mm In 0.02mm Divisions	463.00	329.66	0.7000	0.0009	901180 00 0
35-2846	200mm "Demec" Mechanical Strain Gauge	1,640.00	1,338.24	0.0000	0.0076	902480 90 0
35-4002	Concrete Impermeability Apparatus. 3 sample capacity	6,145.00	4,685.85	212.0000	2.2800	902480 90 0
35-4043	Gwt Permeability Kit 0-6 Bar Range Supplied In A Carrying Case.	5,850.00	5,054.40	10.0000	0.0369	902480 90 0
36-0720/01	ADR Touch 1500 Compression Machine with Digital Readout. 220-240V 50/60 Hz 1Ph.	5,150.00	3,437.63	592.2300	0.5454	902480 90 0
36-1410/01	1000/500kN Motorised Compression/Tension Machine (complete with grips) 220-240V 50/60Hz 1Ph.	11,442.06	7,637.58	454.5000	0.6644	902480 90 0
36-1420	Pair of Grips for Tensile Testing of 6mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1421	Pair of Grips for Tensile Testing of 8mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1422	Pair of Grips for Tensile Testing of 10mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1423	Pair of Grips for Tensile Testing of 12mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1425	Pair of Grips for Tensile Testing of 16mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1427	Pair of Grips for Tensile Testing of 20mm Dia. Reinforcing Bar. (Pack of 2).	400.00	302.60	0.2000	0.0000	902480 90 0
36-1429	Pair of Grips for Tensile Testing of 25mm Dia. Reinforcing Bar. (Pack of 2).	400.65	303.13	1.5000	0.0054	902480 90 0
36-3090/01	ADR Touch 2000 Standard Compression Machine with Digital Readout. 220-240V 50/60 Hz 1Ph.	5,534.87	4,151.15	587.0000	0.8056	902480 90 0
36-3280/01	ADR Touch 2000 BS EN Compression Machine with Digital Readout and Self Centring Platens.	8,200.00	6,150.00	846.0000	0.9188	902480 90 0
36-3320/01	ADR Touch 3000 BS Compression Machine with Digital Readout and Self Centring Platens.	10,095.00	7,571.25	1375.8300	1.2303	902480 90 0
36-4125/01	ADR-Auto V2.0 2000 Standard Compression Machine 220-240V 50 Hz 1Ph. (Distance Pieces Not Included)	8,948.82	5,973.34	992.0000	1.3100	902480 90 0
36-4125/06	ADR-Auto V2.0 2000 Standard Compression Machine 220-240V 60 Hz 1Ph. (Distance Pieces Not Included)	9,848.82	7,091.16	663.1000	0.8243	902480 90 0
36-4150/01	ADR-Auto V2.0 2000 BS Compression Machine 220-240V 50Hz 1Ph (Distance Pieces Not Included)	11,248.70	7,948.59	947.0000	1.4232	902480 90 0
36-4155/01	ADR-Auto V2.0 BS EN 2000/250kN Compression Machine 220-240V 50Hz 1Ph.	13,650.00	12,285.00	1503.1000	2.1000	902480 90 0
36-4165/01	ADR-Auto V2.0 3000 BS EN Compression Machine 220-240V 50Hz 1Ph. (Cube Distance Pieces Not Included)	13,092.82	10,350.00	1219.0000	1.3600	902480 90 0
36-4165/06	ADR-Auto V2.0 3000 BS EN Compression Machine 220-240V 60Hz 1Ph. (Distance Pieces Not Included)	13,758.82	10,319.11	1415.0000	1.9420	902480 90 0
36-4170/01	ADR-Auto V2.0 BS EN 3000/250kN Compression Machine 220-240V 50Hz 1Ph.	16,650.00	14,793.60	1503.1000	2.1000	902480 90 0
37-4830	BS Block Platens & Platen Handling Assembly for 2000kN & 3000kN BS Frames.	5,302.55	3,891.23	196.0000	0.1728	902480 90 0
37-4835	Extended Front Safety Gate for Use with 2000kN BS/EN Load Frames Fitted with Rectangular Platens.	126.00	96.77	7.0000	0.0000	902480 90 0
37-4855/10	Pressure Transducer 69Mpa (10000 P.S.I.).	299.00	212.89	0.3000	0.0021	902480 90 0
37-4859/01	Impact Printer Rs232 Serial Connection. Supplied Complete with 1 Paper Roll. 230V 50/60Hz 1Ph.	395.00	316.40	4.3000	0.0160	902480 90 0
37-4859/10	Printer Ribbon(Black/Red) for Use with 37-4859/01 Impact Printer.	13.00	10.41	0.1000	0.0003	902480 90 0
37-4859/12	Paper Roll 76mm Wide (Box of 20)	25.00	16.69	3.0000	0.0001	902480 90 0
37-4860	BS Rectangular Platens Without Guards	4,144.49	3,041.39	150.0000	0.0322	902480 90 0
37-4880/01	Console Assy ADR-Auto V2.0 220-240V 50Hz	7,412.59	5,469.06	120.0000	0.5432	902480 90 0
37-4880/06	Console Assy ADR-Auto V2.0 220-240V 60Hz	7,412.59	5,469.06	120.0000	0.5432	902480 90 0
37-4885/01	Electronics Assy. ADR Auto V2.0 Console PLC Control	3,606.06	3,461.82	20.0000	0.1000	902480 90 0
37-4900/01	Kit to Upgrade ADR-Auto Compression m/c to V2.0 220-240V 50/60Hz	2,855.00	2,466.72	12.0000	0.1250	902480 90 0
37-4980	Standard Distance Piece 20mm Effective Height.	53.00	37.74	6.0000	0.0018	902490 00 0
37-4990/09	ADR Touch Head Kit to upgrade manual compression machines, 110/240Vac, 50/60Hz	1,152.58	912.25	4.0000	0.0184	902480 90 0
37-5000	Standard Distance Piece 50mm Effective Height.	65.00	46.28	11.3000	0.0046	902490 00 0
37-5020	Standard Distance Piece 60mm Effective Height.	78.00	55.54	11.4000	0.0011	902490 00 0
37-5050	Standard Distance Piece 80mm Effective Height.	90.00	64.08	15.2000	0.0040	902490 00 0
37-5100	Standard Distance Piece 100mm Effective Height.	97.00	69.06	19.9000	0.0075	902490 00 0
37-5110	Distance Piece to BS1881 20mm Effective Height.	64.00	45.57	5.6000	0.0017	902480 90 0
37-5120	Distance Piece to BS1881 50mm Effective Height.	164.43	117.07	11.2000	0.0036	902480 90 0
37-5140	Distance Piece to BS1881 60mm Effective Height.	180.00	128.16	13.4000	0.0048	902480 90 0
37-5170	Distance Piece to BS1881 80mm Effective Height.	172.94	123.13	16.2000	0.0072	902480 90 0
37-5180	Distance Piece to BS1881 100mm Effective Height.	206.01	146.68	20.4000	0.0088	902480 90 0
37-5420	Sub-Platen Assembly for 150mm Dia Specimens for Split Cylinder Testing to BS1881	592.00	421.50	14.0000	0.0259	902480 90 0
37-5450	Test Pieces EN 12390-6 Pack of 100 Hardboard.	43.00	30.62	1.3000	0.0019	902480 90 0
37-6040	50kN Mini Flexural Machine.	2,710.00	1,929.52	80.0000	0.5534	902480 90 0
37-6130	100kN Flexural (Beams) Frame. Supplied Without Specimen Bearers and Fitting Kit.	1,948.59	1,300.68	159.0000	0.4552	902480 90 0
37-6131	BS 1881 Specimen Bearer Assembly 38mm Dia X 160mm Length.	531.41	389.97	18.8000	0.0108	902480 90 0
37-6132	ASTM C78 Specimen Bearer Assembly Case-Hardened 38mm Dia X 160mm Length.	542.43	386.21	18.5000	0.0081	902480 90 0
37-6133	Ball Seating Assembly 150mm Dia Platens.	530.00	377.36	10.0000	0.0000	902480 90 0
37-6135/01	100kN Flexural Fitting Kit (Autotest & ADR-Auto) 220-240V 50 Hz 1Ph	1,271.97	905.65	12.3000	0.0000	902480 90 0
37-6135/06	Flexural Fitting Kit for ADR-Auto Series Machines. 220-240V 60Hz 1Ph.	1,350.00	961.20	13.1000	0.0000	902480 90 0
37-6138	100kN Flexural Fitting Kit (ADR) Used for Connecting Flexural Frames to ADR Compression Machines.	575.51	409.76	3.0000	0.0076	902480 90 0
37-6140	100kN Flexural and Transverse (Flags) Frame. Supplied Without Specimen Bearers and Fitting Kit.	3,500.00	2,336.25	460.0000	1.2586	902480 90 0
37-6330	Specimen Bearer Assembly	975.00	694.19	25.3000	0.0182	902480 90 0
37-6362	Specimen Bearers for Testing KerBS. Used on 37-6140 Flags Frame.	853.57	683.71	48.0000	0.0421	902480 90 0
37-6364	Specimen Bearers for Testing Flags. Used on 37-6140 Flags Frame.	824.00	660.02	48.0000	0.0421	902480 90 0
37-8315	2000 kN Load Calibration Device Complete with Hand Held Readout Unit	10,765.00	9,020.93	50.0000	0.2679	902480 90 0
38-0200/01	Flame Photometer 220-240V 50/60Hz 1Ph. Requires Air Compressor Fuel Source and Regulator	2,999.00	2,600.64	7.5000	0.1361	902480 90 0
38-0320/01	Air Compressor. 220-240V 50/60Hz 1Ph.	744.90	560.77	5.2000	0.0462	902480 90 0
38-0500/11	Aspirator.	47.00	41.83	0.0700	0.0006	902480 90 0
38-0620	Pure Mineral Oil 1Litre Bottle.	39.00	31.24	1.6000	0.0024	291734 10 0
38-0640	NBS - Srm Reference Cement 10 Grams.	30.24	24.23	0.0200	0.0002	902480 90 0
38-0645	NBS - Srm Reference Cement 5 Grams.	30.24	24.23	0.0200	0.0002	902480 90 0
38-0650	Filter Paper Equivalent to Whatman No 40 12.7mm Dia. Box of 100	13.00	10.41	0.0030	0.0003	902480 90 0
38-1000	Blaine Air Permeability Apparatus.	395.00	349.00	9.0000	0.1404	902480 90 0
38-1000/10	Manometer inUin Tube.	106.00	75.47	0.4000	0.0073	902480 90 0
38-1000/15	Blaine Air Permeability Cell.	151.00	107.51	0.2000	0.0000	902480 90 0
38-1200	Le Chatelier Flask. En196-6 ASTM C188 Aashto T133 Complete Calibration Certificate.	117.89	94.44	0.0600	0.0042	701710 00 0
38-2010	Vicat Frame Complete.	175.77	125.15	1.3000	0.0075	902480 90 0
38-2010/10	Consistency Plunger	21.00	14.95	0.0400	0.0000	902480 90 0
38-2015/01	Digital Automatic Vicat Apparatus	2,250.00	1,702.13	15.2400	0.1976	902480 90 0
38-2015/12	Needle Cleaning Device for 38-2015 Series Auto. Vicat Apparatus.	227.78	182.45	0.3000	0.0011	902480 90 0
38-2015/14	Printer Paper Rolls Pk of 10. for 38-2015 Series Auto. Vicat.	20.86	16.71	0.4000	0.0006	902480 90 0
38-2015/15	Mould Tank for Use with 38-2015/01 Automatic Vicat for Testing Samples Under Water to En196-3.	335.00	268.34	1.0000	0.0094	902480 90 0
38-2015/16	Consistency Plunger for 38-2015 Series Automatic Vicat Apparatus. Standard Fitting.	41.75	33.45	0.0400	0.0000	902480 90 0
38-2021	Set of Needles Comprising 1 Ea EN Initial Set and EN Final Set Needle 1.13 mm Dia.	36.00	25.63	0.0010	0.0000	902480 90 0
38-2023	Set of Needles Comprising 1 Ea ASTM Initial Set and ASTM Final Set Needle. 1 mm Dia.	36.00	25.63	0.1000	0.0000	902480 90 0
38-2110	BS/EN Initial Needle 1.13mm Dia & EN Final Set Needle 1.13mm Dia with special footing	40.00	28.48	0.0200	0.0002	902490 00 0
38-2200	B.S. Vicat Mould	153.66	112.76	0.7000	0.0016	848079 00 0
38-2300	Vicat Mould to EN 196 Part 3 Complete with Glass Plate.	38.00	27.06	0.2500	0.0009	848079 00 0
38-2620	ASTM Initial Needle 1mm Dia.	13.00	9.26	0.0500	0.0000	902480 90 0
38-2660	ASTM Vicat Mould.	39.56	28.17	0.2060	0.0010	848079 00 0
38-2695	Concrete Mortar Penetrometer.	130.53	98.30	0.2300	0.0003	902480 90 0
38-3005	Le Chatelier Mould to EN 196 Part 3 Complete with Glass Plates and Counterweight.	29.30	20.86	0.2000	0.0006	848060 00 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
38-3200	Extensibility of Mould Apparatus.	97.00	74.50	0.3000	0.0000	902480 90 0
38-3205	Extensibility of Mould Apparatus to En196 Part 3	57.00	40.58	0.4000	0.0008	902480 90 0
38-3300	Tamping Rod 17mm Dia.	10.00	7.57	0.5000	0.0000	902480 90 0
38-3420/01	Le Chatelier Water Bath Complete with Timer. Complies with En196-3. 220-240V 50/60Hz 1Ph.	818.75	619.39	8.0000	0.1058	902480 90 0
38-3420/10	Heating Element 220/240V, 50/60Hz,1ph	209.33	186.30	0.5000	0.0010	902480 90 0
38-3800/01	Autoclave 220-240V 50/60Hz 1Ph. Requires Separate 20Amp Fuse Electrical Supply.	5,441.31	3,632.07	108.0000	0.3626	902480 90 0
38-3800/13	Lid Gasket.	13.00	9.26	0.0200	0.0002	902480 90 0
38-4600/01	Heat of Hydration Apparatus BS 4550. 220-240V 50Hz 1Ph.	1,787.00	1,490.41	29.9600	0.4288	902480 90 0
38-4600/06	Heat of Hydration Apparatus BS 4550. 220-240V 60Hz 1Ph.	1,092.92	1,832.94	29.9600	0.4288	902480 90 0
38-4600/12	Beckmann Thermometer & Reader Glass 5.2 Deg C Range X 0.01 Deg C Div.	570.00	492.48	1.0100	0.0029	902480 90 0
38-4600/13	Glass Paddle for Stirrer.	34.00	24.21	0.1000	0.0008	902480 90 0
38-6000	BS/ASTM Flow Table Top (inc tripod/baseplate)	1,022.00	818.44	25.0000	0.1084	902610 81 0
38-6040	BS/ASTM Flow Mould.	147.00	117.75	0.8500	0.0006	848079 00 0
38-6080	Calipers.	177.00	126.02	0.2000	0.0013	902480 90 0
38-6100/01	Motor Unit for Use with EI38-6020 220-240V 50 1Ph.	839.00	597.37	5.0000	0.0472	902480 90 0
38-6160	Plastic Tamper	15.00	10.68	0.0400	0.0006	902480 90 0
38-7087	Air Entrainment Meter 0.75L Capacity Complete with Integral Pump.	1,833.75	1,468.84	6.0000	0.0640	902480 90 0
38-7600	Spray Nozzle Apparatus for Wet Sieving of Fly Ash to EN 451 ASTM C115 C430.	410.00	291.92	2.1000	0.0149	902480 90 0
38-7600/12	45Mic Sieve Stainless Steel Mesh 50mm Internal Diameter.	168.94	120.28	0.3080	0.0005	960400 00 0
39-0031/10	Paddle. Stainless Steel complies with EN196.	156.00	118.01	0.5230	0.0009	902480 90 0
39-0031/11	Replacement Bowl Approx 5 Litre Capacity for Use on 39-0031/01 Mixer.	137.00	103.64	1.0000	0.0101	902480 90 0
39-0031/12	Water Dispenser 225Ml Complete with Bracket for Attaching to EI39-0031 Series.	239.67	191.97	0.7000	0.0173	902480 90 0
39-0035/01	Automatic / Manual Mortar Mixer 5L Cap. Supplied with Sand and Water Dispensers.	4,650.35	3,104.11	75.7000	0.3706	902480 90 0
39-0051/01	Automatic Sand Dispenser 220-240V 50/60Hz 1Ph	741.00	711.36	2.5000	0.0100	902480 90 0
39-0060	Bowl Cover for Use with EL 39-0035/01 Automatic Manual Mortar Mixer	67.00	50.69	0.3000	0.0006	902480 90 0
39-0065	Scraper - Pack of 5	4.00	3.03	0.5000	0.0001	902480 90 0
39-0100	70.7mm Cube Mould Complete with Baseplate.	50.00	35.60	2.9000	0.0014	848079 00 0
39-0410	Three Gang Mould for 50mm Mortar Cubes. Steel with Simple Cube-Release Mechanism.	154.98	103.45	6.6000	0.0039	848079 00 0
39-1000	Brigquette Mould Complete with Steel Baseplate.	69.97	49.82	1.0000	0.0004	848079 00 0
39-1100	Three Gang Mould for 40.1 X 40 X 160mm Prisms Complete with Glass Plate. Weight 12.2 Kg	247.59	165.26	12.5000	0.0397	848079 00 0
39-1100/10	Glass Plate for 3 Gang Prism Moulds to En196.	14.15	10.39	0.7000	0.0007	902480 90 0
39-1120	Feeding Hopper	151.00	107.51	1.4000	0.0014	902480 90 0
39-1130	Scraper.	18.00	12.82	0.9000	0.0000	902480 90 0
39-1150/01	Jolting Table to En196-1 Supplied Without Moulds. 220-240V 50Hz 1Ph.	3,327.35	2,221.00	85.0000	0.2820	902480 90 0
39-1150/06	Jolting Table to En196-1 Supplied Without Moulds. 220-240V 60Hz 1Ph.	3,521.00	2,350.27	85.0000	0.2820	902480 90 0
39-1170	Standard Sand Graded Pack for Mortar Prisms. En196 (1350G).	4.73	3.78	1.3500	0.0027	250590 00 0
39-1300/01	Humidity Cabinet to En196 320 Litre Capacity 10 Reinforced Shelves and Circular Chart Recorder	13,488.00	11,759.00	200.0000	1.2494	902480 90 0
39-1300/06	Humidity Cabinet to En196 320 Litre Capacity 10 Reinforced Shelves and Circular Chart Recorder	13,488.00	11,759.00	200.0000	1.2494	902480 90 0
39-5600	Compression Frame Jig Assembly Without Platens. Accepts 40mm or 50mm Square Platens.	371.00	264.15	13.5000	0.0208	902480 90 0
39-5600/10	40mm Square Platen Set.	336.00	239.23	1.2000	0.0091	902480 90 0
39-5600/11	Pair of Square Platens 2.060in. (50mm)	461.00	320.87	1.9000	0.0019	902480 90 0
39-6160	Flexural Jig Assembly for 40 X 40 X 160mm Prisms Complete with Rollers Bearers.	539.00	383.77	15.3000	0.0202	902480 90 0
39-6160/01	ADR-Auto V2.0 250/25 Cement Machine C/W Compression and Flexural Jigs and Platen Sets. 220-240v 50Hz	12,800.00	9,113.60	701.9000	1.3495	902480 90 0
39-6160/06	ADR-Auto V2.0 250/25 Cement Machine C/W Compression and Flexural Jigs and Platen Sets. 220-240v 60Hz	13,750.00	9,789.99	703.0000	1.3800	902480 90 0
39-6220	Set of 4 Distance Pieces for Testing Samples 100mm 70.7mm 50mm and 40mm High	237.00	168.74	18.6000	0.0000	902480 90 0
39-7100/01	10kN Flexural/Tensile Testing Machine for 220-240V 50Hz 1Ph.	5,500.00	4,160.75	57.4000	0.5363	902480 10 0
39-7100/10	Flexural Jaws.	631.00	561.59	2.3000	0.0029	902480 90 0
39-7100/15	Tensile Jaws.	654.00	582.06	4.6000	0.0023	902480 90 0
42-0300	Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.	163.00	130.56	3.6000	0.0110	960400 00 0
42-0302	Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.	155.00	124.16	3.6000	0.0110	960400 00 0
42-0304	Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.	144.00	115.34	3.6000	0.0110	960400 00 0
42-0306	Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.	135.00	108.14	3.6000	0.0110	960400 00 0
42-0308	Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.	131.00	104.93	3.6000	0.0110	960400 00 0
42-0310	Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.	127.00	101.73	3.6000	0.0110	960400 00 0
42-0314	Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.	110.92	88.85	3.6000	0.0110	960400 00 0
42-0316	Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.	120.00	96.12	3.6000	0.1103	960400 00 0
42-0318	Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.	112.00	89.71	3.6000	0.0110	960400 00 0
42-0320	Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.	110.92	88.85	3.6000	0.0110	960400 00 0
42-0322	Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.	110.92	88.85	3.6000	0.0110	960400 00 0
42-0324	Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.	110.92	88.85	3.6000	0.0110	960400 00 0
42-0326	Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.	110.92	88.85	3.5000	0.0110	960400 00 0
42-0410	Flakiness Gauge.	52.88	37.65	0.6000	0.0003	902480 90 0
42-0600	Set of Flakiness Sieves Comprising 1 Ea 4.9mm 7.2mm 10.2mm 14.4mm 19.7mm 26.3mm and 33.9mm	368.56	262.42	16.9000	0.2325	902480 90 0
42-0820	Length Gauge	80.00	56.96	0.9000	0.0018	902490 00 0
42-0821	3.1 Shape Index Caliper.	233.86	187.33	0.4500	0.0026	902480 90 0
42-1000/01	Buoyancy Balance 6Kg X 0.1G. Supplied with Support Frame Water Tank & Suspension Hook.	1,584.77	1,057.83	39.2000	0.3229	901600 10 0
42-1005	Wire Basket Brass with Handle Nominal 6000Cm3 Capacity with 1.7mm Wire Mesh.	145.00	116.15	1.0000	0.0097	902480 90 0
42-1700	Sand Absorption Cone.	20.00	16.02	0.2000	0.0007	902480 90 0
42-1720	Tamping Rod.	15.67	12.55	0.4000	0.0001	902480 90 0
42-1995	Bulk Density Measure 3 Litre.	74.00	52.69	4.2000	0.0080	902490 00 0
42-2000	7 Dm3 Bulk Density Measure.	87.75	62.48	5.2000	0.0193	902480 90 0
42-2950	Quantab Chloride Titrator Type 1175 Titration Range 0.005% - 0.1% 30-600ppm Nacl Pack of 40 Strips.	83.00	66.48	0.1000	0.0002	902480 90 0
42-2952	Quantab Chloride Titrator Strips Type 1176 Titration Range 0.05%-1% (300-6000 ppm) Nacl Pack of 40.	79.00	63.28	0.1000	0.0003	902480 90 0
42-2958	Sulphate Test Strips	119.86	96.01	0.1000	0.0001	902480 90 0
42-3000	Glass Bottle Approx.300Ml	11.00	8.81	0.4500	0.0038	701710 00 0
42-3040	Colour Standard to ASTM C40	467.22	372.00	0.1500	0.0002	902480 90 0
42-4000	Aggregate Impact Value Apparatus Complete with 16mm Dia X 600mm Long Rod	1,220.25	977.58	55.0000	0.1053	902480 90 0
42-4300	150mm Aggregate Crushing Value Apparatus. Supplied Complete with Metal Measure and Tamping Rod.	864.15	634.15	30.5000	0.0112	902480 90 0
42-4360	Metal Measure 115mm Dia X 180mm Deep.	108.00	86.51	1.0000	0.0026	902480 90 0
42-4500	75mm Aggregate Crushing Value Apparatus. Supplied Complete with Metal Measure and Tamping Rod.	209.00	167.41	4.4000	0.0014	902480 90 0
42-4580	Tamping Rod 8mm Dia X 300mm.	28.00	22.43	0.2000	0.0000	902480 90 0
42-5300/10	Set of 12 Abrasive Charges (ASTM).	165.00	132.17	5.0000	0.0022	902480 90 0
42-5305/01	Los Angeles Abrasion Machine Meets ASTM and European Standards. 220-240V 50Hz 1Ph.	3,175.00	2,119.11	590.0000	1.8583	902480 90 0
42-5305/06	Los Angeles Abrasion Machine Meets ASTM and European Standards. 220-240V 60Hz 1Ph.	3,467.00	2,314.00	590.0000	1.8583	902480 90 0
42-5305/10	Set of Abrasive Charges (En) Comprising of 12 Steel Charges Each Approximately 440G Weight	189.64	151.91	5.4000	0.0022	902480 90 0
42-5310/01	Los Angeles Abrasion Machine with CE Safety Cabinet W/ Microswitches. 220-240V 50Hz 1Ph.	4,995.00	3,766.00	560.0000	1.7280	902480 90 0
45-3803	Filter Discs Pack of 100	82.00	62.03	2.3000	0.0072	902490 00 0
45-3805/10	Replacement bowl for 3000 g Rotatest centrifuge extractor	770.00	591.36	0.4000	0.0000	902480 90 0
45-3807	Filter Discs Pack of 100	68.99	49.12	2.1000	0.0063	902480 90 0
45-3810/01	Rotatest 1500 220/240V 50/60Hz 1Ph. Supplied with 100 Filter Discs.	2,027.03	1,533.44	39.5000	0.0910	902480 90 0
45-3815/01	Rotatest 3000 220/240V 50/60Hz 1Ph. Supplied with 100 Filter Discs.	2,926.72	2,147.74	39.5000	0.0910	902480 90 0
45-3815/10	Replacement bowl for Rotatest 3000 centrifuge extractor	770.00	591.36	0.4000	0.0153	902480 90 0
45-3855/01	Reflux Extractor 4000G Capacity. Supplied with 100 Filter Discs. 220-240V 50Hz 1Ph.	1,196.37	958.29	17.3000	0.1455	902480 90 0
45-3857	Filter Papers.	29.00	23.23	0.9500	0.0040	902490 00 0
45-5580/01	Isomantle Electric Heater for Use with 5 Litre Bowl and EL23-6191 Series Bench Mounting Mixer.	1,481.00	1,158.58	4.4000	0.0000	902480 90 0
45-6310	Compaction Mould BS 598 Incl. Filling/Extraction Collar Mould Body and Baseplate.	65.00	52.06	3.2000	0.0035	848079 00 0
45-6310/10	Compaction Mould Body.	58.00	41.30	1.4000	0.0019	848079 00 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
45-6310/11	Baseplate for Compaction Mould.	33.63	23.94	1.0000	0.0003	902480 90 0
45-6310/12	Filling/Extraction Collar	51.00	36.31	0.9500	0.0012	902480 90 0
45-6410	Compaction Pedestal to BS598. Fitted with Mould Clamp and Hammer Guide.	776.79	622.21	43.0000	0.1229	902480 90 0
45-6460	Compaction Hammer.	216.00	173.55	10.0000	0.0105	902480 90 0
45-6462	Paper Discs Pack of 100	18.63	13.26	0.0242	0.0005	902480 90 0
45-6463	Steel Heating Block	40.00	28.48	4.4000	0.0007	902480 90 0
45-6550/01	30L Heating Bath with Led Display Cover 220/240volts, 50/60hz	755.00	571.15	28.0000	0.1188	902480 90 0
45-6600/01	Autocomp 100A. Automatic Marshall Compactor. BS 598-107. for 220-240V 50Hz 1Ph.	3,644.87	2,432.95	340.0000	1.1350	902480 90 0
45-6600/06	Autocomp 100A. Automatic Marshall Compactor. BS 598-107. for 220-240V 60Hz 1Ph.	3,857.00	2,574.55	340.0000	1.1350	902480 10 0
45-6810/01	Marshall Test 50 Machine 50kN Capacity. 220-240V 50Hz 1Ph.	2,450.00	1,635.38	115.0000	0.5156	902480 90 0
45-6810/06	Marshall Test 50 Machine 50kN Capacity. 220-240V 60Hz 1Ph.	2,680.00	1,788.90	65.0000	0.2197	902480 90 0
45-6820/11	Flow Transducer 10mm Pre-Calibrated.	463.05	329.69	0.4000	0.0032	902480 90 0
45-6850	Breaking Head Stability Mould	342.00	243.50	10.0000	0.0053	848079 00 0
45-6880	Flow Meter (Dial Gauge) BS. Supplied Complete with Flow Meter Pedestal.	142.70	114.30	0.4000	0.0023	902610 29 0
45-6890	Flow Meter (Dial Gauge) ASTM. Supplied Complete with Flow Meter Pedestal.	156.00	124.96	0.4000	0.0015	902610 29 0
45-9300	Vacuum Pycnometer (Approx 10 Litres/6000G)	810.00	612.77	3.0000	0.0172	902480 90 0
45-9305/01	Vacuum Pycnometer Apparatus (6000 G) C/W Vacuum Pump Filter Flask and Tubing.	1,620.68	1,298.16	11.4350	0.3114	902480 90 0
45-9315/01	Rice Test Vibrator for 2000G Pycnometer EI45-9310 220-240V 50Hz 1Ph.	685.00	548.69	12.0000	0.0490	902480 90 0
45-9315/10	6000G Vacuum Pycnometer Attachment. for Use on Rice Test Vibrator.	336.56	269.58	2.2700	0.0010	902480 90 0
46-2190	Pycnometer 25Ml Nominal Capacity BS 733 Iso 3507. Hubbard-Carmick Type.	63.97	45.55	0.1300	0.0003	902480 90 0
46-3310/01	Cleveland Flash Cup Apparatus; Open Cup Electrically Operated with Gas Flame. 220-240V 50-60Hz 1Ph.	5,900.00	4,725.90	10.0000	0.0468	902610 81 0
46-4605	Ring and Ball Apparatus.	180.95	144.95	0.6000	0.0001	902480 90 0
46-4825/01	Electrical Hotplate with Integral Magnetic Stirrer 220-240V 1Ph 50/60Hz	688.91	551.49	2.9500	0.0172	902480 90 0
46-5290	Standard Penetrometer BS2000 ASTM D5.	559.44	398.32	7.3000	0.0494	902480 90 0
46-5295/01	Semi-Automatic Bitumen Penetrometer to BS:2000: Part 49 AASHTO T49 ASTM D5 Ip49.	988.47	703.79	8.5000	0.0452	902480 90 0
46-5340/C	Penetration Needle Verified By Npl.	165.00	135.73	0.0220	0.0001	902490 00 0
46-5360/10	Penetration Needle Unverified.	57.00	40.58	0.0200	0.0000	902480 90 0
46-5380/01	Auto Asphalt Penetrometer c/w penetration needle and 50g weight	8,600.00	6,808.50	0.0000	0.0000	902580 99 0
46-5380/11	Auto Asphalt Penetrometer penetration needle	77.88	67.75	0.0000	0.0000	902580 99 0
46-5380/12	Auto Asphalt Penetrometer 50g weight	78.88	68.75	0.0000	0.0000	902580 99 0
46-5500/01	Constant Temperature Bath 21.0 to 56.0 +/- 0.1 Deg.C	2,272.52	1,667.66	11.0000	0.1789	902480 90 0
46-5800	Transfer Dish.	65.53	46.66	0.6000	0.0012	902490 00 0
46-5860	Penetration Tin 70mm Dia X 45mm Deep.	6.00	4.27	0.0300	0.0003	902490 00 0
46-5861	Penetration Tin for Penetrations Below 200; Nominally 55mm Dia X 35mm Deep.	3.78	2.69	0.0300	0.0001	902480 90 0
47-0011	Calibrated Spring Balance Rate of Spread of Coated Chippings.	148.00	105.38	0.2500	0.0001	902490 00 0
47-0012	Tray & Chains 300mm Sq Tray with Four Chains for Use with EI47-0011.	40.00	28.48	0.5500	0.0018	902490 00 0
47-0202	Digital Thermometer -50 to +1000 Deg.C. Supplied Without Probes.	125.00	100.13	0.5000	0.0020	902480 90 0
47-0202/10	Asphalt Needle Probe 300 mm Long 250 Deg. C Max. Temperature.	50.00	40.05	0.3000	0.0001	902480 90 0
47-0202/11	Asphalt Needle Probe 500 mm Long. 250 Deg. C Max. Temperature.	69.00	55.27	0.5000	0.0002	902480 90 0
47-0202/14	Surface Probe 500 Deg. C Max. Temperature.	55.00	44.06	0.1500	0.0196	902480 90 0
47-0450	Split Mould & Base Plate for Prd to BS598.	280.00	224.28	10.3000	0.0065	848079 00 0
47-0455/01	Vibrating Hammer 220-240V 50/60Hz 1Ph.	1,578.00	1,263.98	12.5000	0.0247	902480 90 0
47-0460	Small Tamping Foot 102mm Diameter for Prd to BS598	169.00	150.41	1.5000	0.0015	902480 90 0
47-0470	Large Tamping Foot 146mm Diameter for Prd to BS598.	152.00	135.28	2.3000	0.0022	902480 90 0
47-0480	300mm Shank Complete with Tamping Feet 102mm and 146mm Dia.	288.89	231.40	4.0000	0.0001	902480 90 0
47-1460	Benkelman Beam Supplied Complete with Vertical Dial Gauge.	1,062.18	850.80	58.0000	0.3246	902480 90 0
47-3025	Travelling Beam Device with Autographic Recorder Supplied Without Recorder Charts.	5,288.22	3,529.89	66.0100	1.1554	902480 90 0
47-3130	Charts for Autographic Recorder Pack of 10 Rolls Complete with 10 Fibre-Tipped Pens.	199.00	141.69	1.7500	0.0085	902480 90 0
47-3131	Replacement Fibre Tip Pen	9.00	7.21	0.0100	0.0000	902490 00 0
47-3510	M.O.T. Straight Edge 3 Metres	677.17	496.94	45.0000	0.3284	902480 90 0
475-003	MM950 Logger- 8 Analog & 3 digital channels c/w Software RS232 cable and manual	1,371.13	1,118.84	0.0000	0.0000	902480 90 0
475-050	Battery Pack for Ems In Protective Enclosure	171.91	140.28	1.3000	0.0014	901580 19 0
475-175	Core Drill Unit Petrol Motor. Vertical Drilling Mode Only.	2,852.01	2,037.21	90.0000	0.6193	902480 90 0
47-5515	50mm Core Barrel	117.70	102.72	1.7000	0.0026	901580 19 0
47-5565	100mm Core Barrel Solid Back End Type	253.26	180.32	3.3000	0.0053	902480 90 0
47-5605	150mm Core Barrel Solid Back End Type	354.38	252.32	6.2000	0.0136	902480 90 0
70-0095/01	Rock Core Drill Supplied with 2 X Nx Core Drill Bit. for Use on 240V 50/60Hz 1Ph.	5,086.75	4,389.22	61.5000	0.3300	902480 90 0
70-0250/01	Gsp210/250 Core Trimmer & Cut Off Machine Supplied with Coolant Pump Unit and 1 Ea	6,585.71	4,689.02	117.7000	0.2772	902480 90 0
70-0250/06	Gsp210/250 Core Trimmer & Cut Off Machine Supplied with Coolant Pump Unit and 1 Ea	6,585.71	4,689.02	117.7000	0.2772	902480 90 0
70-0912	Spare Jacket 1.5 Inch Size.	22.00	15.66	0.0530	0.0004	902490 00 0
70-1710	Ele-Hoek Cell Nx 54.74mm Diameter.	1,063.00	756.86	18.5200	0.0000	902480 90 0
70-1712	Spare Jacket Nx Size.	23.59	16.80	0.1100	0.0008	902490 00 0
70-1750	Pair of Permeability End Caps Nx. Supplied with Distance Block.	654.86	565.80	6.2000	0.0027	902480 90 0
70-2725	Specimen Extruder Bench Mounting Frame for Extruding Specimens From Ele-Hoek Cells	1,809.00	1,288.01	11.9000	0.0187	902480 90 0
70-5000	Hand Operated Pressure System. Complete with Pressure Gauge and Flexible Hose.	2,750.00	1,958.00	15.0000	0.0632	902610 81 0
70-5130/01	Pressure Test 3500 Oil/Water Constant Pressure System with Digital Pressure Gauge.	3,992.82	3,258.14	12.6000	0.0119	902610 81 0
77-0115	Digital Point Load Test Apparatus.	2,100.00	1,401.74	47.0000	0.4348	902480 90 0
77-0115/10	Set of points	216.55	207.89	0.2000	0.0000	902480 90 0
77-0115/KB	Set of 2 Conical Points & 1 Set of Internal Seals for 77-0115 Digital Point Load Tester.	193.00	185.28	1.9000	0.0000	902480 90 0
77-0470	Rock Classification Hammer	255.00	220.32	1.6000	0.0021	902480 90 0
77-0480	New Rock Cradle	310.52	268.29	10.0000	0.0158	902480 90 0
77-0510/01	Slake Durability Apparatus, 220-240V 50Hz	3,350.00	2,733.60	47.0000	0.4348	902480 90 0
77-1030	Portable Shear Box with Residual Shear Attachment c/w Mould former and Pressure maintainer.	9,555.00	7,653.56	61.3000	0.0000	902480 90 0
78-0060	2kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	409.19	291.56	4.1900	0.0095	902480 90 0
78-0110/01	Drying Oven 225 Litre Cap. Fan-Circulated. Supplied W/ 3 Shelves & 2-Year Warranty.	1,196.37	976.23	110.0000	0.8555	902480 90 0
78-0135/01	Drying Oven 425 Litre Capacity 220-240V 50/60Hz 1Ph	2,884.45	2,116.73	90.0000	1.0464	902480 90 0
78-0160	3kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	454.76	323.79	4.1900	0.0095	902480 90 0
78-0260	4.5kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	399.00	337.31	5.0000	0.0135	902480 90 0
78-0460	10kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	389.00	276.97	5.3000	0.0089	902480 90 0
78-0760	28kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	413.91	294.37	6.0000	0.0080	902480 90 0
78-0860	50kN Clamped Boss Load Ring Complete with Dial Gauge and Calibration Certificate. Height 248 mm.	491.40	328.01	6.3500	0.0086	902480 90 0
78-1215/01	Drying Oven 50 Litre Capacity 2 Year Warranty 220-240V 50/60Hz 1Ph	905.26	782.15	75.0000	0.9500	902480 90 0
78-1225/01	Drying Oven 100 Litre Capacity 2 Year Warranty 220-240V 50/60Hz 1Ph	1,010.00	872.64	70.0000	0.5100	902480 90 0
78-1235/01	Drying Oven 150 Litre Capacity 2 Year Warranty 220-240V 50/60Hz 1Ph	1,232.00	1,064.45	70.0000	0.6156	902480 90 0
78-1245	Dial Thermometer 0 to 300 Deg.C with Collar Fixing for Oven Door.	56.94	45.61	0.2000	0.0013	902480 90 0
78-1250/01	Drying Oven 225 Litre Cap. Fan-Circulated. Supplied W/ 3 Shelves 220-240V 50/60Hz	1,330.24	1,154.00	0.0000	0.0000	902480 90 0
78-2950/01	200mm Dia Hotplate 220-240V 50/60Hz 1Ph with Simerstat.	289.17	231.62	4.3000	0.0138	902480 90 0
78-3104/01	Hotplate Digital Temperature Indication 0-300 Deg.C 300 X 500mm Heating Area. 220/240V 50/60Hz 1Ph.	1,030.61	825.52	12.0000	0.0243	902480 90 0
78-5447/01	Electronic Top Loading Balance 3000g X 0.01G	899.00	690.43	8.0000	0.0610	902480 90 0
78-5457/01	Electronic Top Loading Balance 8000g X 0.1g	646.00	496.13	4.2000	0.0610	902480 90 0
78-5461	Dial Gauge for Load Rings 2kN to 50kN 5mm Travel X 0.002mm Divisions.	123.86	99.22	0.1900	0.0005	902480 90 0
78-5527/01	Electronic Top Loading Balance 32Kg X 1g	316.00	242.69	6.0000	0.0230	902480 90 0
78-5666/01	75Kg X 20G Economy Bench Scale W/ 310mm X 300mm Platform 230V 50/60Hz 1Ph.	281.06	200.12	5.0000	0.0000	902480 90 0
78-6000/01	Electronic Top Loading Balance 200g at 0.001g. Dual Voltage 50-60Hz	539.23	407.93	2.6000	0.0201	701710 00 0
78-6010/01	Electronic Top Loading Balance 1200g at 0.01g	996.03	753.31	2.6000	0.0168	701710 00 0
78-6020/01	Electronic Top Loading Balance 6kg at 0.1g. Dual Voltage 50-60Hz	403.52	305.31	2.6000	0.0168	902480 90 0
78-6030/01	Electronic Top Loading Balance 15kg at 1g. Dual Voltage 50-60Hz	230.00	173.55	2.6000	0.0168	701710 00 0

ELE International MTD Price List - Distributor



Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
78-6040/01	Electronic Top Loading Balance 30kg at 1g. Dual Voltage 50-60Hz	248.00	187.79	2.6000	0.0168	701710 00 0
78-6050/01	Upright Loading Balance 50kg X 10g. Dual Voltage 50-60Hz	863.55	653.11	17.0000	0.1073	701710 00 0
78-7090	Harvard Trip Balance 2000Gm Capacity X 0.1Gm with 225Gm Additional Tare.	448.94	319.64	3.0000	0.0215	901600 10 0
78-7110	Weight Set for 78-7090	203.00	162.60	2.5000	0.0012	902480 90 0
78-7140	Triple Beam Balance 2610G X 0.1G (to include weights)	196.84	151.17	3.4000	0.0253	902480 90 0
78-7600	Heavy Duty Solution Balance 20Kg Capacity X 1Gm with Additional 2270Gm Tare.	1,476.00	1,155.22	19.8000	0.0736	902480 90 0
79-0010	200mm Dia Lid	30.00	24.03	0.4000	0.0034	847490 90 0
79-0020	200mm Dia Receiver	30.00	24.03	0.6000	0.0031	847490 90 0
79-0050	200mm Dia BS Sieve 45 Mic Stainless Steel Mesh.	47.00	37.65	0.5500	0.0034	847490 90 0
79-0060	200mm Dia BS Sieve 53 Mic Stainless Steel Mesh.	47.00	37.65	0.9000	0.0034	847490 90 0
79-0070	200mm Dia BS Sieve 63 Mic Stainless Steel Mesh.	44.00	35.24	0.4560	0.0031	847490 90 0
79-0080	200mm Dia BS Sieve 75 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-0085	200mm Dia Iso:565 3310/1 Sieve 80 Mic Stainless Steel Mesh.	50.00	40.05	0.9000	0.0034	847490 90 0
79-0090	200mm Dia BS Sieve 90 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-0095	200mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-0100	200mm Dia BS Sieve 106Mic Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-0110	200mm Dia BS Sieve 125Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-0120	200mm Dia BS Sieve 150 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-0125	200mm Dia Iso:565 3310/1 Sieve 160 Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0140	200mm Dia BS Sieve 212Mic Stainless Steel Mesh.	44.00	35.24	0.4600	0.0032	847490 90 0
79-0150	200mm Dia BS Sieve 250Mic Stainless Steel Mesh.	44.00	35.24	0.4000	0.0034	847490 90 0
79-0160	200mm Dia BS Sieve 300Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0031	847490 90 0
79-0175	200mm Dia Iso:565 3310/1 Sieve 400 Mic Stainless Steel Mesh.	40.00	32.04	0.9000	0.0034	847490 90 0
79-0180	200mm Dia BS Sieve 425Mic Stainless Steel Mesh.	44.00	35.24	0.4000	0.0034	847490 90 0
79-0190	200mm Dia BS Sieve 500Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0200	200mm Dia BS Sieve 600Mic Stainless Steel Mesh.	44.00	35.24	0.5480	0.0031	847490 90 0
79-0210	200mm Dia BS Sieve 710Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0220	200mm Dia BS Sieve 850Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0230	200mm Dia BS Sieve 1.00mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0031	847490 90 0
79-0240	200mm Dia BS Sieve 1.18mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0031	847490 90 0
79-0245	200mm Dia Iso:565 3310/1 Sieve 1.25mm Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-0250	200mm Dia BS Sieve 1.40mm Stainless Steel Mesh.	44.00	35.24	0.8000	0.0034	847490 90 0
79-0255	200mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0260	200mm Dia BS Sieve 1.70mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0270	200mm Dia BS Sieve 2.00mm Stainless Steel Mesh.	44.00	35.24	0.5000	0.0039	847490 90 0
79-0280	200mm Dia BS Sieve 2.36mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0285	200mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.	44.00	38.02	0.9000	0.0034	847490 90 0
79-0290	200mm Dia BS Sieve 2.80mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0300	200mm Dia BS Sieve 3.35mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-0310	200mm Dia BS Sieve 4.00mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-0320	200mm Dia BS Sieve 4.75mm Stainless Steel Mesh.	59.00	47.26	0.7000	0.0034	847490 90 0
79-1500	200mm Dia BS Sieve 4.00mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1510	200mm Dia BS Sieve 4.75mm Perforated Plate.	56.92	45.59	0.7000	0.0034	847490 90 0
79-1515	200mm Dia BS Sieve 5.00mm Perforated Plate.	56.92	45.59	0.7500	0.0034	847490 90 0
79-1520	200mm Dia BS Sieve 5.60mm Perforated Plate.	56.92	45.59	0.0000	0.0034	847490 90 0
79-1525	200mm Dia BS Sieve 6.30mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1530	200mm Dia BS Sieve 6.70mm Perforated Plate.	46.00	36.85	0.6000	0.0034	847490 90 0
79-1540	200mm Dia BS Sieve 8.00mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1550	200mm Dia BS Sieve 9.50mm Perforated Plate.	56.92	45.59	0.8000	0.0034	847490 90 0
79-1555	200mm Dia BS Sieve 10.0mm Perforated Plate.	56.92	45.59	0.8000	0.0031	847490 90 0
79-1560	200mm Dia BS Sieve 11.20mm Perforated Plate.	56.92	45.59	0.0000	0.0034	847490 90 0
79-1565	200mm Dia BS Sieve 12.5mm Perforated Plate.	56.92	45.59	0.7500	0.0034	847490 90 0
79-1570	200mm Dia BS Sieve 13.2mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1575	200mm Dia BS Sieve 14.0mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1580	200mm Dia BS Sieve 16.0mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1590	200mm Dia BS Sieve 19.0mm Perforated Plate.	56.92	45.59	0.9000	0.0034	847490 90 0
79-1595	200mm Dia BS Sieve 20.0mm Perforated Plate.	56.92	45.59	0.9000	0.0043	847490 90 0
79-1600	200mm Dia BS Sieve 22.40mm Perforated Plate.	56.92	45.59	0.0000	0.0034	847490 90 0
79-1605	200mm Dia BS Sieve 25.0mm Perforated Plate.	56.92	45.59	1.0000	0.0034	847490 90 0
79-1610	200mm Dia BS Sieve 26.5mm Perforated Plate.	56.92	45.59	1.0000	0.0034	847490 90 0
79-1615	200mm Dia BS Sieve 28.0mm Perforated Plate.	56.92	45.59	0.8000	0.0034	847490 90 0
79-1630	200mm Dia BS Sieve 31.5mm Perforated Plate.	56.92	45.59	0.6000	0.0034	847490 90 0
79-1640	200mm Dia BS Sieve 37.5mm Perforated Plate.	56.92	45.59	1.0000	0.0034	847490 90 0
79-1655	200mm Dia BS Sieve 50.0mm Perforated Plate.	56.92	45.59	1.2000	0.0034	847490 90 0
79-1660	200mm Dia BS Sieve 53.0mm Perforated Plate.	56.92	45.59	1.2000	0.0034	847490 90 0
79-1670	200mm Dia BS Sieve 63.0mm Perforated Plate.	56.92	45.59	0.9000	0.0034	847490 90 0
79-1680	200mm Dia BS Sieve 75.0mm Perforated Plate.	56.92	45.59	1.2000	0.0034	847490 90 0
79-2010	300mm Dia Lid.	30.00	24.03	0.7500	0.0120	847490 90 0
79-2020	300mm Dia Receiver.	30.00	24.03	1.2000	0.0120	847490 90 0
79-2070	300mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	86.69	69.45	1.3000	0.0143	847490 90 0
79-2080	300mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	87.00	69.69	1.3000	0.0120	847490 90 0
79-2085	300mm Dia Iso:565 3310/1 Sieve 80 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	127.00	101.73	1.3000	0.0120	847490 90 0
79-2090	300mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	107.64	86.22	1.3000	0.0120	847490 90 0
79-2095	300mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	107.64	86.22	2.0000	0.0120	847490 90 0
79-2110	300mm Dia BS Sieve 125Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	106.00	84.91	1.3000	0.0120	847490 90 0
79-2120	300mm Dia BS Sieve 150Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	86.69	69.45	1.1000	0.0120	847490 90 0
79-2135	300mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	110.86	88.80	2.0000	0.0120	847490 90 0
79-2140	300mm Dia BS Sieve 212Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	86.69	69.45	1.3000	0.0120	847490 90 0
79-2150	300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	86.69	69.45	1.0000	0.0120	847490 90 0
79-2160	300mm Dia BS Sieve 300Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.	86.69	69.45	1.2000	0.0120	847490 90 0
79-2165	300mm Dia Iso:565 3310/1 Sieve 315 Mic Stainless Steel Mesh.	110.86	88.80	2.0000	0.0120	847490 90 0
79-2180	300mm Dia BS Sieve 425Mic Stainless Steel Mesh.	81.75	65.49	1.2000	0.0120	847490 90 0
79-2190	300mm Dia BS Sieve 500Mic Stainless Steel Mesh.	86.69	69.45	1.3000	0.0120	847490 90 0
79-2200	300mm Dia BS Sieve 600Mic Stainless Steel Mesh.	86.69	69.45	1.2000	0.0120	847490 90 0
79-2205	300mm Dia Iso:565 3310/1 Sieve 630 Mic Stainless Steel Mesh.	110.86	88.80	2.0000	0.0120	847490 90 0
79-2220	300mm Dia BS Sieve 850Mic Stainless Steel Mesh.	86.69	69.45	1.4000	0.0120	847490 90 0
79-2230	300mm Dia BS Sieve 1.00mm Stainless Steel Mesh.	86.69	69.45	1.4000	0.0120	847490 90 0
79-2240	300mm Dia BS Sieve 1.18mm Stainless Steel Mesh.	86.69	69.45	1.2500	0.0120	847490 90 0
79-2245	300mm Dia Iso:565 3310/1 Sieve 1.25mm Stainless Steel Mesh.	86.69	69.45	2.0000	0.0120	847490 90 0
79-2255	300mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.	86.69	69.45	2.0000	0.0120	847490 90 0
79-2260	300mm Dia BS Sieve 1.70mm Stainless Steel Mesh.	86.69	69.45	1.5000	0.0120	847490 90 0
79-2270	300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.	86.69	69.45	1.3500	0.0120	847490 90 0
79-2280	300mm Dia BS Sieve 2.36mm Stainless Steel Mesh.	86.69	69.45	1.6000	0.0120	847490 90 0
79-2285	300mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.	86.69	69.45	2.0000	0.0120	847490 90 0
79-2300	300mm Dia BS Sieve 3.35mm Stainless Steel Mesh.	86.69	69.45	1.4000	0.0120	847490 90 0
79-2320	300mm Dia BS Sieve 4.75mm Stainless Steel Mesh.	126.97	101.71	1.7000	0.0120	847490 90 0
79-2500	300mm Dia BS Sieve 4.00mm Perforated Plate.	81.00	64.88	0.8000	0.0120	847490 90 0

ELE International MTD Price List - Distributor



Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
79-2510	300mm Dia BS Sieve 4.75mm Perforated Plate.	81.00	64.88	0.9000	0.0120	847490 90 0
79-2515	300mm Dia BS Sieve 5.00mm Perforated Plate.	81.00	64.88	1.4000	0.0120	847490 90 0
79-2525	300mm Dia BS Sieve 6.30mm Perforated Plate.	81.00	64.88	1.4500	0.0123	847490 90 0
79-2530	300mm Dia BS Sieve 6.70mm Perforated Plate.	81.00	64.88	1.7000	0.0120	847490 90 0
79-2540	300mm Dia BS Sieve 8.00mm Perforated Plate.	81.00	64.88	1.7000	0.0120	847490 90 0
79-2550	300mm Dia BS Sieve 9.50mm Perforated Plate.	81.00	64.88	1.8000	0.0120	847490 90 0
79-2555	300mm Dia BS Sieve 10.0mm Perforated Plate.	81.00	64.88	1.6000	0.0120	847490 90 0
79-2565	300mm Dia BS Sieve 12.5mm	81.00	64.88	1.5500	0.0113	847490 90 0
79-2570	300mm Dia BS Sieve 13.2mm Perforated Plate.	81.00	64.88	1.6500	0.0120	847490 90 0
79-2575	300mm Dia BS Sieve 14.0mm Perforated Plate.	81.00	64.88	1.6500	0.0120	847490 90 0
79-2580	300mm Dia BS Sieve 16.0mm Perforated Plate.	81.00	64.88	2.0000	0.0120	847490 90 0
79-2590	300mm Dia BS Sieve 19.0mm Perforated Plate.	81.00	64.88	1.8000	0.0120	847490 90 0
79-2595	300mm Dia BS Sieve 20.0mm Perforated Plate.	81.00	64.88	1.8000	0.0120	847490 90 0
79-2600	300mm Dia BS Sieve 22.4mm Perforated Plate.	67.00	53.67	1.9000	0.0120	847490 90 0
79-2605	300mm Dia BS Sieve 25.0mm Perforated Plate.	81.00	64.88	1.9000	0.0120	847490 90 0
79-2610	300mm Dia Sieve 26.5mm Perforated Plate.	81.00	64.88	1.9000	0.0120	847490 90 0
79-2615	300mm Dia BS Sieve 28.0mm Perforated Plate.	81.00	64.88	2.0000	0.0120	847490 90 0
79-2630	300mm Dia BS Sieve 31.5mm Perforated Plate.	81.00	64.88	1.9000	0.0120	847490 90 0
79-2640	300mm Dia BS Sieve 37.5mm Perforated Plate.	81.00	64.88	1.8000	0.0120	847490 90 0
79-2645	300mm Dia BS Sieve 40.0mm	81.00	64.88	1.0000	0.0120	847490 90 0
79-2655	300mm Dia BS Sieve 50.0mm Perforated Plate.	81.00	64.88	2.3000	0.0123	847490 90 0
79-2660	300mm Dia BS Sieve 53.0mm Perforated Plate.	65.00	52.07	1.9500	0.0000	847490 90 0
79-2670	300mm Dia BS Sieve 63.0mm Perforated Plate.	81.00	64.88	2.4000	0.0127	847490 90 0
79-2680	300mm Dia BS Sieve 75.0mm Perforated Plate.	81.00	64.88	2.2000	0.0120	847490 90 0
79-2684	300mm Dia BS Sieve 80mm Perforated Plate.	81.00	64.88	2.0000	0.0127	847490 90 0
79-2710	300mm Dia BS Sieve 125mm Perforated Plate.	66.00	52.87	0.8000	0.0120	847490 90 0
79-5000	8inDia ASTM Sieve 6.30mm Stainless Steel Mesh.	59.00	47.26	0.7000	0.0034	847490 90 0
79-5010	8in Dia ASTM Sieve 5.60mm Stainless Steel Mesh.	59.00	47.26	1.4000	0.0034	847490 90 0
79-5020	8in Dia ASTM Sieve 4.75mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-5030	8in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.	59.00	47.26	0.7000	0.0034	847490 90 0
79-5040	8in Dia ASTM Sieve 3.35mm Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5050	8in Dia ASTM Sieve 2.80mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-5060	8in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.	44.00	35.24	0.6500	0.0034	847490 90 0
79-5070	8in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.	44.00	35.24	0.5500	0.0033	847490 90 0
79-5080	8in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-5090	8in Dia ASTM Sieve 1.40mm Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-5100	8in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5110	8in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5120	8in Dia ASTM Sieve 850 Mic Stainless Steel Mesh.	44.00	35.24	1.1000	0.0034	847490 90 0
79-5140	8in Dia ASTM Sieve 600 Mic Stainless Steel Mesh.	44.00	35.24	0.4700	0.0034	847490 90 0
79-5150	8in Dia ASTM Sieve 500 Mic Stainless Steel Mesh.	44.00	35.24	0.8000	0.0034	847490 90 0
79-5160	8in Dia ASTM Sieve 425 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-5180	8in Dia ASTM Sieve 300 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-5190	8in Dia ASTM Sieve 250 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-5200	8in Dia ASTM Sieve 212 Mic Stainless Steel Mesh.	44.00	35.24	0.6500	0.0034	847490 90 0
79-5210	8in Dia ASTM Sieve 180 Mic Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5220	8in Dia ASTM Sieve 150 Mic Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5230	8in Dia ASTM Sieve 125 Mic Stainless Steel Mesh.	44.00	35.24	0.9000	0.0034	847490 90 0
79-5240	8in Dia ASTM Sieve 106 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-5250	8in Dia ASTM Sieve 90 Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0038	847490 90 0
79-5260	8in Dia ASTM Sieve 75 Mic Stainless Steel Mesh.	44.00	35.24	0.5000	0.0034	847490 90 0
79-5270	8in Dia ASTM Sieve 63 Mic Stainless Steel Mesh.	44.00	35.24	0.6000	0.0034	847490 90 0
79-5290	8in Dia ASTM Sieve 45 Mic Stainless Steel Mesh.	47.00	37.65	0.5000	0.0034	847490 90 0
79-5400	8 Inch Dia Lid.	30.00	24.03	0.5000	0.0034	847490 90 0
79-5410	8in Dia Receiver.	30.00	24.03	0.6500	0.0029	847490 90 0
79-5490	8in Dia ASTM Sieve 6.70mm Stainless Steel Mesh.	52.56	42.10	0.6000	0.0034	847490 90 0
79-5500	8in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-5510	8in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.	59.00	47.26	0.8000	0.0034	847490 90 0
79-5520	8in Dia ASTM Sieve 11.2mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-5530	8in Dia ASTM Sieve 12.5mm Stainless Steel Mesh.	59.00	47.26	0.8000	0.0034	847490 90 0
79-5540	8in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-5550	8in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.	59.00	47.26	0.8000	0.0034	847490 90 0
79-5560	8in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.	59.00	47.26	0.9000	0.0034	847490 90 0
79-5570	8in Dia ASTM Sieve 22.4mm Stainless Steel Mesh.	59.00	47.26	0.6000	0.0034	847490 90 0
79-5580	8in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.	59.00	47.26	0.9000	0.0034	847490 90 0
79-5610	8in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.	59.00	47.26	0.9000	0.0034	847490 90 0
79-5630	8in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.	59.00	47.26	0.8000	0.0034	847490 90 0
79-5650	8in Dia ASTM Sieve 63.0mm Stainless Steel Mesh.	59.00	47.26	0.8000	0.0034	847490 90 0
79-5660	8in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.	59.00	47.26	0.9000	0.0034	847490 90 0
79-5800	12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame.	113.86	91.21	0.6000	0.0120	847490 90 0
79-5810	12in Dia ASTM Sieve 5.60mm Stainless Steel Mesh. Non Standard Frame.	106.00	84.91	0.6000	0.0120	847490 90 0
79-5820	12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh. Non Standard Frame.	106.00	84.91	1.5000	0.0120	847490 90 0
79-5830	12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.	106.00	84.91	0.6000	0.0120	847490 90 0
79-5840	12in Dia ASTM Sieve 3.35mm Stainless Steel Mesh.	86.69	69.45	1.7000	0.0120	847490 90 0
79-5850	12in Dia ASTM Sieve 2.80mm Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-5860	12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.	86.69	69.45	1.7000	0.0120	847490 90 0
79-5870	12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-5880	12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.	86.69	69.45	1.7000	0.0120	847490 90 0
79-5890	12in Dia ASTM Sieve 1.40mm Stainless Steel Mesh.	81.75	65.49	0.6000	0.0120	847490 90 0
79-5900	12in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.	86.69	69.45	1.3000	0.0120	847490 90 0
79-5910	12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-5920	12in Dia ASTM Sieve 850Mic Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-5930	12in Dia ASTM Sieve 710Mic Stainless Steel Mesh.	71.00	56.87	0.6000	0.0120	847490 90 0
79-5940	12in Dia ASTM Sieve 600Mic Stainless Steel Mesh.	81.75	65.49	1.1000	0.0120	847490 90 0
79-5950	12in Dia ASTM Sieve 500Mic Stainless Steel Mesh.	86.69	69.45	1.3300	0.0120	847490 90 0
79-5960	12in Dia ASTM Sieve 425Mic Stainless Steel Mesh.	86.69	69.45	0.9000	0.0120	847490 90 0
79-5970	12in Dia ASTM Sieve 355Mic Stainless Steel Mesh.	71.00	56.87	0.6000	0.0120	847490 90 0
79-5980	12in Dia ASTM Sieve 300Mic Stainless Steel Mesh.	86.69	69.45	1.7000	0.0120	847490 90 0
79-5990	12in Dia ASTM Sieve 250Mic Stainless Steel Mesh.	86.69	69.45	1.2600	0.0120	847490 90 0
79-6000	12in Dia ASTM Sieve 212Mic Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-6010	12in Dia ASTM Sieve 180Mic Stainless Steel Mesh.	81.75	65.49	0.6000	0.0120	847490 90 0
79-6020	12in Dia ASTM Sieve 150Mic Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0
79-6030	12in Dia ASTM Sieve 125Mic Stainless Steel Mesh.	86.69	69.45	1.3400	0.0120	847490 90 0
79-6040	12in Dia ASTM Sieve 106Mic Stainless Steel Mesh.	86.69	69.45	1.3100	0.0120	847490 90 0
79-6050	12in Dia ASTM Sieve 90 Mic Stainless Steel Mesh.	71.00	56.87	0.6000	0.0120	847490 90 0
79-6060	12in Dia ASTM Sieve 75 Mic Stainless Steel Mesh.	86.69	69.45	0.9000	0.0120	847490 90 0
79-6070	12in Dia ASTM Sieve 63 Mic Stainless Steel Mesh.	86.69	69.45	0.6000	0.0120	847490 90 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarriiff Code
79-6080	12in Dia ASTM Sieve 53 Mic Stainless Steel Mesh.	84.00	72.58	1.0000	0.0120	847490 90 0
79-6090	12in Dia ASTM Sieve 45 Mic Stainless Steel Mesh.	89.00	76.90	1.0000	0.0120	847490 90 0
79-6100	12in Dia ASTM Sieve 38 Mic Stainless Steel Mesh.	126.00	108.86	1.7000	0.0120	847490 90 0
79-6150	12in Dia Lid ASTM.	30.00	24.03	0.7500	0.0120	847490 90 0
79-6160	12in Dia Receiver ASTM.	30.00	24.03	1.3000	0.0120	847490 90 0
79-6190	12in Dia ASTM Sieve 6.70mm Stainless Steel Mesh.	106.00	84.91	1.6700	0.0120	847490 90 0
79-6200	12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.	106.00	84.91	1.6000	0.0120	847490 90 0
79-6210	12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.	106.00	84.91	0.9000	0.0120	847490 90 0
79-6220	12in Dia ASTM Sieve 11.2mm Stainless Steel Mesh.	106.00	84.91	1.6000	0.0120	847490 90 0
79-6230	12in Dia ASTM Sieve 12.5mm Stainless Steel Mesh.	106.00	84.91	0.9000	0.0120	847490 90 0
79-6240	12in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.	126.97	101.71	1.6200	0.0120	847490 90 0
79-6250	12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.	106.00	84.91	1.6900	0.0120	847490 90 0
79-6260	12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.	106.00	84.91	1.1000	0.0120	847490 90 0
79-6270	12in Dia ASTM Sieve 22.4mm Stainless Steel Mesh.	126.97	101.71	1.6200	0.0120	847490 90 0
79-6280	12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.	106.00	84.91	1.5000	0.0122	847490 90 0
79-6290	12in Dia ASTM Sieve 26.5mm Stainless Steel Mesh.	110.92	88.85	1.6000	0.0120	847490 90 0
79-6300	12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh.	106.00	84.91	0.9000	0.0120	847490 90 0
79-6310	12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.	106.00	84.91	1.4000	0.0120	847490 90 0
79-6320	12in Dia ASTM Sieve 45.0mm Stainless Steel Mesh.	101.00	80.90	1.6000	0.0120	847490 90 0
79-6330	12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.	106.00	84.91	0.9000	0.0120	847490 90 0
79-6340	12in Dia ASTM Sieve 53.0mm Stainless Steel Mesh.	126.97	101.71	1.6000	0.0120	847490 90 0
79-6350	12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh.	106.00	84.91	0.9000	0.0120	847490 90 0
79-6360	12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.	106.00	84.91	0.8000	0.0120	847490 90 0
79-6370	12in Dia ASTM Sieve 90.0mm Stainless Steel Mesh. Non Standard Frame.	126.97	101.71	0.6000	0.0120	847490 90 0
79-6380	12in Dia ASTM Sieve 100mm Stainless Steel Mesh. Non Standard Frame.	126.97	101.71	0.6000	0.0120	847490 90 0
79-6400	12in Dia ASTM Sieve 125mm Stainless Steel Mesh. Non Standard Frame.	101.00	80.90	0.9000	0.0120	847490 90 0
79-7000	8inDia Washing Sieve 75Mic Stainless Steel Mesh. 8in Deep.	137.00	109.74	0.9000	0.0106	847490 90 0
79-7001	75 Mic Washing Sieve 200mm Diameter 200mm Deep.	129.00	103.33	1.0000	0.0097	847490 90 0
79-7200	Sieve Brush Double Ended Brass & Nylon Bristle	17.53	14.04	0.0330	0.0000	847490 90 0
79-7210	Sieve Brush Double-Ended Nylon.	11.00	8.81	0.0200	0.0001	847490 90 0
80-0200/01	Sieve Shaker Complete with Separate Control Panel. 220-240V 50Hz 1Ph.	1,228.50	874.69	50.0000	0.4052	902480 90 0
80-0200/06	Ele Sieve Shaker Complete with Separate Control Panel. 220-240V 60Hz 1Ph.	1,448.11	1,031.05	45.0000	0.0000	902480 90 0
81-0080	Bosshead	15.00	13.35	0.1000	0.0001	902490 00 0
81-0094	Support Assembly	75.64	60.59	2.6000	0.0000	902480 90 0
81-0100	Spatula 100mm Blade	14.00	11.21	0.1000	0.0001	902490 00 0
81-0120	Spatula 150 X 25mm	17.00	13.62	0.1000	0.0001	902490 00 0
81-0140	Spatula 200mm Blade	21.00	16.82	0.1180	0.0001	902490 00 0
81-0180	Chattaway Spatula 125mm.	35.00	26.48	0.1000	0.0000	902490 00 0
81-0200	Aluminium Scoop Small.	16.69	13.38	0.2500	0.0019	902480 90 0
81-0220	Aluminium Scoop Large	19.00	15.22	0.2940	0.0037	902490 00 0
81-0222	Aggregate Scoop with Two Handles 250mm Long By 125mm Dia. 5Kg Capacity.	54.20	43.79	0.7700	0.0074	902480 90 0
81-0240	Shovel (Flat)	35.00	28.04	2.5000	0.0402	902490 00 0
81-0310	Trowel	13.72	10.99	0.3510	0.0012	902490 00 0
81-0335	Trowel Gauging to BS:4550 Approximately 200mm Long.	38.00	30.44	0.3000	0.0030	902480 90 0
81-0340	Plasterers Steel Float.	23.67	18.96	0.4060	0.0041	902490 00 0
81-0375	Red Rubber Tubing 6.5mm Bore 5.0mm Wall Priced By Metre.	9.00	7.21	0.2500	0.0018	902490 00 0
81-0480	Crucible Tongs Straight 200mm.	5.56	4.45	0.1000	0.0003	902480 90 0
81-0500	Heavy Duty Rubber Gloves.	5.00	4.01	0.2000	0.0009	902480 90 0
81-0508	Heat Resistant Gloves with Gauntlet.	12.00	9.61	0.5000	0.0030	902490 00 0
81-0518	Timer Clock	27.00	21.63	0.0490	0.0027	910291 00 0
81-0521	Stop Watch	21.00	16.82	0.4200	0.0002	910291 00 0
81-0586	Vernier Calipers.	5.90	4.73	0.1000	0.0002	902490 00 0
81-0588	Vernier Caliper Range 0 to 200mm X 0.02mm.	123.00	98.52	0.3000	0.0006	902480 90 0
81-0590	Vernier Caliper (LCD) Range 0 to 200mm X 0.01mm	300.00	240.30	0.5500	0.0011	902480 90 0
81-0594	Chisel Masonry 300mm X 20mm.	7.00	5.61	0.5500	0.0001	902480 90 0
81-0705	Wire Brush.	5.00	4.01	0.3000	0.0003	902490 00 0
81-0708	Wire Saw.	18.00	16.02	0.3000	0.0015	902480 90 0
81-0710	Trimming Knife	7.00	5.61	0.0550	0.0004	902480 90 0
81-0713	Engineers' Straight Edge 300mm Long BS 5204 Grade A.	250.14	183.56	1.0000	0.0000	902480 90 0
81-0715	Straight Edge 455mm.	46.97	37.63	0.9000	0.0011	902490 00 0
81-0805	Engineers' Steel Rule 300mm	22.64	18.14	0.1000	0.0000	902480 90 0
81-2979	Unnumbered Moisture Content Tin 90G Capacity.	2.00	1.60	0.0420	0.0002	902490 00 0
81-3000	Sample Container. 0.5 L Capacity.	1.00	0.80	0.1000	0.0008	902490 00 0
81-3040	Sample Container. 2.5 L Capacity.	4.00	3.20	0.2000	0.0043	902490 00 0
81-3060	Sample Container. 10 L Capacity.	6.94	5.56	0.6500	0.0148	902490 00 0
81-3500	Plastic Sample Container 1 Cu Decimetre Capacity. Complete with Lid.	4.00	3.20	0.1000	0.0020	902480 90 0
81-3540	Plastic Sample Container 10Cu Decimetre Capacity Complete with Lid. Suitable for Cbr Soaking Test.	12.53	10.04	0.6000	0.0185	902480 90 0
81-3545	22 Litre Transport/ Storage Container Complete with Snap-on Lid and Handle.	28.92	23.17	1.0000	0.0476	902480 90 0
81-4020	Sample Tray 306 X 306 X 38mm.	15.00	12.02	1.3000	0.0404	902490 00 0
81-4030	Sample Tray 406 X 406 X 50mm.	22.81	16.74	2.2000	0.0088	902490 00 0
81-4080	Sample Tray 610 X 610 X 63mm.	28.00	22.43	4.8000	0.0025	902490 00 0
81-4160	Sample Tray 910 X 910 X 76mm	44.00	35.24	12.0000	0.1083	902490 00 0
81-4230	Sample Tray 1200 X 1160 X 50mm.	77.00	61.68	14.0000	0.0686	902480 90 0
81-4700	Stainless Steel Tray 305mm Dia.	30.00	24.03	0.8500	0.0048	902490 00 0
81-4765	Polythene Bag 254mm X 380mm.	1.00	0.80	0.0230	0.0001	902490 00 0
81-4775	Polythene Bag 450mm X 1m X 1000 G Priced Ea.	2.00	1.60	0.2050	0.0004	902480 90 0
81-4819	Wire Basket BS812 Type 1	147.00	117.75	0.0720	0.0004	902480 90 0
81-4821	Wire Basket BS812 Type 2.	126.00	100.93	0.2500	0.0024	902480 90 0
81-4823	Wire Basket BS812 Type 3	135.00	108.14	0.2500	0.0013	902480 90 0
81-4825	Wire Basket BS812 Type 4	170.83	136.84	0.4000	0.0050	902480 90 0
81-5020	Bowl 2.5 Litre Capacity Stainless Steel.	14.58	11.69	0.4000	0.0028	902480 90 0
81-5040	Bowl 5 Litre Capacity.	27.00	21.63	0.6500	0.0118	902480 90 0
81-5060	Bowl 11 Litre Capacity.	46.67	37.38	1.0000	0.0304	902480 90 0
81-5100	Rubber Bucket 9 Litres (3 Gallons) Capacity	13.00	10.41	3.0000	0.0217	902480 90 0
82-0120	Glass Beaker 100ML Capacity Squat Form with Spout.	3.00	2.40	0.1100	0.0007	701710 00 0
82-0140	Glass Beaker 250ML Capacity Squat Form with Spout.	4.00	3.20	0.2500	0.0022	701710 00 0
82-0200	Glass Beaker 600ML Squat Form with Spout.	4.00	3.20	0.4000	0.0057	701710 00 0
82-0220	Glass Beaker 1000ML Capacity Squat Form with Spout.	6.00	4.81	0.5000	0.0064	701710 00 0
82-0260	Beaker Cover 100mm Dia.	12.00	9.61	0.0500	0.0004	701710 00 0
82-0276/80	500ML Pyrex Conical Beaker	17.38	12.75	0.2800	0.0032	701710 00 0
82-0380	Measuring Cylinder 100ML.	8.00	6.41	0.2000	0.0025	701710 00 0
82-0420	Measuring Cylinder 250 X 2ML Soda Glass Spouted. BS604.	16.58	12.17	0.4500	0.0084	701710 00 0
82-0460	Measuring Cylinder 500 X 5ML Soda Glass Spouted. BS604	22.00	17.62	0.6000	0.0088	701710 00 0
82-0500	Measuring Cylinder 1000 X 10ML Soda Glass Spouted. BS604.	31.67	25.37	0.8000	0.0104	701710 00 0
82-1000	Volumetric Flask 100ML Capacity with Stopper.	9.95	7.97	0.2000	0.0036	701710 00 0
82-1020	Volumetric Flask 250ML Capacity with Stopper.	14.00	11.21	0.3000	0.0051	701710 00 0
82-1040	Volumetric Flask 500ML Capacity with Stopper.	19.00	15.22	0.3500	0.0048	701710 00 0

ELE International MTD Price List - Distributor

Prices are Ex Works, excluding VAT (where applicable). Prices effective 14/08/13

Catalogue No.	Description	List Price £	Dist. Price £	Weight kg	Volume (m3)	Tarrriff Code
82-1060	Volumetric Flask 1000MI Capacity with Stopper.	25.00	20.03	0.6000	0.0091	701710 00 0
82-1120	Conical Flask 500MI Capacity Wide Mouthed.	7.00	5.61	0.3500	0.0054	701710 00 0
82-1140	Conical Flask 250MI Capacity Wide Mouthed.	3.94	3.16	0.4000	0.0057	701710 00 0
82-1240	10MI Graduated Pipette.	4.00	3.20	0.2000	0.0014	701710 00 0
82-1260	25MI Graduated Pipette.	10.00	8.01	0.2000	0.0004	701710 00 0
82-1300	Bulb Pipette 50MI Capacity.	9.00	7.21	0.1000	0.0015	701710 00 0
82-1440	Burette 50MI (Class B) with Single Bore Stopcock	29.61	23.72	0.3000	0.0038	701710 00 0
82-1540	Weighing Bottle Nominal Size 25 mm Dia 50 mm H.	24.00	19.22	0.0240	0.0004	701710 00 0
82-1840	100MI Plastic Measuring Cylinder.	8.00	6.41	0.1000	0.0011	902480 90 0
82-1860	250MI Plastic Measuring Cylinder	11.72	9.39	0.1500	0.0024	902480 90 0
82-1880	500MI Plastic Measuring Cylinder.	15.56	12.46	0.3000	0.0042	902480 90 0
82-1900	1000MI Plastic Measuring Cylinder.	15.00	12.02	0.2500	0.0102	902480 90 0
82-1970	Evaporating Dish 100mm Dia X 40mm Depth.	21.00	16.82	0.5000	0.0017	902490 00 0
82-2000	Evaporating Dish 150mm Dia X 45mm Depth.	38.57	30.89	0.3400	0.0088	902490 00 0
82-2010	Evaporating Dish 200mm Dia X 55mm Depth.	106.39	78.07	0.4000	0.0050	902480 90 0
82-2100	Non-Vacuum Desiccator 200mm Internal Diameter.	123.00	98.52	5.6000	0.0277	902480 90 0
82-2110	Desiccator Cabinet Non-Vacuum.	695.00	556.70	15.0000	0.0720	902480 90 0
82-2170	Vacuum Desiccator 250mm Internal Diameter.	180.00	144.18	8.5000	0.0720	902480 90 0
82-2180	Safety Cage for Desiccator.	78.00	62.48	1.6000	0.0419	902490 00 0
82-2200	Buchner Funnel No. 5.	131.92	105.67	0.8300	0.0051	701710 00 0
82-2350	1000 MI Filter Flask. Pyrex with Side Arm.	285.00	215.25	0.2000	0.0050	902480 90 0
82-2500	Wash Bottle Polythene 500MI.	5.00	4.01	0.1000	0.0023	902490 00 0
82-2660	Polythene Funnel 200mm Dia.	16.00	12.82	0.2000	0.0136	701710 00 0
82-2820	Syringe with Rubber Bulb.	35.00	28.04	0.2000	0.0025	701710 00 0
82-3060	Reagent Bottle 1000MI Capacity Amber Glass Plastic Stoppered.	12.53	10.04	0.8000	0.0037	701710 00 0
82-3145	Polythene Bottle Wide Neck Screw Cap 1 Litre.	10.00	8.01	0.2000	0.0040	901580 93 0
82-3149	Polythene Bottle Wide Neck Screw Cap 5 Litre.	35.00	30.24	0.3590	0.0090	902480 90 0
82-3320	Porcelain Crucible 30MI Supplied with Lid.	18.92	15.16	0.0400	0.0006	902480 90 0
82-3505	Hydrometer Type L50 BS718. 1.150-1.200 Relative Density. for ASTM C88.	43.00	34.44	0.2000	0.0002	902480 90 0
82-3510	Hydrometer Type L50 BS718 1.250-1.300 Relative Density. for ASTM C88.	43.00	34.44	0.1050	0.0003	902480 90 0
82-4005	Glass Rods 7mm Dia X 200mm. (Pack of 10)	7.00	5.61	0.2170	0.0009	701710 00 0
82-5005	Laboratory Thermometer (mercury free), range -10.0 deg C to + 260.0 deg C x 1.0 deg C div, 76mm imme	12.00	9.08	0.0000	0.0002	902480 90 0
82-5020	Thermometer -10 to +110 X 1 Deg C. 300mm Long 76mm Immersion.	4.00	3.20	0.1000	0.0005	902511 80 0
82-5230	Thermometer -10 to +250 X 1 Deg C. 76mm Immersion	10.00	8.64	0.1000	0.0003	902511 80 0
82-5243	Portable Thermometer 64mm Dia Dial +50 Deg C.to +250 Deg C. No Handle	169.75	135.97	1.2000	0.0115	902511 80 0
82-5244	Portable Thermometer -30 Deg C.to +60 Deg C. No Handle	16.56	13.26	0.0300	0.0004	902511 80 0
82-5245	Portable Thermometer 25mm Dial 0 Deg.C - 250 Deg.C X 2 Deg.C Divisions. No Handle	21.00	16.82	0.0300	0.0006	902511 80 0
82-5246	Portable Thermometer -20 to +60 Deg C. 50 mm Dia Dial with 200 mm Stem & Protective Sheath.	73.75	59.08	0.1500	0.0014	902511 80 0
82-5247	Portable Thermometer 50mm Dia Dial 0 Deg. C. to + 250 Deg. C. No Handle.	66.00	52.87	0.1250	0.0015	902511 80 0
82-5248	Portable Dial Thermometer 0-250 Deg.C X 2 Deg.C Divisions 300mm Length	76.00	60.88	0.1400	0.0008	902480 90 0
82-5270	Laboratory Thermometer (mercury free), range -10.0 deg C to + 51.0 deg C x 0.1 deg C div, 76mm imme	25.00	18.91	0.0000	0.0002	902480 90 0
82-5272	Laboratory Thermometer (mercury free), range -10.0 deg C to + 101.0 deg C x 0.2 deg C div, 76mm imme	25.00	18.91	0.0000	0.0041	902480 90 0
82-5274	Laboratory Thermometer (mercury free), range -10.0 deg C to + 210.0 deg C x 1.0 deg C div, Total, im	12.00	9.08	0.0000	0.0041	902480 90 0
82-5310	Max-Min Thermometer (Mercury Free) Range -40.0Deg C to +50.0Deg C.	12.66	10.15	0.5000	0.0011	902480 90 0
82-5420	Digital Pocket Thermometer -49.9 to +199.9 Degrees C.	75.00	60.08	0.2000	0.0002	902480 90 0
82-5440/10	Thermocouple Wire 3m Length Pack of 5.	62.00	49.66	0.0300	0.0003	902480 90 0
82-5442	Digital Thermometer Unit -75 to +1200 Deg C. C/W Probes Battery & Case.	203.18	162.75	0.5000	0.0000	902511 80 0
82-7031	Paraffin Wax In 5Kg Block Mp 50-54 Deg C.	59.00	47.26	5.0000	0.0081	271220 10 0
82-7091	Silica Gel 6-16 Mesh Quantity 500G.	45.83	36.71	0.6000	0.0014	281122 00 0
82-7171	Sodium Sulphate Anhydrous Powder 3Kg.	211.83	169.68	5.1000	0.0079	902480 90 0
82-7341	Mould Oil (25 Litre Drum)	74.75	59.88	26.0000	0.0361	848060 00 0
82-7401	Standard Sand 600-300 Micron. Fraction C BS1881-131 & BS:1377-9:1990 25 Kg.	64.00	51.26	26.0000	0.0441	250510 00 0
82-7441	Graded Standard Sand to ASTM C 778 for Use In Test ASTM C109. 25Kg Weight.	115.29	92.35	28.0000	0.0310	902480 90 0
82-7451	Standard Sand 850/600 Micron. Grading 75% Minimum Passing Between 850 Micron and 600 Micron 25 Kg.	65.00	52.07	26.0000	0.0220	250510 00 0
82-7700	Filter Pump.	46.72	37.42	0.1000	0.0035	902480 90 0
82-7720/01	Vacuum Pump 220-240V 50/60Hz 1Ph	787.19	630.54	12.0000	0.0195	902480 90 0
82-7720/10	High Vacuum Oil. 4 Litres	34.00	27.23	4.9000	0.0074	848060 00 0
82-7720/12	Water Trap Filtering Kit	302.33	224.00	0.4000	0.0000	902480 90 0
82-7861	Filter Paper Equivalent to Whatman No 54 400mm Dia. Box of 100.	123.28	93.26	1.1000	0.0032	902480 90 0
82-7901	Filter Paper No 74 Equivalent to Whatman No 40 150mm Dia Box of 100.	27.00	23.33	0.2500	0.0006	902480 90 0
82-7931	Filter Paper No. 95 Equivalent to Whatman No. 50. 110mm Dia. Box of 100.	16.00	12.82	0.1500	0.0003	902490 00 0
82-8020/01	Distilled Water Still 220-240V 50/60Hz 1Ph.	695.00	556.52	16.0000	0.2718	902480 90 0
82-8500/01	12 Litre Water Bath with Digital Controller Led Display 0 to 99.9 Deg C X 0.1 Deg C.	1,091.00	873.89	9.0000	0.0881	902480 90 0
82-8600/01	18 Litre Water Bath with Digital Controller Led Display 0 to 99.9 Deg C X 0.1 Deg C.	1,269.14	1,016.58	15.0000	0.1729	902480 90 0
82-8950/01	Electric Masonry Saw 220V 50Hz 1Ph. Less Blade.	2,509.33	2,144.00	120.0000	1.6646	902480 90 0
82-8950/02	Electric Masonry Saw 110V 60Hz 1Ph. Less Blade.	2,585.00	2,233.44	120.0000	1.6646	902480 90 0
82-8950/12	Diamond Saw Blade 350mm Diameter X 25.4mm Bore.	385.00	308.39	1.9000	0.0016	902480 90 0
83-1730/01	Air Compressor Unit 700Kpa Working Pressure 220-240V 50Hz 1Ph. including connector	730.00	584.73	65.0000	0.3149	902610 81 0
83-1730/06	Air Compressor Unit 700Kpa Working Pressure 220-240V 60Hz 1Ph.	730.00	584.73	54.0000	0.2834	902610 81 0
83-1735/01	Air Compressor Unit 1000Kpa Working Pressure Complete with Water Trap. 220-240V 50Hz 1Ph.	3,224.00	2,582.42	168.0000	0.9859	902610 81 0
83-4170/01	Muffle (Ashing) Furnace with Digital Control Pid. 1200 Deg. C Max Temp. 220-240V 50/60Hz	1,179.74	944.98	130.0000	0.0839	902480 90 0
83-4170/12	Element/Chamber complete, Heating, 5-12, 220V, 1Ph, for use in Muffle Furnace 83-4170/01	523.60	523.60	3.0000	0.0137	902480 90 0
83-5416	Dial Gauge 25mm Travel X 0.01mm Divisions.	110.00	88.11	0.2000	0.0007	902480 90 0
83-5451	Dial Gauge 10mm Travel X 0.002mm Divisions.	135.00	108.14	0.3000	0.0007	902480 90 0
83-5456	Dial Gauge 10mm Travel X 0.01mm Divisions.	94.00	75.29	0.3000	0.0005	902480 90 0
88-4340	DIGITAL STOPWATCH	47.00	41.00	0.0000	0.0000	910291 00 0
88-6002A	GRADUATED CYLINDER 25 ML	22.00	16.00	0.0000	0.0000	701710 00 0
88-6710	EVAPORATING DISH 120ML	49.00	40.00	0.0000	0.0000	902480 90 0
88-7002	Alum. Moisture Box, 2X7/8" PKG 12	66.00	57.00	0.0000	0.0000	902480 90 0
88-7500	Spatula, 4 SS	26.00	17.00	0.1000	0.0000	902490 00 0
S1150	DS7.1 Software-UU/CU/CD Triaxial, Permeability, Consolidation, Direct/Residual Shear, CBR	1,945.90	1,385.48	0.3000	0.0025	902480 90 0
SP24-0434	Liquid Limit Device ASTM/ Aashto Hand-Operated W/ Revolution Counter. Supplied Less Grooving Tool.	220.00	176.22	2.1000	0.0040	902480 90 0
SP25-0623	Combination Permeameter	728.00	583.13	4.0000	0.0454	902480 90 0
SP34-4520	100mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	59.54	42.39	8.0000	0.0035	848079 00 0
SP34-4570	150mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.	68.99	46.05	17.0000	0.0077	848079 00 0
SP37-4875	Tensile Splitting Jig,EN-1338,	878.50	717.60	27.0000	0.0640	902480 90 0
SP39-1400/01	Humidity Cabinet EN and 4 shelves 150L Capacity 220volt 50HZ	11,489.46	9,203.06	195.0000	1.3345	902480 90 0
SP39-1400/06	Humidity Cabinet EN and 4 shelves 150L Capacity 220volt 60HZ	11,489.46	9,203.06	0.0000	0.0000	902480 90 0
SP39-1401/01	Humidity Cabinet ASTM 4 shelves 150L Capacity and recorder 220-240V 50Hz	11,489.46	9,203.06	175.0000	1.9443	902480 90 0
SP39-1401/01	Humidity Cabinet ASTM 4 shelves 150L Capacity and recorder 220-240V 50Hz	11,489.46	9,203.06	175.0000	1.9443	902480 90 0
SP39-1401/01	Humidity Cabinet ASTM and 4 shelves 150L Capacity and recorder 220-240V 50Hz	11,489.46	9,203.06	175.0000	1.9443	902480 90 0
SP39-1401/06	Humidity Cabinet ASTM 4 shelves 150L Capacity and recorder 220-240V 60Hz	11,489.46	9,203.06	175.0000	1.9443	902480 90 0
SP45-6490/01	60L Water Bath with Led Display Cover & Internal Perforated Shelf.	1,286.64	1,111.66	28.0000	0.2048	902480 90 0
SP45-6490/01	60L Water Bath with Led Display Cover & Internal Perforated Shelf.	1,286.64	1,111.66	28.0000	0.2048	902480 90 0
SP78-6035/09	Balance 20kg - 0.1g accuracy Dual Voltage UL Compliant inc 6V batt	296.28	241.76	3.0000	0.0137	701710 00 0
SPL00105	Special Ceramic Plate, D1.969" T1.281" 1 bar HF	220.88	187.75	0.3000	0.0001	902480 90 0