



Versa-Loader

Code: 25-3525/02

Product Group: Versa-Loader, Versa-Loader,
Versa-Loader

Standards

ASTM D1883, ASTM D2850, AASHTO T193, AASHTO T296, AASHTO T208

Further Information

110vAC, 50/60 Hz, 1Ø.

Specification

Capacity	10,000 lbf. (45 kN).
Speed Range	0.001" to 0.08" (0.025 to 2.032 mm) per minute.
Platen Travel	2.5" (64 mm); limit switch protection.
Vertical Clearance	33 " (838 mm) maximum.
Horizontal Clearance	10" (254 mm).
Controls	Push-button "Up-Down-Stop" with running and travel limit indicator lights; Speed control knob.
Overall Dimensions	13.5" w. x 23 " d. x 51 " h. (343 x 584 x 1,295 mm).
Weight	Net 185 lbs. (84 kg).

Accessories



2 Channel Digital Readout, English

Code: [27-1108/02](#)



2 Channel Digital Readout, Metric

Code: [27-1109/02](#)



50kN Clamped Boss Load Ring

Code: [78-0860](#)



CBR Data Logging Test Set

Code: [27-1126/02](#)



CBR Test Accessory Set English

Code: [24-9175](#)



CBR Test Accessory Set For Use with GDU or DSU

Code: [24-9185](#)



CBR Test Accessory Set Metric

Code: [24-9177](#)



CBR Test Digital Readout (English)

Code: [27-1124/02](#)



CBR Test Digital Readout (Metric)

Code: [27-1125/02](#)



Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



Clamped Boss Load Ring - 3.0 kN

Code: [78-0160](#)



Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)



Dial Indicator - 1.0" Range

Code: [88-4100](#)



Digital Proving Ring, 1,000 lbs (4.5 kN)

Code: [78-0264](#)



Digital Proving Ring, 11,200 lbs (50.0 kN)

Code: [78-0864](#)



Digital Proving Ring, 450 lbs (2.0 kN)

Code: [78-0064](#)



Digital Proving Ring, 6,000 lbs (28.0 kN)

Code: [78-0764](#)



Unconfined Compression Assembly Only

Code: [25-3999](#)



Unconfined Compression Test Accessory Set, English

Code: [25-3997](#)



Unconfined Compression Test Accessory Set, Metric

Code: [25-3998](#)



Unconfined Compression Test Digital Readout Set, English 110 vAC

Code: [27-1121/02](#)



Unconfined Compression Test Digital Readout Set, English 220 vAC

Code: [27-1121/01](#)

Alternatives



CBR Loading Press, Hand-Operated

Code: [24-9345](#)




CBR-Test 50 Machine 50 kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: [24-9150/02](#)



Dial Gauge 25mm Travel X 0.01mm Divisions

Code: [25-4210](#)



Digital Proving Ring, 2,250 lbs (10.0 kN)

Code: [78-0464](#)



Digital Tritest 50 Load Frame

Code: 25-3518/01



Digital Tritest 50 Load Frame

Code: 25-3518/02



Electronic Digital Indicator, 1.0"/25.4 mm range

Code: 88-4220



Unconfined Compression Tester, Hand-Operated

Code: 25-3604



Unconfined Compression Tester, Hand-Operated

Code: 25-3605