

Accu-Tek Touch 350 Series



Platen Set for 6" x 12" Concrete Cylinders

Code: 37-5500

Attributes: Dimensions, diameter x length, " = 6.5 x 6.75, Description = Platen Set for 6" x 12" Concrete Cylinders

Standards: ASTM C39, AASHTO T22



Platen Set 3" x 6" Concrete Cylinders

Code: 37-5504

Attributes: Dimensions, diameter x length, " = 4 x 14.75, Description = Platen Set 3" x 6" Concrete Cylinders

Standards: ASTM C39, AASHTO T22



Platen Set for 2" Cubes

Code: 37-5510

Attributes: Dimensions, diameter x length, " = 4 x 16.75, Description = Platen Set for 2" Cubes

Standards: ASTM C109, ASTM C39, AASHTO T22



Pedestal for Testing 4" x 8" Cylinders

Code: 37-5561

Attributes: Dimensions, diameter x length, " = 6 x 4, Description = Pedestal for Testing 4" x 8" Cylinders

Standards: ASTM C39, AASHTO T22



Ram Seal

Code: 4699-1315

Attributes: Diameter, " = 197 mm, Description = Ram Seal

Standards:



Accutek Oil

Code: 9806-0016

Attributes: Dimensions, l x w x h, " = 6 x 6 x 12, Description = Accutek Oil

Standards: ASTM Grade 215, ISO Grade 46



Frame Stand

Code: 37-5575

Attributes: Description = Frame Stand - 29 x 20 x 20 ", For use with =
Accu-Tek 350 and 500, Dimensions, l x w x h, " = 29 x 20 x 20

Standards:



Platen Set for Blocks up to 10"

Code: 37-5520

Attributes: Description = Platen Set for Blocks up to 10", Dimensions, l x w x
h, " = 14 x 10 x 8.25

Standards:



Flexural Attachment

Code: 37-5524

Attributes: Description = Flexural Attachment - 95 kg, Upper Head = Uses
toe hitch design to mount to upper crosshead.

Standards: ASTM C78, ASTM C293, AASHTO T97



Accu-Tek Touch 350 Series 220V/50Hz

Code: 36-0735/01

Attributes: Range, lbf = 3,500 - 350,000, Description = Accu-Tek Touch 350
Series 220V/50Hz

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 350 Series 110V/60Hz

Code: 36-0735/02

Attributes: Range, lbf = 3,500 - 350,000, Description = Accu-Tek Touch 350 Series 110V/60Hz

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 350 Series 220V/60Hz

Code: 36-0735/06

Attributes: Range, lbf = 3,500 - 350,000, Description = Accu-Tek Touch 350 Series 220V/60Hz

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 350 Compression Machine 110V/60Hz

Code: 36-0740/02

Attributes: Description = Accu-Tek Touch 350 Compression Machine 110V/60Hz

Standards: