

200mm Diameter BS Sieves



200mm Dia BS Sieve 38 Mic Stainless Steel Mesh.

Code: [79-0040](#)

Attributes: [Aperture Size = 38 µm](#), [Sieve Type = Mesh](#)

Standards:



200mm Dia BS Sieve 45 Mic Stainless Steel Mesh.

Code: [79-0050](#)

Attributes: [Aperture Size = 45 µm](#), [Sieve Type = Mesh](#)

Standards: [BS 410-1](#), [ISO 3310](#), [ISO 565](#), [EN933-2](#)



200mm Dia BS Sieve 53 Mic Stainless Steel Mesh.

Code: [79-0060](#)

Attributes: [Aperture Size = 53 µm](#), [Sieve Type = Mesh](#)

Standards: [BS 410-1](#), [ISO 3310](#), [ISO 565](#), [EN933-2](#)



200mm Dia BS Sieve 63 Mic Stainless Steel Mesh.

Code: [79-0070](#)

Attributes: [Aperture Size = 63 µm](#), [Sieve Type = Mesh](#)

Standards: [BS 410-1](#), [ISO 3310](#), [ISO 565](#), [EN933-2](#)



200mm Dia BS Sieve 75 Mic Stainless Steel Mesh.

Code: 79-0080

Attributes: Aperture Size = 75 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia Iso:565 3310/1 Sieve 80 Mic Stainless Steel Mesh.

Code: 79-0085

Attributes: Aperture Size = 80 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 90 Mic Stainless Steel Mesh.

Code: 79-0090

Attributes: Aperture Size = 90 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh.

Code: 79-0095

Attributes: Aperture Size = 100 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 106Mic Stainless Steel Mesh.

Code: 79-0100

Attributes: Aperture Size = 106 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 125Mic Stainless Steel Mesh.

Code: 79-0110

Attributes: Aperture Size = 125 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 150 Mic Stainless Steel Mesh.

Code: 79-0120

Attributes: Aperture Size = 150 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia Iso:565 3310/1 Sieve 160 Mic Stainless Steel Mesh.

Code: 79-0125

Attributes: Aperture Size = 160 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia Iso:565 3310/1 Sieve 180 Mic Stainless Steel Mesh.

Code: 79-0130

Attributes: Aperture Size = 180 μ m, Sieve Type = Mesh

Standards: BS410-1, EN933-2, ISO 565



200mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh.

Code: 79-0135

Attributes: Aperture Size = 200 μ m, Sieve Type = Mesh

Standards: ISO 565, EN933-2, BS410-1



200mm Dia BS Sieve 212Mic Stainless Steel Mesh.

Code: 79-0140

Attributes: Aperture Size = 212 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 250Mic Stainless Steel Mesh.

Code: 79-0150

Attributes: Aperture Size = 250 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 300Mic Stainless Steel Mesh.

Code: 79-0160

Attributes: Aperture Size = 300 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia Iso:565 3310/1 Sieve 355 Mic Stainless Steel Mesh.

Code: 79-0170

Attributes: Aperture Size = 355 μ m, Sieve Type = Mesh

Standards: BS410-1, EN933-2, ISO 3310-1, ISO 565



200mm Dia Iso:565 3310/1 Sieve 400 Mic Stainless Steel Mesh.

Code: 79-0175

Attributes: Aperture Size = 400 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 425Mic Stainless Steel Mesh.

Code: 79-0180

Attributes: Aperture Size = 425 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 500Mic Stainless Steel Mesh.

Code: 79-0190

Attributes: Aperture Size = 500 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 600Mic Stainless Steel Mesh.

Code: 79-0200

Attributes: Aperture Size = 600 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2



200mm Dia BS Sieve 710Mic Stainless Steel Mesh.

Code: 79-0210

Attributes: Aperture Size = 710 μm , Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia Iso:565 3310/1 Sieve 800 Mic Stainless Steel Mesh.

Code: 79-0215

Attributes: Aperture Size = 800 μm , Sieve Type = Mesh

Standards: ISO 565, BS410-1, ISO 3310-1, EN933-2



200mm Dia BS Sieve 850Mic Stainless Steel Mesh.

Code: 79-0220

Attributes: Aperture Size = 850 μ m, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

Code: 79-0230

Attributes: Aperture Size = 1 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

Code: 79-0240

Attributes: Aperture Size = 1.18 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia Iso:565 3310/1 Sieve 1.25mm Stainless Steel Mesh.

Code: 79-0245

Attributes: Aperture Size = 1.25 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 1.40mm Stainless Steel Mesh.

Code: 79-0250

Attributes: Aperture Size = 1.40 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.

Code: 79-0255

Attributes: Aperture Size = 1.60 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 1.70mm Stainless Steel Mesh.

Code: 79-0260

Attributes: Aperture Size = 1.70 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

Code: 79-0270

Attributes: Aperture Size = 2 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 2.36mm Stainless Steel Mesh.

Code: 79-0280

Attributes: Aperture Size = 2.36 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.

Code: 79-0285

Attributes: Aperture Size = 2.50 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 2.80mm Stainless Steel Mesh.

Code: 79-0290

Attributes: Aperture Size = 2.80 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 3.35mm Stainless Steel Mesh.

Code: 79-0300

Attributes: Aperture Size = 3.35 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

Code: 79-0310

Attributes: Aperture Size = 4.00 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 4.75mm Stainless Steel Mesh.

Code: 79-0320

Attributes: Aperture Size = 4.75 mm, Sieve Type = Mesh

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 6.7mm Stainless Steel Mesh

Code: 79-0340

Attributes: Aperture Size = 6.70mm, Sieve Type = Mesh

Standards:



200mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-1500

Attributes: Aperture Size = 4.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, EN933-2, ISO 565



200mm Dia BS Sieve 4.75mm Perforated Plate.

Code: 79-1510

Attributes: Aperture Size = 4.75 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 5.00mm Perforated Plate.

Code: 79-1515

Attributes: Aperture Size = 5.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 5.60mm Perforated Plate.

Code: 79-1520

Attributes: Aperture Size = 5.60 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 6.30mm Perforated Plate.

Code: 79-1525

Attributes: Aperture Size = 6.30 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 6.70mm Perforated Plate.

Code: 79-1530

Attributes: Aperture Size = 6.70 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-1540

Attributes: Aperture Size = 8.0 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 9.50mm Perforated Plate.

Code: 79-1550

Attributes: Aperture Size = 9.50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-1555

Attributes: Aperture Size = 10.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 11.20mm Perforated Plate.

Code: 79-1560

Attributes: Aperture Size = 11.20 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 12.5mm Perforated Plate.

Code: 79-1565

Attributes: Aperture Size = 12.50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 13.2mm Perforated Plate.

Code: 79-1570

Attributes: Aperture Size = 13.20 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 14.0mm Perforated Plate.

Code: 79-1575

Attributes: Aperture Size = 14.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 16.0mm Perforated Plate.

Code: 79-1580

Attributes: Aperture Size = 16.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 19.0mm Perforated Plate.

Code: 79-1590

Attributes: Aperture Size = 19.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 20.0mm Perforated Plate.

Code: 79-1595

Attributes: Aperture Size = 20.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 22.40mm Perforated Plate.

Code: 79-1600

Attributes: Aperture Size = 22.40 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 25.0mm Perforated Plate.

Code: 79-1605

Attributes: Aperture Size = 25 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 26.5mm Perforated Plate.

Code: 79-1610

Attributes: Aperture Size = 26.50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 28.0mm Perforated Plate.

Code: 79-1615

Attributes: Aperture Size = 28.00 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-1630

Attributes: Aperture Size = 31.50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 37.5mm Perforated Plate.

Code: 79-1640

Attributes: Aperture Size = 37.50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 50.0mm Perforated Plate.

Code: 79-1655

Attributes: Aperture Size = 50 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 53.0mm Perforated Plate.

Code: 79-1660

Attributes: Aperture Size = 53 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310



200mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-1670

Attributes: Aperture Size = 63 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200mm Dia BS Sieve 75.0mm Perforated Plate.

Code: 79-1680

Attributes: Aperture Size = 75 mm, Sieve Type = Perforated

Standards: BS 410-1, ISO 3310, ISO 565, EN933-2



200 mm Diameter Lid

Code: 79-0010

Attributes: Sieve Type = Lid

Standards: BS 410-1, ISO 3310



200 mm Diameter Receiver

Code: 79-0020

Attributes: Sieve Type = Receiver

Standards: BS 410-1, ISO 3310