

## 450mm Diameter BS Sieves



### 450mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3070](#)

Attributes: [Aperture Size = 63 µm](#), [Sieve Type = Mesh](#)

Standards:



### 450mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3080](#)

Attributes: [Aperture Size = 75 µm](#), [Sieve Type = Mesh](#)

Standards:



### 450mm Dia BS Sieve 80 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3085](#)

Attributes: [Aperture Size = 80 µm](#), [Sieve Type = Mesh](#)

Standards:



### 450mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3090](#)

Attributes: [Aperture Size = 90 µm](#), [Sieve Type = Mesh](#)

Standards:



### 450mm Dia BS Sieve 100 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3095](#)

Attributes: [Aperture Size = 100 µm](#), [Sieve Type = Mesh](#)

Standards:



### 450mm Dia BS Sieve 125 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3110](#)

Attributes: [Aperture Size = 125 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 150 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3120

Attributes: Aperture Size = 150  $\mu$ m, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 200 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3135

Attributes: Aperture Size = 200, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 212 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3140

Attributes: Aperture Size = 212  $\mu$ m, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 250 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3150

Attributes: Aperture Size = 250  $\mu$ m, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 300 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3160

Attributes: Aperture Size = 300  $\mu$ m, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 315 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-3165

Attributes: Aperture Size = 315  $\mu$ m, Sieve Type = Mesh

Standards:



## 450mm Dia BS Sieve 425 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3180](#)

Attributes: [Aperture Size = 425 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 500 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3190](#)

Attributes: [Aperture Size = 500 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 600 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3200](#)

Attributes: [Aperture Size = 600 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 630 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3205](#)

Attributes: [Aperture Size = 630 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 850 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3220](#)

Attributes: [Aperture Size = 850 µm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 1 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3230](#)

Attributes: [Aperture Size = 1 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 1.18 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3240](#)

Attributes: [Aperture Size = 1.18 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 1.25 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3245](#)

Attributes: [Aperture Size = 1.25 mm](#) , [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 1.6 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3255](#)

Attributes: [Aperture Size = 1.66 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 1.7 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3260](#)

Attributes: [Aperture Size = 1.7 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 2 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3270](#)

Attributes: [Aperture Size = 2 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 2.36 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3280](#)

Attributes: [Aperture Size = 2.36 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 2.5 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3285](#)

Attributes: [Aperture Size = 2.5 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 3.35 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3300](#)

Attributes: [Aperture Size = 3.35 mm](#) , [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 4.75 mm Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-3320](#)

Attributes: [Aperture Size = 4.75 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 4 mm Stainless Steel Sieve. Perforated

Code: [79-3500](#)

Attributes: [Aperture Size = 4 mm](#), [Sieve Type = Mesh](#)

Standards:



## 450mm Dia BS Sieve 4.75 mm Stainless Steel Sieve. Perforated

Code: [79-3510](#)

Attributes: [Aperture Size = 4.75 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 5 mm Stainless Steel Sieve. Perforated

Code: [79-3515](#)

Attributes: [Aperture Size = 5 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 6.3 mm Stainless Steel Sieve. Perforated

Code: 79-3525

Attributes: Aperture Size = 6.3 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 6.7 mm Stainless Steel Sieve. Perforated

Code: 79-3530

Attributes: Aperture Size = 6.7 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 8 mm Stainless Steel Sieve. Perforated

Code: 79-3540

Attributes: Aperture Size = 8 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 9.5 mm Stainless Steel Sieve. Perforated

Code: 79-3550

Attributes: Aperture Size = 9.5 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 10 mm Stainless Steel Sieve. Perforated

Code: 79-3555

Attributes: Aperture Size = 10 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 12.5 mm Stainless Steel Sieve. Perforated

Code: 79-3565

Attributes: Aperture Size = 12.5 mm, Sieve Type = Perforated

Standards:




## 450mm Dia BS Sieve 13.2 mm Stainless Steel Sieve. Perforated

Code: [79-3570](#)

Attributes: [Aperture Size = 13.2 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 14 mm Stainless Steel Sieve. Perforated

Code: [79-3575](#)

Attributes: [Aperture Size = 14 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 16 mm Stainless Steel Sieve. Perforated

Code: [79-3580](#)

Attributes: [Aperture Size = 16 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 19 mm Stainless Steel Sieve. Perforated

Code: [79-3590](#)

Attributes: [Aperture Size = 19 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 20 mm Stainless Steel Sieve. Perforated

Code: [79-3595](#)

Attributes: [Aperture Size = 20 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 22.4 mm Stainless Steel Sieve. Perforated

Code: [79-3600](#)

Attributes: [Aperture Size = 22.4 mm](#), [Sieve Type = Perforated](#)

Standards:




## 450mm Dia BS Sieve 25 mm Stainless Steel Sieve. Perforated

Code: 79-3605

Attributes: Aperture Size = 25 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 26.5 mm Stainless Steel Sieve. Perforated

Code: 79-3610

Attributes: Aperture Size = 26.5 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 28 mm Stainless Steel Sieve. Perforated

Code: 79-3615

Attributes: Aperture Size = 28 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 31.5 mm Stainless Steel Sieve. Perforated

Code: 79-3630

Attributes: Aperture Size = 31.5 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 37.5 mm Stainless Steel Sieve. Perforated

Code: 79-3640

Attributes: Aperture Size = 37.5 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 40 mm Stainless Steel Sieve. Perforated

Code: 79-3645

Attributes: Aperture Size = 40 mm, Sieve Type = Perforated

Standards:



## 450mm Dia BS Sieve 50 mm Stainless Steel Sieve. Perforated

Code: [79-3655](#)

Attributes: [Aperture Size = 50 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 53 mm Stainless Steel Sieve. Perforated

Code: [79-3660](#)

Attributes: [Aperture Size = 53 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 63 mm Stainless Steel Sieve. Perforated

Code: [79-3670](#)

Attributes: [Aperture Size = 63 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 75 mm Stainless Steel Sieve. Perforated

Code: [79-3680](#)

Attributes: [Aperture Size = 75 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 80 mm Stainless Steel Sieve. Perforated

Code: [79-3684](#)

Attributes: [Aperture Size = 80 mm](#), [Sieve Type = Perforated](#)

Standards:



## 450mm Dia BS Sieve 125 mm Stainless Steel Sieve. Perforated

Code: [79-3710](#)

Attributes: [Aperture Size = 125 mm](#), [Sieve Type = Perforated](#)

Standards:

# Product Group Sheet

www.ele.com  
+44 (0) 01525 249 200



## 450mm Dia. Receiver

Code: 79-3020

Attributes: Sieve Type = Receiver

Standards:



## 450mm Dia. Lid

Code: 79-3010

Attributes: Sieve Type = Lid

Standards: