

Tri-Flex 2 One-Cell Permeability Test System



Porous Stones 2.8"

Code: 25-6721

Attributes: Description = Porous disc 2.8", Diameter, " = 2.8"

Standards: ASTM D2850, ASTM D4767, ASTM D5084, AASHTO T296, AASHTO T297, ASTM D7181



Pressure Transducer Assembly 1700Kpa Fitted with 5 Pin DIN Plug.

Code: 27-1633

Attributes: Description = Pressure Transducer, Thread = 1 / 4

Standards:



Suction Membrane Device 70mm Diameter.

Code: 25-6480

Attributes: Description = 70mm Suction Membrane Device, Sample diameter = 70 mm, Diameter, " = 2.8"

Standards:




Volume Change Transducer Assembly 80ml Capacity Maximum Working Pressure 1700KPa

Code: 27-1641

Attributes: Description = Volume change transducer assembly, Maximum Pressure, psi = 250

Standards:



Acrylic Cap and Base Set 2.8"

Code: 25-0690/15

Attributes: Diameter, " = 2.8", Description = Acrylic Cap and Base Set 2.8"

Standards: ASTM D5084



Tri-Flex 2 Water De-airing Tank System

Code: 25-0698

Attributes: Capacity, gals = 1.4, Description = Tri-Flex 2 Water De-airing Tank System

Standards: ASTM D2850, ASTM D4767, ASTM D7181, ASTM D5084, AASHTO T296, AASHTO T297



Tri-Flex 2 Permeability Test Cell

Code: 25-0690

Attributes: Maximum Pressure, psi = 150, Description = Tri-Flex 2 Permeability Test Cell

Standards: ASTM D5084



Permeability Software

Code: 27-1765

Attributes: Weight, lbs = 1.1, Description = Permeability Software

Standards:



Membrane Tester 2.8"

Code: 25-6443

Attributes: Diameter, " = 2.8", Description = Membrane Tester 2.8"

Standards:



Membrane Sealing Rings 2.8"

Code: 25-6641

Attributes: Diameter, " = 2.8", Description = Membrane Sealing Rings 2.8"

Standards: ASTM D2850, ASTM D4767, ASTM D5084, AASHTO T296, AASHTO T297



Membrane Placing Tool 70mm/2.8 Inch Diameter.

Code: 25-6470

Attributes: Description = 70mm/2.8 Inch Membrane Placing Tool, Sample diameter = 70 mm, Diameter, " = 2.8"

Standards: AASHTO T296, AASHTO T297, ASTM D2850, ASTM D4767, ASTM D5084, ASTM D7181



Rubber Membrane 70mm/2.8 Inch Diameter. Pack of 10.

Code: [25-6441](#)

Attributes: [Description](#) = Rubber Membrane 2.8", [Sample diameter](#) = 70 mm, [Thickness](#), " = 0.012

Standards: [ASTM D2850](#), [ASTM D4767](#), [ASTM D5084](#), [AASHTO T296](#), [AASHTO T297](#), [ASTM D7181](#)