

12" Diameter ASTM Sieves



12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame.

Code: [79-5800](#)

Attributes: [Aperture Size = 6.30 mm](#), [Sieve Type = Mesh](#), [Sieve Opening, " = 0.25](#)

Standards: [ASTM E11](#)



12in Dia ASTM Sieve 5.60mm Stainless Steel Mesh. Non Standard Frame.

Code: [79-5810](#)

Attributes: [Aperture Size = 5.60 mm](#), [Sieve Type = Mesh](#), [Sieve Opening, " = 0.223](#)

Standards: [ASTM E11](#)



12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh. Non Standard Frame.

Code: [79-5820](#)

Attributes: [Aperture Size = 4.75 mm](#), [Sieve Type = Mesh](#), [Sieve Opening, " = 0.187](#)

Standards: [ASTM E11](#)



12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.

Code: [79-5830](#)

Attributes: [Aperture Size = 4 mm](#), [Sieve Type = Mesh](#), [Sieve Opening, " = 0.157](#)

Standards: [ASTM E11](#)



12in Dia ASTM Sieve 3.35mm Stainless Steel Mesh.

Code: 79-5840

Attributes: Aperture Size = 3.35 mm, Sieve Type = Mesh, Sieve Opening, " = 0.132

Standards: ASTM E11



12in Dia ASTM Sieve 2.80mm Stainless Steel Mesh.

Code: 79-5850

Attributes: Aperture Size = 2.80 mm, Sieve Type = Mesh

Standards: ASTM E11



12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.

Code: 79-5860

Attributes: Aperture Size = 2.36 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0937

Standards: ASTM E11



12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.

Code: 79-5870

Attributes: Aperture Size = 2 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0787

Standards: ASTM E11



12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.

Code: 79-5880

Attributes: Aperture Size = 1.70 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0661

Standards: ASTM E11



12in Dia ASTM Sieve 1.40mm Stainless Steel Mesh.

Code: 79-5890

Attributes: Aperture Size = 1.40 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0555

Standards: ASTM E11



12in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.

Code: 79-5900

Attributes: Aperture Size = 1.18 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0469

Standards: ASTM E11



12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.

Code: 79-5910

Attributes: Aperture Size = 1 mm, Sieve Type = Mesh, Sieve Opening, " = 0.0394

Standards: ASTM E11



12in Dia ASTM Sieve 850Mic Stainless Steel Mesh.

Code: 79-5920

Attributes: Aperture Size = 850 μm , Sieve Type = Mesh, Sieve Opening, " = 0.331

Standards: ASTM E11



12in Dia ASTM Sieve 710Mic Stainless Steel Mesh.

Code: 79-5930

Attributes: Aperture Size = 710 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0278

Standards: ASTM E11



12in Dia ASTM Sieve 600Mic Stainless Steel Mesh.

Code: 79-5940

Attributes: Aperture Size = 600 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0234

Standards: ASTM E11



12in Dia ASTM Sieve 500Mic Stainless Steel Mesh.

Code: 79-5950

Attributes: Aperture Size = 500 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0197

Standards: ASTM E11



12in Dia ASTM Sieve 425Mic Stainless Steel Mesh.

Code: 79-5960

Attributes: Aperture Size = 425 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0165

Standards: ASTM E11



12in Dia ASTM Sieve 355Mic Stainless Steel Mesh.

Code: 79-5970

Attributes: Aperture Size = 355 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0139

Standards: ASTM E11



12in Dia ASTM Sieve 300Mic Stainless Steel Mesh.

Code: 79-5980

Attributes: Aperture Size = 300 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0117

Standards: ASTM E11



12in Dia ASTM Sieve 250Mic Stainless Steel Mesh.

Code: 79-5990

Attributes: Aperture Size = 250 μm , Sieve Type = Mesh, Sieve Opening, " = 0.0098

Standards: ASTM E11



12in Dia ASTM Sieve 212Mic Stainless Steel Mesh.

Code: 79-6000

Attributes: Aperture Size = 212 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.0083

Standards: ASTM E11



12in Dia ASTM Sieve 180Mic Stainless Steel Mesh.

Code: 79-6010

Attributes: Aperture Size = 180 μ m, Sieve Type = Mesh, Sieve Opening, " = 0.007

Standards: ASTM E11



12in Dia ASTM Sieve 150Mic Stainless Steel Mesh.

Code: 79-6020

Attributes: Sieve Type = Mesh, Aperture Size = 150 μ m, Sieve Opening, " = 0.0059

Standards: ASTM E11



12in Dia ASTM Sieve 125Mic Stainless Steel Mesh.

Code: 79-6030

Attributes: Sieve Type = Mesh, Aperture Size = 125 μ m, Sieve Opening, " = 0.0049

Standards: ASTM E11



12in Dia ASTM Sieve 106Mic Stainless Steel Mesh.

Code: 79-6040

Attributes: Sieve Type = Mesh, Aperture Size = 106 μm , Sieve Opening, " = 0.0041

Standards: ASTM E11



12in Dia ASTM Sieve 90 Mic Stainless Steel Mesh.

Code: 79-6050

Attributes: Sieve Type = Mesh, Aperture Size = 90 μm , Sieve Opening, " = 0.0035

Standards: ASTM E11



12in Dia ASTM Sieve 75 Mic Stainless Steel Mesh.

Code: 79-6060

Attributes: Sieve Type = Mesh, Aperture Size = 75 μm , Sieve Opening, " = 0.0029

Standards: ASTM E11



12in Dia ASTM Sieve 63 Mic Stainless Steel Mesh.

Code: 79-6070

Attributes: Sieve Type = Mesh, Aperture Size = 63 μm , Sieve Opening, " = 0.0025

Standards: ASTM E11



12in Dia ASTM Sieve 53 Mic Stainless Steel Mesh.

Code: 79-6080

Attributes: Sieve Type = Mesh, Aperture Size = 53 μm , Sieve Opening, " = 0.0021

Standards: ASTM E11



12in Dia ASTM Sieve 45 Mic Stainless Steel Mesh.

Code: 79-6090

Attributes: Sieve Type = Mesh, Aperture Size = 45 μm , Sieve Opening, " = 0.0017

Standards: ASTM E11



12in Dia ASTM Sieve 38 Mic Stainless Steel Mesh.

Code: 79-6100

Attributes: Sieve Type = Mesh, Aperture Size = 38 μm , Sieve Opening, " = 0.0015

Standards: ASTM E11



12in Dia Lid ASTM.

Code: 79-6150

Attributes: Sieve Type = Lid

Standards: ASTM E11



12in Dia Receiver ASTM.

Code: 79-6160

Attributes: Sieve Type = Receiver

Standards: ASTM E11



12in Dia ASTM Sieve 6.70mm Stainless Steel Mesh.

Code: 79-6190

Attributes: Sieve Type = Mesh, Aperture Size = 6.70 mm

Standards: ASTM E11



12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.

Code: 79-6200

Attributes: Sieve Type = Mesh, Aperture Size = 8 mm, Sieve Opening, " = 0.312

Standards: ASTM E11



12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.

Code: 79-6210

Attributes: Sieve Type = Mesh, Aperture Size = 9.50 mm, Sieve Opening, " = 0.375

Standards: ASTM E11



12in Dia ASTM Sieve 11.2mm Stainless Steel Mesh.

Code: 79-6220

Attributes: Sieve Type = Mesh, Aperture Size = 11.20 mm, Sieve Opening, " = 0.438

Standards: ASTM E11



12in Dia ASTM Sieve 12.5mm Stainless Steel Mesh

Code: 79-6230

Attributes: Sieve Type = Mesh, Aperture Size = 12.50 mm, Sieve Opening, " = 0.5

Standards: ASTM E11



12in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.

Code: 79-6240

Attributes: Sieve Type = Mesh, Aperture Size = 13.20 mm

Standards: ASTM E11



12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.

Code: 79-6250

Attributes: Sieve Type = Mesh, Aperture Size = 16 mm, Sieve Opening, " = 0.625

Standards: ASTM E11



12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.

Code: 79-6260

Attributes: Sieve Type = Mesh, Aperture Size = 19 mm, Sieve Opening, " = 0.75

Standards: ASTM E11



12in Dia ASTM Sieve 22.4mm Stainless Steel Mesh.

Code: 79-6270

Attributes: Sieve Type = Mesh, Aperture Size = 22.40 mm, Sieve Opening, " = 0.875

Standards: ASTM E11



12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.

Code: 79-6280

Attributes: Sieve Type = Mesh, Aperture Size = 25 mm, Sieve Opening, " = 1

Standards: ASTM E11



12in Dia ASTM Sieve 26.5mm Stainless Steel Mesh.

Code: 79-6290

Attributes: Sieve Type = Mesh, Aperture Size = 26.50 mm

Standards: ASTM E11



12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh.

Code: 79-6300

Attributes: Sieve Type = Mesh, Aperture Size = 31.50 mm, Sieve Opening, " = 1.25

Standards: ASTM E11



12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.

Code: 79-6310

Attributes: Sieve Type = Mesh, Aperture Size = 37.50 mm, Sieve Opening, " = 1.5

Standards: ASTM E11



12in Dia ASTM Sieve 45.0mm Stainless Steel Mesh.

Code: 79-6320

Attributes: Sieve Type = Mesh, Aperture Size = 45 mm, Sieve Opening, " = 1.75

Standards: ASTM E11



12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.

Code: 79-6330

Attributes: Sieve Type = Mesh, Aperture Size = 50 mm, Sieve Opening, " = 2

Standards: ASTM E11



12in Dia ASTM Sieve 53.0mm Stainless Steel Mesh.

Code: 79-6340

Attributes: Sieve Type = Mesh, Aperture Size = 53 mm

Standards: ASTM E11



12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh

Code: 79-6350

Attributes: Sieve Type = Mesh, Aperture Size = 63 mm, Sieve Opening, " = 2.5

Standards: ASTM E11



12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.

Code: 79-6360

Attributes: Sieve Type = Mesh, Aperture Size = 75 mm, Sieve Opening, " = 3

Standards: ASTM E11



12in Dia ASTM Sieve 90.0mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-6370

Attributes: Sieve Type = Mesh, Aperture Size = 90 mm, Sieve Opening, " = 3.5

Standards: ASTM E11



12in Dia ASTM Sieve 100mm Stainless Steel Mesh. Non Standard Frame.

Code: [79-6380](#)

Attributes: [Sieve Type = Mesh](#), [Aperture Size = 100 mm](#), [Sieve Opening, " = 4](#)

Standards: [ASTM E11](#)



12in Dia ASTM Sieve 125mm Stainless Steel Mesh. Non Standard Frame.

Code: [79-6400](#)

Attributes: [Sieve Type = Mesh](#), [Aperture Size = 125 mm](#)

Standards: [ASTM E11](#)