

Accu-Tek Touch 250 Series



Interface Kit Accu-Tek 250 Auto 220-240 V 50/60 Hz

Code: 37-6150/01

Attributes: Description = Interface Kit Accu-Tek 250 Auto 220-240 V 50/60 Hz

Standards:



Accu-Tek Touch 250 Series Compression Machine 110V/60Hz

Code: 36-0690/02

Attributes: Description = Accu-Tek Touch 250 Series Compression Machine 110V/60Hz, Upper Platen = 6-1/4

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 250 Compression Machine 110V/60Hz

Code: 36-0695/02

Attributes: Description = Accu-Tek Touch 250 Compression Machine 110V/60Hz

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 250 Series Compression Machine 220V/50Hz

Code: 36-0690/01

Attributes: Description = Accu-Tek Touch 250 Series Compression Machine 220V/50Hz, Upper Platen = 6-1/4

Standards: ASTM C39, AASHTO T22



Accu-Tek Touch 250 Series Compression Machine 220V/60Hz

Code: 36-0690/06

Attributes: Description = Accu-Tek Touch 250 Series Compression Machine
220V/60Hz, Upper Platen = 6-1/4

Standards: ASTM C39, AASHTO T22



Frame Stand

Code: 37-5570

Attributes: Description = Frame Stand - 20-1/2 x 17-1/2 x 15 ", Dimensions, l
x w x h, " = 20-1/2 x 17-1/2 x 15, For use with = Accu-Tek 250

Standards:



Ram Seal Kit - Accu-Tek 250

Code: CT-992

Attributes: Dimensions, l x w x h, " = 8 x 7 x 1, Description = Ram Seal Kit

Standards:



Platen Set for 3" x 6" Cylinders

Code: 37-5508

Attributes: Dimensions, diameter x length, " = 3 x 12.5, Description = Platen
Set for 3" x 6" Cylinders

Standards: ASTM C39, AASHTO T22



Pedestal for Testing 4" x 8" Cylinders

Code: 37-5561

Attributes: Dimensions, diameter x length, " = 6 x 4, Description = Pedestal
for Testing 4" x 8" Cylinders

Standards: ASTM C39, AASHTO T22



Platen Set for 8" x 8" x 16" blocks

Code: 37-5522

Attributes: Description = Platen Set for 8" x 8" x 16" blocks, Dimensions, l x
w x h, " = 8 x 16 x 6

Standards:



Platen Set for 2" Cube

Code: 37-5514

Attributes: Dimensions, diameter x length, " = 3 x 14.5, Description = Platen Set for 2" Cube

Standards: ASTM C109, ASTM C39, AASHTO T22



Platen set for 6" Cube

Code: 37-5516

Attributes: Dimensions, l x w x h, " = 6.5 x 6.5 x 6.25, Description = Platen set for 6" Cube

Standards:



Flexural Attachment

Code: 37-5528

Attributes: Description = Flexural Attachment - 79 kg, Upper Head = Fastens to upper platen by 4 spools.

Standards: ASTM C78, ASTM C293, AASHTO T97



Accutek Oil

Code: 9806-0016

Attributes: Dimensions, l x w x h, " = 6 x 6 x 12, Description = Accutek Oil

Standards: ASTM Grade 215, ISO Grade 46