

## Direct/Residual Shear Apparatus



### Weight Set A

Code: 25-0535

Attributes: Weight, lbs = 194.09, Description = Weight Set A

Standards:



### Vertical Dial Indicator, English

Code: 25-0445

Attributes: Dial Indicator = 0.5" range x 0.0001" graduations., Description = Vertical Dial Indicator, English

Standards:



### Dial Indicator - 1.0" Range

Code: 88-4100

Attributes: Description = Mechanical Dial Indicator - 1.0" Range, Dial Indicator = 1.0" Range

Standards:



### Electronic Digital Indicator, 0.600"/15 mm range

Code: 88-4210

Attributes: Dial Indicator = 0.6"/15 mm Range, Description = Electronic Digital Indicator, 0.600"/15 mm range

Standards:



### Digital Direct/Residual Shear Apparatus Complete with Lever Loading Assembly. 220-240V 50/60Hz 1Ph.

Code: 26-2114/01

Attributes: Description = Digital Direct/Residual Shear Apparatus, Voltage Supply = 220-240 V 50/60 Hz, Vertical Load, lbf = 2,200

Standards: ASTM D3080, AASHTO T236, BS 1377, EN 1997-2



## Digital Direct/Residual Shear Apparatus Complete with Lever Loading Assembly. 110-120V 50/60Hz 1Ph.

Code: 26-2114/02

Attributes: Voltage Supply = 110-120V 50/60Hz, Description = Digital Direct/Residual Shear Apparatus, Vertical Load, lbf = 2,200

Standards: ASTM D3080, AASHTO T236



## Clamped Boss Load Ring - 3.0 kN

Code: 78-0160

Attributes: Description = Load ring - 3 kN, Force Capacity, kN = 3, Weight, lbs = 9.25

Standards: BS 1377, ASTM D3080



## Clamped Boss Load Ring - 2.0 kN

Code: 78-0060

Attributes: Description = Load ring - 2 kN, Force Capacity, kN = 2, Value of CBR % = Up to 8%, Capacity, lbf = 450, Capacity kN = 2.0

Standards: BS 1377, ASTM D3080



## Dial Gauge 10mm Travel X 0.002mm Divisions.

Code: 25-0440

Attributes: Description = Vertical Dial Indicator, Metric, Dial Indicator = 10 mm range x 0.002 mm graduations.

Standards:



## Clamped Boss Load Ring - 4.5 kN

Code: 78-0260

Attributes: Description = Load ring - 4.5 kN, Load device type = Load ring, Force Capacity, kN = 4.5, Weight, lbs = 9.25

Standards:



## Mechanical Dial Indicator - 25 mm Range Clockwise Movement

Code: 88-4110

Attributes: Dial Indicator = 25 mm Range, Description = Mechanical Dial Indicator - 25 mm Range Clockwise Movement

Standards:

# Product Group Sheet

[www.ele.com](http://www.ele.com)  
+44 (0) 01525 249 200



## Weight Set B

Code: [25-0537](#)

Attributes: [Weight, lbs = 70.33](#), [Description = Weight Set B](#)

Standards: