

Vicat Method

Consistency Plunger



Code: [38-2010/10](#)

Attributes: [Description = Consistency Plunger](#)

Standards: [EN 196-3](#), [EN 13454-2](#), [ASTM C187](#), [ASTM C191](#)

Vicat Mould




Code: [38-2200](#)

Attributes: [Description = Vicat Mould](#)

Standards:

EN Vicat Mould




Code: [38-2300](#)

Attributes: [Description = EN Vicat Mould](#)

Standards: [EN 196-3](#)

ASTM Vicat Mould



Code: [38-2660](#)

Attributes: [Description = ASTM Vicat Mould](#)

Standards: [ASTM C187](#), [ASTM C191](#)



ASTM Initial Set Needle

Code: [38-2620](#)

Attributes: [Description](#) = ASTM Initial Set Needle

Standards: [ASTM C187](#), [ASTM C191](#)



EN Initial and Final Set Needle

Code: [38-2110](#)

Attributes: [Description](#) = EN Initial and Final Set Needle, Weight, kg = 0.018

Standards: [EN 196-3](#), [EN 13454-2](#)



ASTM Initial Needle for manual Vicat 38-4010

Code: [38-4010/10](#)

Attributes:

Standards:



EN Initial Needle for 38-4010

Code: [38-4010/11](#)

Attributes:

Standards:



EN Final Needle for 38-4010

Code: [38-4010/12](#)

Attributes:

Standards:



EN Set of Needle for 38-4010

Code: [38-4010/13](#)

Attributes:

Standards:



Consistency Plunger for 38-4010

Code: [38-4010/14](#)

Attributes:

Standards:



Vicat Frame Complete

Code: [38-4010](#)

Attributes: [Description = Vicat Frame Complete](#)

Standards: