



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 09/03/2016, and contains the following Products:

80-0420/02

Ro-Tap Sieve Shaker for 8" Diameter Sieves - 110V 60 Hz

79-5120

8in Dia ASTM Sieve 850 Mic Stainless Steel Mesh.



Ro-Tap Sieve Shaker for 8" Diameter Sieves - 110V 60 Hz

Code: [80-0420/02](#)

Product Group: [Ro-Tap Sieve Shakers](#)

110vAC, 60 Hz, 1ø.

Specification

Capacity	6 full-height sieves, 8" (203 mm) diam., plus pan and cover.
Motor	1/4 h.p.
Timer	Built-in; 30 minute digital timer.
Support Plate	Adjustable.
Dimensions	28" w. x 21" d. x 25" h. (711 x 533 x 635 mm).
Weights	Net 165 lbs. (75 kg); Shpg. 185 lbs. (84 kg).



8in Dia ASTM Sieve 850 Mic Stainless Steel Mesh.

Code: 79-5120

Product Group: U.S Standard Testing Sieves, 8"
Diameter ASTM Sieves, 8" Diameter ASTM Sieves, 8"
Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames	Full height; 2 1/4" (51 mm) depth to mesh.
Construction	Polished and lacquered brass with S.S. mesh.
Nameplates	Show standard, alternate and Tyler Screen Scale equivalent designations.
Weights	Net 1 lb. (453 g).
Sieve Size or Number	No. 20
Sieve Opening Standard	850 um
Sieve Opening Alternative (in.)	0.331