



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 07/04/2016, and contains the following Products:

24-9060

Proctor Mould 1/30 Ft3.

24-9063


ASTM Compaction Rammer 2.5Kg.

24-9066

ASTM Compaction Mould 152mm.

24-9070

ASTM Compaction Rammer 4.5Kg.



Proctor Mould 1/30 Ft3.

Code: 24-9060

Product Group: Proctor compaction, Accessories for
ASTM and Proctor compaction

Standards

ASTM D558, ASTM D559, ASTM D560, ASTM D698, ASTM D1557, AASHTO T99, AASHTO T134, AASHTO T135, AASHTO T136, AASHTO T180

Specification

Dimensions	101.6 mm dia x 116.4 mm high
Rammer Mould Volume	1/30 ft ³
Construction	All steel, threaded studs with wing nuts, plated.
Weight	5.4 kg



ASTM Compaction Rammer 2.5Kg.

Code: 24-9063

Product Group: Standard Compaction Hammer,
Proctor compaction

50.8mm diameter x 305mm deep.

Standards

ASTM D558, ASTM D559, ASTM D560, ASTM D698, AASHTO T99, AASHTO T134, AASHTO T135, AASHTO T136

Specification

Rammer	2 in dia, 5.5 lb
Drop	12 in
Guide Sleeve	Machined steel tubing with air pressure release holes
Finish	Corrosion resistant
Weight kg	4.1
Hammer	2" diam. (50.8 mm); 5-1/2 lbs. (2.49 kg).
Drop	12 " (305 mm).
Guide Sleeve	Machined steel tubing with integrally spun end cap; air pressure release holes.
Weight	Net 9 lbs. (4.1 kg).



ASTM Compaction Mould 152mm.

Code: 24-9066

Product Group: ASTM/Modified Proctor compaction,
Accessories for ASTM and Proctor compaction

152mm inside diameter

Standards

ASTM D698, ASTM D1557, AASHTO T99, AASHTO T180

Specification

Dimensions	152.4 mm dia x 116.4 mm high
Rammer Mould Volume	1/13.33 ft ³
Construction	All steel, threaded studs with wing nuts, plated.
Weight	8.2 kg



ASTM Compaction Rammer 4.5Kg.

Code: 24-9070
Product Group: Modified Compaction Hammer,
ASTM/Modified Proctor compaction
50.8mm diameter x 457mm drop.

Standards

ASTM D1557, AASHTO T180

Specification

Rammer	2 in dia, 10 lb
Drop	18 in
Guide Sleeve	Machined steel tubing with air pressure release holes
Finish	Corrosion resistant
Weight kg	6.3
Hammer	2" diam. (50.8 mm); 10 lbs. (4.5 kg).
Drop	18" (45 7 mm).
Guide Sleeve	Machined steel tubing with integrally spun end cap; air pressure release holes.
Weight	Net 14 lbs. (6.3 kg).