



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 27/04/2016, and contains the following Products:

81-4020

Sample Tray - 306 x 306 x 38 mm

81-4030

Sample Tray - 406 x 406 x 50 mm

24-2900


50MI Density Bottle with Perforated Stopper.

81-2979

Moisture Content Tin

81-3000

Sample Container - Tinned Steel 0.5 litres




Sample Tray - 306 x 306 x 38 mm

Code: [81-4020](#)

Product Group: [Sample Trays](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Sample Tray - 406 x 406 x 50 mm

Code: [81-4030](#)

Product Group: [Sample Trays](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



50ml Density Bottle with Perforated Stopper.

Code: [24-2900](#)

Product Group: [Particle Density: Pyknometer Methods](#)

Supplied complete with capillary vent stopper.
Conforms to BS 733, and ISO 3507. Gay-Lussac type.

Standards

ASTM C128, AASHTO T84



Moisture Content Tin

Code: [81-2979](#)

Product Group: [Moisture Content Tin and Sample Containers](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Sample Container - Tinned Steel 0.5 litres

Code: [81-3000](#)

Product Group: [Moisture Content Tin and Sample Containers](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****