



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 24/08/2016, and contains the following Products:

78-5447/01

Electronic Balance - 2 500 g x 0.01 g

78-5485/01

Electronic Balance - 20 000 g x 0.1 g

24-9060

Proctor Mould

24-9066

ASTM Compaction Mould 152mm.

24-2885

Pyknometer Complete with Non-Corrodable Cone and Rubber Seal 1Kg Capacity

24-9004

BS Compaction Rammer 4.5Kg Wt.

42-1700

Sand Absorption Cone.

42-1720

Tamping Rod.

80-0200/01

ELE Sieve Shaker

35-1480

Standard Concrete Test Hammer

34-5260

150mm Dia Cylinder Mould 300mm Long.

34-5230

150mm Dia Cylinder Mould 150mm Long.

34-0130

Tamping Rod 16mm Dia X 600mm Long Hemispherical At Both Ends.

81-0705

Wire Brush

82-7341

Mould Oil (25 Litre Drum)



Electronic Balance - 2 500 g x 0.01 g

Code: [78-5447/01](#)

Product Group: [Electronic Balances](#)

Further Information

****Not available for sale in the USA****

Specification

Capacity resolution	2500 g x 0.01 g
Pan size	160 x 160 mm
Mains and battery	No
Dimensions (l x w x h)	260 x 170 x 90 mm
Weight	6 kg



Electronic Balance - 20 000 g x 0.1 g

Code: [78-5485/01](#)


Product Group: [Electronic Balances](#)

Further Information

****Not available for sale in the USA****

Specification

Capacity resolution	20000 g x 0.1 g
Pan size	340 x 300 mm
Mains and battery	Yes
Dimensions (l x w x h)	314 x 460 x 125 mm
Weight	18 kg



Proctor Mould

Code: [24-9060](#)

Product Group: [Accessories for ASTM and Proctor compaction](#), [Proctor compaction](#)

Standards

ASTM D558, ASTM D559, ASTM D560, ASTM D698, ASTM D1557, AASHTO T99, AASHTO T134, AASHTO T135, AASHTO T136, AASHTO T180

Specification

Dimensions	101.6 mm dia x 116.4 mm high
Rammer Mould Volume	1/30 ft ³
Construction	All steel, threaded studs with wing nuts, plated.
Weight	5.4 kg



ASTM Compaction Mould 152mm.

Code: 24-9066

Product Group: Accessories for ASTM and Proctor compaction, ASTM/Modified Proctor compaction

152mm inside diameter

Standards

ASTM D698, ASTM D1557, AASHTO T99, AASHTO T180

Specification

Dimensions	152.4 mm dia x 116.4 mm high
Rammer Mould Volume	1/13.33 ft ³
Construction	All steel, threaded studs with wing nuts, plated.
Weight	8.2 kg



Pyknometer Complete with Non-Corrodable Cone and Rubber Seal 1Kg Capacity


Code: [24-2885](#)

Product Group: [Particle Density: Pyknometer
Methods, Pycnometer Top and Jar](#)

Glass jar complete with noncorrodible cone.

Standards

BS 1377, BS 812-2, EN 1097-7, EN 1997-2, ASTM D854, AASHTO T100, ASTM C128, AASHTO T84



BS Compaction Rammer 4.5Kg Wt.

Code: 24-9004

Product Group: BS/EN compaction test 4.5kg, Straightedge


50mm diameter with 450mm drop, manufactured from corrosion protected steel.

Standards

BS 1377-4, BS 1924-2

Specification

Rammer	50 mm dia, 4.5 kg
Drop	450 mm
Guide Sleeve	Machined steel tubing with air pressure release holes
Finish	Corrosion resistant
Weight kg	7.5



Sand Absorption Cone.

Code: 42-1700

Product Group: Particle Density (specific gravity) and Water Absorption for Fine Aggregates, Sand Absorption Cone and Tamper

Made of brass to the dimensions given in BS 812, ASTM C128 and AASHTO T84.

Standards


BS 812, ASTM C128, AASHTO T84

Tamping Rod.

Code: 42-1720

Product Group: Particle Density (specific gravity) and
Water Absorption for Fine Aggregates, Sand
Absorption Cone and Tamper

For use with cone. Tamping face is 25mm diameter
and complies with BS 812, ASTM C128 and AASHTO
T84.



Standards

BS 812, ASTM C128, AASHTO T84



ELE Sieve Shaker

Code: [80-0200/01](#)

Product Group: [ELE Sieve Shaker](#)

The ELE sieve shaker is powered by an electromagnetic drive that has no rotating parts to wear making it maintenance free and extremely quiet in operation.

The unit features a triple Vertical-Lateral-Rotary vibrating action that moves the sample over the sieve producing faster more efficient sieving, while the rapid vertical movements also help keep the apertures from blinding.

The shaker is ideal for laboratory or on site use. It is robust, compact and sufficiently lightweight to be portable. The separate digital microprocessor controlled console unit incorporates a keypad for setting the sieving program and is isolated from any effects of vibration from the shaker.

As standard the shaker includes, timer 0-999 minutes, adjustable vibration intensity and adjustable intermittent or continuous operation.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

The unit accepts up to ten 200 mm or 8 inch, full height, diameter sieves and lid and receiver, or up to six 300 mm or 12 inch diameter sieves and lid and receiver. Complete as specified. Dimensions (l x w x h) 380 x 440 x 1085 mm. For 220 - 240 V AC, 50 Hz 1ph.



Standard Concrete Test Hammer

Code: [35-1480](#)

Product Group: [Concrete Test Hammer, Surface Hardness](#)

The hammer is intended for testing the quality of concrete in finished structures such as buildings and bridges. Supplied complete with carrying case and carborundum stone, the hammer is suitable for testing concrete with compressive strengths of 10 to 70 N/mm².

Standards

ASTM C805

Specification

Body	Includes indicator scale, calibration curves.
Calibration Curves	Rebound number vs. compressive strength.
Rubbing Stone	Prepares test surface.
Accuracy	Within 15 %.
Carrying Case	Plastic.
Weight	Net 3 lbs. (1.4 kg).

Spares/Consumables



Rubbing Stone

Code: [35-1475/10](#)



150mm Dia Cylinder Mould 300mm Long.

Code: [34-5260](#)

Product Group: [Cylinder Moulds](#)

150 mm diameter x 300 mm long, complete with base plate and locking ring.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



150mm Dia Cylinder Mould 150mm Long.

Code: [34-5230](#)

Product Group: [Cylinder Moulds](#)

150 mm diameter x 150 mm long, complete with base plate.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Tamping Rod 16mm Dia X 600mm Long Hemispherical At Both Ends.

Code: 34-0130

Product Group: Precision Air Entrainment Meter, Slump Test, Accessories for Concrete Moulds

Steel, 600 mm long x 16 mm dia, hemispherical at both ends

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Wire Brush

Code: [81-0705](#)

Product Group: [Accessories for Concrete Moulds,](#)
[Miscellaneous Laboratory Hardware](#)

Further Information

****Not available for sale in the USA****



Mould Oil (25 Litre Drum)

Code: [82-7341](#)

Product Group: [Chemicals, Test and Reference Materials, Accessories for Concrete Moulds](#)

Further Information

****Not available for sale in the USA****