



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 14/09/2016, and contains the following Products:

34-0192

Slump Test Set BS & ASTM. C/W Slump Cone Base Plate Steel Rule Tamping Rod & Funnel.

82-3320

Porcelain Crucible

34-8100/09

Buoyancy Balance

37-4830

BS Block Platens & Platen Handling Assembly for 2000kN & 3000kN BS Frames.

37-4835

Extended Front Safety Gate for Use with 2000kN BS/EN Load Frames Fitted with Rectangular Platens.

79-2040

300mm Dia BS Sieve 38 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2070

300mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2080

300mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2085

300mm Dia Iso:565 3310/1 Sieve 80 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2090

300mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2095

300mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2110

300mm Dia BS Sieve 125Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2120

300mm Dia BS Sieve 150Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2130

300mm Dia BS Sieve 180Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2135

300mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2140

300mm Dia BS Sieve 212Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2150

300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2160

300mm Dia BS Sieve 300Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2165

300mm Dia Iso:565 3310/1 Sieve 315 Mic Stainless Steel Mesh.

79-2170

300mm Dia BS Sieve 355Mic Stainless Steel Mesh

79-2175

300mm Dia Iso:565 3310/1 Sieve 400 Mic Stainless Steel Mesh

79-2180

300mm Dia BS Sieve 425Mic Stainless Steel Mesh.

79-2190

300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

79-2200

300mm Dia BS Sieve 600Mic Stainless Steel Mesh.

Contents

www.ele.com
+44 (0) 01525 249 200



79-2205

300mm Dia Iso:565 3310/1 Sieve 630 Mic Stainless Steel Mesh.

79-2220

300mm Dia BS Sieve 850Mic Stainless Steel Mesh.

79-2230

300mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

79-2240

300mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

79-2245

300mm Dia Iso:565 3310/1 Sieve 1.25mm Stainless Steel Mesh.

79-2255

300mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.

79-2260

300mm Dia BS Sieve 1.70mm Stainless Steel Mesh.

79-2270

300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

79-2280

300mm Dia BS Sieve 2.36mm Stainless Steel Mesh.

79-2285

300mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.

79-2290

300mm Dia BS Sieve 2.80mm Stainless Steel Mesh.

79-2300

300mm Dia BS Sieve 3.35mm Stainless Steel Mesh.

79-2310

300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

79-2320

300mm Dia BS Sieve 4.75mm Stainless Steel Mesh.

38-3800/01

Autoclave

35-2302/09

Pundit Lab Ultrasonic Concrete Tester 110-240V 50/60Hz 1Ph

70-0095/01

Rock Core Drill Supplied with 2 X Nx Core Drill Bit

39-0410

Three-gang Mould



Slump Test Set BS & ASTM. C/W Slump Cone Base Plate Steel Rule Tamping Rod & Funnel.

Code: [34-0192](#)

Product Group: [Slump Test](#)

BS and ASTM comprising of slump cone, base plate, steel rule, tamping rod and funnel.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Porcelain Crucible

Code: [82-3320](#)

Product Group: [Bottles and Crucibles,](#)
[Loss-on-Ignition](#)

30ml capacity complete with lid.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Buoyancy Balance

Code: [34-8100/09](#)

Product Group: [Hardened Concrete - Buoyancy Balance, Percentage Refusal Density \(PRD\)](#)

Standards

EN 12697-32, EN 13280-4, BS 598-104

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



BS Block Platens & Platen Handling Assembly for 2000kN & 3000kN BS Frames.

Code: [37-4830](#)

Product Group: [Platen Assemblies](#)

Further Information

****Not available for sale in the USA****



Extended Front Safety Gate for Use with 2000kN BS/EN Load Frames Fitted with Rectangular Platens.

Code: [37-4835](#)

Product Group: [Platen Assemblies](#)

For use with 2000 kN capacity machines fitted with rectangular platens.

Further Information

****Not available for sale in the USA****



300mm Dia BS Sieve 38 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2040

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, BS410-1, EN933-2, ISO 3310

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2070

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2080

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Iso:565 3310/1 Sieve 80 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2085

Product Group: 300mm Diameter BS Sieves, 300mm
Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2090](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2095

Product Group: 300mm Diameter BS Sieves, 300mm
Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 125Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2110

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 150Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2120](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 180Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2130

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS410-1, ISO 3310-1, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2135

Product Group: 300mm Diameter BS Sieves, 300mm
Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 212Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2140

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2150

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 300Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2160](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Iso:565 3310/1 Sieve 315 Mic Stainless Steel Mesh.

Code: 79-2165

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 355Mic Stainless Steel Mesh

Code: 79-2170

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS410-1, ISO 3310-1, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 400 Mic Stainless Steel Mesh

Code: 79-2175

Product Group: 300mm Diameter BS Sieves, 300mm
Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, BS 410-1, EN933-2, ISO 3310-1

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 425Mic Stainless Steel Mesh.

Code: 79-2180

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

Code: 79-2190

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 600Mic Stainless Steel Mesh.

Code: 79-2200

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 630 Mic Stainless Steel Mesh.

Code: 79-2205

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 850Mic Stainless Steel Mesh.

Code: [79-2220](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

Code: 79-2230

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

Code: 79-2240

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 1.25mm Stainless Steel Mesh.

Code: 79-2245

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.

Code: 79-2255

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 1.70mm Stainless Steel Mesh.

Code: 79-2260

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

Code: 79-2270

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 2.36mm Stainless Steel Mesh.

Code: 79-2280

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.

Code: 79-2285

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 2.80mm Stainless Steel Mesh.

Code: 79-2290

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS410-1, ISO 3310-1, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 3.35mm Stainless Steel Mesh.

Code: 79-2300

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

Code: 79-2310

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 4.75mm Stainless Steel Mesh.

Code: 79-2320

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



Autoclave

Code: [38-3800/01](#)

Product Group: [Soundness of Portland Cement by the Autoclave Method](#)

The autoclave provides high pressure steam curing of the specimens and is supplied with a safety valve pressure gauge and controlled heater unit. The pressure vessel is independently certified and certificated. A specimen rack with capacity for 12 specimens included. The unit conforms to the requirements of ASTM C151.

220-240 V 50/60 Hz 1ph

Standards

ASTM C151

Further Information

NOT AVAILABLE FOR SALE IN THE USA

Spares/Consumables



Lid Sealing Gasket

Code: [38-3800/13](#)



Pundit Lab Ultrasonic Concrete Tester 110-240V 50/60Hz 1Ph

Code: [35-2302/09](#)

Product Group: [Pundit Lab](#), [Pundit Lab Ultrasonic Concrete Test](#)

Pundit Lab is the most versatile Pundit to date. It has all the functions of the classic Pundit 7, but offers additional benefits.

Designed with laboratory use in mind, its compact size, rugged construction and optimized power consumption make it equally suitable for on-site use.

Along with the traditional transit time and pulse velocity measurement, Pundit Lab offers path length measurement, perpendicular crack depth measurement and surface velocity measurement.

Optimized pulse shaping gives greater transmission range at lower voltage levels. This coupled with automated combination of the transmitter voltage and the receiver gain ensures an optimum received signal level, ensuring accurate and stable measurements.

The waveform can be viewed either via an external oscilloscope connection or directly on a connected PC screen.

Full remote control capability completes the package.

Complete with two 54 kHz transducers each with 3.6 metres of cable, coupling agent, carrying case and instruction manual.

Further Information

For 110 - 240 V AC, 50 - 60 Hz, 1 ph.

Spares/Consumables



Ultrasound Couplant Supplied In 250ml bottle

Code: [35-2305](#)



Rock Core Drill Supplied with 2 X Nx Core Drill Bit

Code: [70-0095/01](#)

Product Group: [Sample Preparation](#)


Cores may be cut from regular or irregular samples of rock or other material for end preparation prior to strength testing. Side guards and a drain tray provide protection against water spray and a sliding front allows access to the specimen clamp. The clamp provides maximum orientation for securing irregular block samples.

Further Information

Supplied complete with 2 x NX Core Barrel. For 220-240 V AC, 50 Hz, 1ph.

Specification

Dimensions (l x w x h)	500 x 500 x 1160 mm
Drill Head Travel	630 mm
Drill Speeds	350 and 900 rpm
Weight	80 kg



Three-gang Mould

Code: 39-0410

Product Group: Moulding of 50 mm and 100 mm Specimens

For 50mm mortar cubes. Manufactured from cast iron with simple cube release mechanism.

Standards

BS 1881-131, ASTM C109

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****