

















## IF IT'S WORTH BUILDING, IT'S WORTH TESTING

www.ele.com

## Contents

This wishlist was generated on 25/10/2016, and contains the following Products:

### 45-6600/01

AutoComp 100-A

#### 23-4200

Proctor/Core Cutter Extruder Frame and Hydraulic Jack. Extrudes 100mm/4 Inch Diameter Specimens

45-6550/01

30 L Heating Bath with Led Display Cover



## **Product Sheet**



#### AutoComp 100-A

#### Code: 45-6600/01

Product Group: Automatic Compaction

- Fully automatic, simple to operate
- Built-in safety features
- Uniform compaction
- Automatic blow counter

This ruggedly constructed automatic compactor provides a consistent and even degree of compaction. The unit incorporates a compaction pedestal comprising a laminated hardwood block secured to a concrete base by a 300 mm square x 25 mm thick steel plate. The mechanism lifts the 4535 g hammer and automatically releases it at the specified height of 457 mm. The conveniently positioned control fascia panel comprises of a mains light, start and stop buttons and a direct-reading counter used to set the required number of blows.

During operation the AutoComp 100-A automatically counts down to zero. Dual rammer pick-ups have been incorporated, reducing stress on the machine's internal mechanism.

Particular attention has been paid to operator safety by the inclusion of various in-built safety features.

# Standards

EN 12697-10, EN 12697-30

#### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*

#### Specification

Dimensions  $(I \times w \times h)$ Compaction foot diameter 535 x 535 x 1880 mm 98.52 mm

+44 (0)1525 249 200







Sliding weight Height of drop Weight

4535 g 457 mm 278 kg



## **Product Sheet**



### Proctor/Core Cutter Extruder Frame and Hydraulic Jack. Extrudes 100mm/4 Inch Diameter Specimens

Code: 23-4200

Product Group: Soil Extruders, Accessories for manual and automatic compaction

Adaptor plates will be supplied; extrudes samples from BS Compaction Mould, Proctor Mould 100 mm, Core Cutter and Marshall Mould. Maximum extrusion force 20kn.

### Standards BS 1377-1

### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*



# **Product Sheet**







## **30 L Heating Bath with Led Display Cover**

Code: 45-6550/01 Product Group: Accessories for manual and automatic compaction

## Standards

BS 2000-49, EN 1426, EN 13179-2, ASTM D5, AASHTO T49, IP 49

## **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*

