

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

# **Contents**



This wishlist was generated on 21/11/2016, and contains the following Products:

34-3590/01

Tilting Drum Concrete Mixer 120/90L/ (4/3Cu.Ft) Complete with Stand

34-3540/01

**ELE Concrete Mixer 56/40 Litre Capacity.** 

82-8950/01

**Masonry Saw** 

82-8950/12

**Diamond Blade** 

# **Product Sheet**



## **Tilting Drum Concrete Mixer 120/90L/** (4/3Cu.Ft) Complete with Stand

Code: 34-3590/01

Product Group: Tilting Drum Mixer

120/90 litre mixing capacity. For 220 - 240 V AC, 50

Hz, 1 ph.

## Standards

EN 2390-2

#### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*

+44 (0)1525 249 200

**= +1 (800) 323 1242** 



#### **ELE Concrete Mixer 56/40 Litre Capacity.**

Code: 34-3540/01

Product Group: ELE Concrete Mixer

- Portable and compact
- Tipping mechanism
- Adjustable blades
- Simple to clean and maintain

It is essential that the mixing of fresh concrete for laboratory test samples is thorough and consistent. The ELE Concrete Mixer is ideally suited for this purpose.

The mixer has been developed to give efficient mixing of both wet and dry materials. The mixing pan is removable and tilts for easy access to the pan and emptying on completion of the mixing operation. It is rotated by a turntable driven by a 1500 W, IP55 protected electric motor.

The mixer head lifts clear to provide maximum access to the pan and holds the mixing blades at a constant depth during the mixing operation. The blades are readily adjusted to suit the different types and volume of materials to be mixed.

#### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*

220 - 240 V AC, 50 Hz, 1 ph.

# **Product Sheet**



### **Masonry Saw**

Code: 82-8950/01

Product Group: Masonry Saw

#### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*

### **Specification**

Dimensions (I x w x h) 1195 x 705 x 1350 mm 110 mm

Cutting depth with 300 mm diameter blade

Electrical supply 220-240 V AC, 50 Hz, 1 ph,

separate fused power supply

and switching required

Rated power 2200 W Weight 120 kg

# **Product Sheet**



### **Diamond Blade**

Code: 82-8950/12

Product Group: Masonry Saw

Accessory. Wet cutting. Blade diameter 350 mm, depth of cut 110 mm.  $\,$ 

### **Further Information**

\*\*NOT AVAILABLE FOR SALE IN THE USA\*\*