

















### IF IT'S WORTH BUILDING, IT'S WORTH TESTING

www.ele.com

# Contents

This wishlist was generated on 24/11/2016, and contains the following Products:

#### 25-3604 Unconfined Compression Tester, Hand-Operated



## **Product Sheet**



### Unconfined Compression Tester, Hand-Operated

Code: 25-3604 Product Group: Unconfined Compression Tester, Hand-Operated

1,500 lb. load capacity.

Standards ASTM D2166, AASHTO T208

Specification	
Specimen Height	Up to 8â🎟 (203 mm).
Platens	3⺠(76 mm) diam.; with
	concentric grooves for
	centering specimen.
Proving Ring	Plated steel; complete with dial
	indicator and calibration charts
	in English and Metric units.
Strain Indicator	English: 1.0â <sup>III</sup> range x
	0.001â <sup>III</sup> graduations.
	Metric: 25 mm range x 0.01
	mm graduations.
Hand Crank	Two-piece; aluminum.
Base	One-piece; cast aluminum.
Crosshead	High-strength aluminum.
Dimensions	10-5/8â00 w. x 6-3/8â00 d. x
	26-1/4â  h. (270 x
	162 x 667 mm).
Weight	Net 43 lbs. (19.5 kg).; Shpg. 58 lbs. (26.3 kg).
	·

