

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents



This wishlist was generated on 23/12/2016, and contains the following Products:

25-4261

1.4" (35 mm) Rubber Membranes

25-5580

Filter Paper Drain 50mm Diameter. Pack of 50

25-4880

1.4" Filter Paper Drains

25-4461

1.4" Porous Stones

25-5561

Porous Disc 50mm Pack of 2

24-4650

Soil Hydrometer Type 151H ASTM D422 Graduated 0.995 to 1.038 Specific Gravity.

24-0451

ASTM Plastic Grooving Tools

24-0435/10

Brass Cup



1.4" (35 mm) Rubber Membranes

Code: 25-4261

Product Group: Rubber Membranes, Tri-Flex 2

Permeability Test Cell

Standards

ASTM D2850, ASTM D4767, ASTM D5084, AASHTO T296, AASHTO T297, ASTM D7181

Accessories



Rubber Membrane 100mm/4 Inch Diameter. Pack of 10

Code: 25-7621



Rubber Membrane 70mm/2.8 Inch Diameter. Pack of 10.

Code: 25-6441

Alternatives



Rubber Membrane 100mm/4 Inch Diameter. Pack of 10

Code: 25-7621



Rubber Membrane 70mm/2.8 Inch Diameter. Pack of 10.

Code: 25-6441

+44 (0)1525 249 200



Filter Paper Drain 50mm Diameter. Pack of 50

Code: 25-5580

Product Group: Accessories for CU/CU effective

stress, Filter Paper Drains

Filter paper drain 50 mm diameter (Pack of 50).



1.4" Filter Paper Drains

Code: 25-4880

Product Group: Filter Paper Drains

Pack of 50

Standards

ASTM D2850, ASTM D4767, ASTM D7181, AASHTO T296, AASHTO T297

Accessories



Filter Paper Drain 100mm/4 inch Diameter. Pack of 50.

Code: 25-7670



Filter Paper Drain 70mm/2.8 inch Diameter. Pack of 50.

Code: 25-6580

Alternatives



Filter Paper Drain 100mm/4 inch Diameter. Pack of 50.

Code: 25-7670

www.ele.com +44 (0)1525 249 200





Filter Paper Drain 70mm/2.8 inch Diameter. Pack of 50.

Code: 25-6580



1.4" Porous Stones

Code: 25-4461

Product Group: Porous Stones, Tri-Flex 2

Permeability Test Cell

1.4" diameter porous stones (pack of 2)

Standards

ASTM D2850, ASTM D4767, ASTM D5084, AASHTO T296, AASHTO T297, ASTM D7181

Accessories



4.0" Porous Stones

Code: 25-7761



Porous Disc 100mm Diameter Pack of 2.

Code: 25-7661



Porous Disc 70mm Diameter Pack of 2.

Code: 25-6561



Porous Stones 2.8"

Code: 25-6721

Alternatives

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242



4.0" Porous Stones

Code: 25-7761



Porous Disc 100mm Diameter Pack of 2.

Code: 25-7661



Porous Disc 70mm Diameter Pack of 2.

Code: 25-6561



Porous Stones 2.8"

Code: 25-6721

www.ele.com +44 (0)1525 249 200



Porous Disc 50mm Pack of 2

Code: 25-5561

Product Group: Accessories for CU/CU effective

stress, Porous Stones

50 mm diameter porous disc (Pack Of 2).

Page 10 of 12



Soil Hydrometer Type 151H ASTM D422 Graduated 0.995 to 1.038 Specific Gravity.

Code: 24-4650

Product Group: ASTM Soil Hydrometers, Soil

Hydrometers

Graduated 0.995 to 1.038 g/ml.

Standards

ASTM D422, ASTM E100, AASHTO T88

Specification

Construction Molded, seamless.
Scale Bouvoucos: double

Scale Bouyoucos; double scale.

Calibration At 68°F.

Weight Net 4 oz. (113 g).

Alternatives



Soil Hydrometer BS EN DD ENV graduated 0.995 to 1.030 g/ml

Code: 24-4620



Soil Hydrometer Type 152H ASTM/Aashto Graduated -5 to + 60G/Litre.

Code: 24-4640

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242



ASTM Plastic Grooving Tools

Code: 24-0451

Product Group: ASTM Plastic Grooving Tools, Hand-Operated Liquid Limit Devices, Motorized Liquid Limit Device

- Inexpensive enough to be disposable.
- Plastic construction -- won't rust.
- Precision-moulded to conform to ASTM

standards.

• 1 cm gage block located at end of handle.

The Plastic Grooving Tool is used to control the width of the soil groove in the liquid limit cup. With traditional metal grooving tools, the cups get scratched; the costly metal tools get worn, giving inaccurate test results.

Standards

ASTM D4318

Further Information

Pkg. of 10.

Specification

Construction Gauge Height Weight

Molded polycarbonate resin.

1 cm.

Net 3 oz. (85 g).

Accessories



Casagrande Grooving Tool Aashto

Code: 24-0461

+44 (0)1525 249 200



Brass Cup

Code: 24-0435/10

Product Group: Hand-Operated Liquid Limit Devices, Motorized Liquid Limit Device

With mounting holes.

Standards ASTM D4318, AASHTO T89