



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

# Contents

[www.ele.com](http://www.ele.com)  
+44 (0) 01525 249 200



This wishlist was generated on 17/01/2017, and contains the following Products:

---

38-0200/01

**ELE Flame Photometer**

---



## ELE Flame Photometer

Code: [38-0200/01](#)

Product Group: [ELE Flame Photometer](#)

Special Note: The Flame Photometer requires a source of moisture-free air at 6 litres/minute at a pressure of 1 kg/cm<sup>2</sup>. It also requires a fuel source for the flame and a regulator (see accessories).

## Standards

EN 196-21, ASTM C114, TEST 17

## Further Information


**\*\*NOT AVAILABLE FOR SALE IN THE USA\*\***

For 220-240 V AC, 50-60 Hz, 1 ph

## Specification

Dimensions (l x w x h)	420 x 360 x 300 mm
Readout	LED three 12.5 mm digits
Sensitivity Na	3 to 100 ppm
K	3 to 100 ppm
Ca	5 to 100 ppm (optional filter)
Reproducibility	1% CV for 20 consecutive samples using 10 ppm, set to read 100
Recorder Output	Nominal 1.00 V for a reading of 100.0
Weight	8 kg

## Accessories



### Air Compressor

Code: [38-0320/01](#)



## Barium Filter

Code: 38-0260



## Calcium Filter

Code: 38-0250



## Regulators for Natural Gas

Code: 38-0270



## Regulators for Propane Gas

Code: 38-0280