



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

# Contents

www.ele.com  
+44 (0) 01525 249 200



This wishlist was generated on 02/02/2017, and contains the following Products:

---

24-4640


**Soil Hydrometer Type 152H ASTM/Aashto Graduated -5 to + 60G/Litre.**

---

24-4700

**Hydrometer Sedimentation Cylinder**

---



## Soil Hydrometer Type 152H ASTM/Aashto Graduated -5 to +60G/Litre.

Code: [24-4640](#)

Product Group: [ASTM Soil Hydrometers, Soil Hydrometers](#)

Graduated -5 to +60 g/litre.

## Standards

BS 1377, EN 1997-2, ASTM D422, ASTM E100, AASHTO T88

## Specification

Construction	Molded, seamless.
Scale	Bouyoucos; double scale.
Calibration	At 68°F.
Weight	Net 4 oz. (113 g).

## Alternatives



## Soil Hydrometer BS EN DD ENV graduated 0.995 to 1.030 g/ml

Code: [24-4620](#)



## Soil Hydrometer Type 151H ASTM D422 Graduated 0.995 to 1.038 Specific Gravity.

Code: [24-4650](#)



## Hydrometer Sedimentation Cylinder

Code: [24-4700](#)

Product Group: [Hydrometer Sedimentation Cylinder](#),  
[Hydrometer Jar](#)

Glass, 1000 ml capacity complete with rubber bung.

## Standards

BS 1337, ASTM D422, AASHTO T88

## Further Information

1000ML Glass

## Accessories



### Nomographic Chart for The Determination of Stokes Law.

Code: [24-4800](#)

## Spares/Consumables



### Solid Rubber Stopper

Code: [4699-0881](#)