



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 03/02/2017, and contains the following Products:

24-9228

ASTM Cbr Mould Complete with Collar & Perferated Base

24-0435

Liquid Limit Device

24-0461

Casagrande Grooving Tool Aashto

24-0434

**Liquid Limit Device ASTM/ Aashto Hand-Operated W/ Revolution Counter.
Supplied Less Grooving Tool.**

79-0135

200mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh.

79-0095

200mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh.

79-7000

75 µm Washing Sieve

79-0010

200 mm Diameter Lid

79-0020

200 mm Diameter Receiver

79-2010

300mm Dia Lid.

79-2020

300mm Dia Receiver.

24-9182

Penetration Piston

83-5416

Dial Gauge



ASTM Cbr Mould Complete with Collar & Perforated Base

Code: [24-9228](#)

Product Group: [ASTM/AASHTO CBR mould](#)

With collar and perforated baseplate.

Standards

ASTM D1883, AASHTO T193

Specification

Mould	152.4 x 177.8 mm (inside diameter x height)
Collar	50.8 mm height, fits both ends of mould
Base plate	Perforated
Construction	All steel, plated
Weight kg	9

Accessories



4.5Kg Annular Surcharge Weight ASTM.

Code: [24-9243](#)



5 Lb. Annular Surcharge Weight ASTM.

Code: [24-9245](#)



ASTM Cutting Collar.

Code: [24-9236](#)



ASTM Spacing Disc.

Code: [24-9238](#)

Alternatives



4.5Kg Annular Surcharge Weight ASTM.

Code: [24-9243](#)



5 Lb. Annular Surcharge Weight ASTM.

Code: [24-9245](#)



ASTM Cutting Collar.

Code: [24-9236](#)



ASTM Spacing Disc.

Code: [24-9238](#)



Liquid Limit Device

Code: [24-0435](#)

Product Group: [Hand-Operated Liquid Limit Devices](#)

Standards

ASTM D4318, AASHTO T89

Specification

Cup	Spun brass; pin and slot mounting.
Base	Molded hard rubber.
Cam	Molded, self-lubricating plastic.
Counter	Not Included
Grooving Tools	ASTM type; plastic; pkg. of 10 (included).
Weight	Net 5-1/4 lbs. (3.6 kg).

Spares/Consumables



ASTM Plastic Grooving Tools

Code: [24-0451](#)



ASTM Slider and Pin Cup Holder Assembly

Code: [24-0435/12](#)



Brass Cup

Code: [24-0435/10](#)

Alternatives



Liquid Limit Device with counter

Code: [24-0437](#)



Motorized Liquid Limit Device

Code: [24-0441/02](#)



Casagrande Grooving Tool Aashto

Code: [24-0461](#)

Product Group: [AASHTO Grooving Tool, Casagrande Method, Motorized Liquid Limit Device](#)

- Rust resistant brass construction.
- 1 cm gage block located at end of handle.

The AASHTO Grooving Tool is used to control the width of the soil groove in the liquid limit cup, in accordance with AASHTO specifications.

Standards

AASHTO T89

Further Information

Brass construction with a gauge height of 1 cm.

Specification

Construction	Brass.
Gauge Height	1 cm.
Weight	Net 3 oz. (85 g).

Spares/Consumables



ASTM Plastic Grooving Tools

Code: [24-0451](#)



Liquid Limit Device ASTM/ Aashto Hand-Operated W/ Revolution Counter. Supplied Less Grooving Tool.

Code: [24-0434](#)

Product Group: [Casagrande Method](#)

Complete with revolution counter. Supplied less grooving tool.

Standards

ASTM D4318, AASHTO T89

Accessories



ASTM Metal Grooving Tool.

Code: [24-0453](#)



Casagrande Grooving Tool Aashto

Code: [24-0461](#)



200mm Dia Iso:565 3310/1 Sieve 200 Mic Stainless Steel Mesh.

Code: 79-0135

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

ISO 565, EN933-2, BS410-1

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia Iso:565 3310/1 Sieve 100 Mic Stainless Steel Mesh.

Code: 79-0095

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



75 µm Washing Sieve

Code: [79-7000](#)

Product Group: [Sieve Brushes](#)

8 in diameter x 8 in deep

Standards

ASTM E11

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200 mm Diameter Lid

Code: 79-0010

Product Group: Sieve Lids and Receivers ISO and BS, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200 mm Diameter Receiver

Code: 79-0020

Product Group: Sieve Lids and Receivers ISO and BS, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Lid.

Code: 79-2010

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Receiver.

Code: 79-2020

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Penetration Piston

Code: [24-9182](#)

Product Group: [Penetration Measurement](#)

1.935 mm² (3 in²) area foot of case hardened steel.
Designed to fit all ELE load rings.



Dial Gauge

Code: [83-5416](#)

Product Group: [Dial Gauges](#)

Specification

Diameter mm	57
Travel mm	25
Grad. Mm	0.01
Scale	RH
Anvil	Ball
Back type	C