



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 20/03/2017, and contains the following Products:

24-9066

ASTM Compaction Mould 152mm.

24-9000

BS Standard Compaction Mould 1000Cm Capacity.

24-9098

Modified Compaction Mould



ASTM Compaction Mould 152mm.

Code: 24-9066

Product Group: Accessories for ASTM and Proctor compaction, ASTM/Modified Proctor compaction


152mm inside diameter

Standards

ASTM D698, ASTM D1557, AASHTO T99, AASHTO T180

Specification

Dimensions	152.4 mm dia x 116.4 mm high
Rammer Mould Volume	1/13.33 ft ³
Construction	All steel, threaded studs with wing nuts, plated.
Weight	8.2 kg



BS Standard Compaction Mould 1000Cm Capacity.

Code: 24-9000

Product Group: [BS/EN compaction test 2.5kg](#),
[Accessories for BS compaction and CBR](#)

Plated steel standard compaction mould to BS 1377, comprising of a collar mould body and base plate with quick release wing nuts for easy dismantling.

Standards

BS 1377-4, BS 1924-2

Specification

Mould volume	1 litre
Dimensions	105 mm dia x 115.4 mm high
Construction	All steel, threaded studs with wing nuts, plated.
Weight	5.5 kg



Modified Compaction Mould

Code: [24-9098](#)

Product Group: [Modified Compaction Mould,](#)
[Automatic Soil Compactor](#)

1/13.33 cu.ft.; 6" i.d. x 4.584" h.

Standards

ASTM D698, ASTM D1557, AASHTO T99, AASHTO T180

Specification

Mould Volume	1/13 .33 cu. ft.
Dimensions	6" i.d. x 4.584" h. (152 .4 x 11 6.4 mm).
Base Plate	8" x 8" (203 x 203 mm).
Weight	Net 18 lbs. (8.2 kg).