



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 04/05/2017, and contains the following Products:

80-0200/01

ELE Sieve Shaker

506-122

Hygrometer / Thermometer 100mm Diameter Dial 10-100% Rh -25 to +45 Deg C.



ELE Sieve Shaker

Code: [80-0200/01](#)

Product Group: [ELE Sieve Shaker](#)

The ELE sieve shaker is powered by an electromagnetic drive that has no rotating parts to wear making it maintenance free and extremely quiet in operation.

The unit features a triple Vertical-Lateral-Rotary vibrating action that moves the sample over the sieve producing faster more efficient sieving, while the rapid vertical movements also help keep the apertures from blinding.

The shaker is ideal for laboratory or on site use. It is robust, compact and sufficiently lightweight to be portable. The separate digital microprocessor controlled console unit incorporates a keypad for setting the sieving program and is isolated from any effects of vibration from the shaker.

As standard the shaker includes, timer 0-999 minutes, adjustable vibration intensity and adjustable intermittent or continuous operation.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

The unit accepts up to ten 200 mm or 8 inch, full height, diameter sieves and lid and receiver, or up to six 300 mm or 12 inch diameter sieves and lid and receiver. Complete as specified. Dimensions (l x w x h) 380 x 440 x 1085 mm. For 220 - 240 V AC, 50 Hz 1ph.



Hygrometer / Thermometer 100mm Diameter Dial 10-100% Rh -25 to +45 Deg C.

Code: [506-122](#)

Product Group: [Humidity measurement](#)

A precision instrument using specially treated strands of human hair to measure relative humidity. The 100 mm diameter gauge covers the range 10 to 100% RH. A separate set hand with a centre button is fitted to the case to enable the user to monitor changes. Can be wall-mounted or fitted inside a Stevenson screen.