



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 08/05/2017, and contains the following Products:

79-1515

200mm Dia BS Sieve 5.00mm Perforated Plate.

79-0300

200mm Dia BS Sieve 3.35mm Stainless Steel Mesh.

79-0290

200mm Dia BS Sieve 2.80mm Stainless Steel Mesh.

79-0270

200mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

79-0240

200mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

79-0230

200mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

79-0200

200mm Dia BS Sieve 600Mic Stainless Steel Mesh.

79-0190

200mm Dia BS Sieve 500Mic Stainless Steel Mesh.

79-0180

200mm Dia BS Sieve 425Mic Stainless Steel Mesh.

79-0160

200mm Dia BS Sieve 300Mic Stainless Steel Mesh.

79-0150

200mm Dia BS Sieve 250Mic Stainless Steel Mesh.

79-0140

200mm Dia BS Sieve 212Mic Stainless Steel Mesh.

79-0130

200mm Dia Iso:565 3310/1 Sieve 180 Mic Stainless Steel Mesh.

79-0120

200mm Dia BS Sieve 150 Mic Stainless Steel Mesh.

79-0110

200mm Dia BS Sieve 125Mic Stainless Steel Mesh.

79-0070

200mm Dia BS Sieve 63 Mic Stainless Steel Mesh.

79-0020

200 mm Diameter Receiver

79-0010

200 mm Diameter Lid

42-0300

Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

42-0302

Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

42-0304

Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

42-0306

Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

42-0310

Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

42-0314

Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

42-0316

Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

42-0318

Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

42-0320

Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

42-0324

Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

42-0326

Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

42-5310/01

**Los Angeles Abrasion Machine with CE Safety Cabinet W/ Microswitches.
220-240V 50Hz 1Ph.**



200mm Dia BS Sieve 5.00mm Perforated Plate.

Code: 79-1515

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200mm Dia BS Sieve 3.35mm Stainless Steel Mesh.

Code: [79-0300](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 2.80mm Stainless Steel Mesh.

Code: [79-0290](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

Code: [79-0270](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

Code: 79-0240

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

Code: 79-0230

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200mm Dia BS Sieve 600Mic Stainless Steel Mesh.

Code: 79-0200

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 500Mic Stainless Steel Mesh.

Code: [79-0190](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 425Mic Stainless Steel Mesh.

Code: [79-0180](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 300Mic Stainless Steel Mesh.

Code: 79-0160

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 250Mic Stainless Steel Mesh.

Code: 79-0150

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200mm Dia BS Sieve 212Mic Stainless Steel Mesh.

Code: 79-0140

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia Iso:565 3310/1 Sieve 180 Mic Stainless Steel Mesh.

Code: 79-0130

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS410-1, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200mm Dia BS Sieve 150 Mic Stainless Steel Mesh.

Code: [79-0120](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200mm Dia BS Sieve 125Mic Stainless Steel Mesh.

Code: 79-0110

Product Group: 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200mm Dia BS Sieve 63 Mic Stainless Steel Mesh.

Code: [79-0070](#)

Product Group: [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#), [200mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



200 mm Diameter Receiver

Code: 79-0020

Product Group: Sieve Lids and Receivers ISO and BS, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

NOT AVAILABLE FOR SALE IN THE USA



200 mm Diameter Lid

Code: 79-0010


Product Group: Sieve Lids and Receivers ISO and BS, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

NOT AVAILABLE FOR SALE IN THE USA



Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)

Product Group: [Grid Sieves](#)

2.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 5 mm Retained Size - 4 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)

Product Group: [Grid Sieves](#)

3.15mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 6.3 mm Retained Size - 5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304

Product Group: Grid Sieves

4mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 8 mm Retained Size - 6.3 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)

Product Group: [Grid Sieves](#)

5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 10 mm Retained Size - 8 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)

Product Group: [Grid Sieves](#)

8mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 16 mm Retained Size - 12.5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)

Product Group: [Grid Sieves](#)

10mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 20 mm Retained Size - 16 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)

Product Group: [Grid Sieves](#)

12.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 25 mm Retained Size - 20 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)

Product Group: [Grid Sieves](#)

16mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 31.5 mm Retained Size - 25 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0322




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0306




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0308



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0310



Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)

Product Group: [Grid Sieves](#)

20mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 40 mm Retained Size - 31.5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)

Product Group: [Grid Sieves](#)

31.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 63 mm Retained Size - 50 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)

Product Group: [Grid Sieves](#)

40mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 80 mm Retained Size - 63 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Los Angeles Abrasion Machine with CE Safety Cabinet W/ Microswitches. 220-240V 50Hz 1Ph.

Code: [42-5310/01](#)

Product Group: [Los Angeles Abrasion Machine](#)

The machine consists of a closed hollow cylindrical steel drum rotating around its horizontal axis on ball bearing units mounted on a sturdy base framework. Also the full enclosure ensures noise is minimized.

The drum is driven at a speed of between 30 - 33 rpm via an enclosed belt drive arrangement from an electric motor/gearbox unit situated on the base frame. Inside the drum a full length steel shelf is attached, accessed by a dust-proof opening.

The cylinder incorporates a removable internal shelf, one shelf position is provided to meet the requirements of both the ASTM and EN test standards.

Controls are located easily on the right-hand side of the machine at convenient operator height.

Start and stop push buttons and a subtracting revolution counter allows the user to preset the number of revolutions before an automatic stop.

Standards

EN 1097-2, ASTM C131, ASTM C535, NF P18-573

Further Information

NOT AVAILABLE FOR SALE IN THE USA

Accessories

Set of 12 Abrasive Charges (ASTM).

Code: [42-5300/10](#)





Set of 12 Abrasive Charges EN)

Code: [42-5305/10](#)

Alternatives



Los Angeles Abrasion Machine Meets ASTM and European Standards. 220-240V 50Hz 1Ph.

Code: [42-5305/01](#)