

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents



This wishlist was generated on 22/05/2017, and contains the following Products:

430-020

Digital pH/Temp/mV Meter with electrode, carrying case and pH 4 & 7 buffers



Digital pH/Temp/mV Meter with electrode, carrying case and pH 4 & 7 buffers

Code: 430-020

Product Group: Paqualab Test Meters

Robust waterproof case offering IP66/67 protection

Manual/automatic temperature compensation

Easy to use re-calibration function

The 430-020 pH meter is a three-in-one instrument that features a large easy to read, LCD display that indicates pH over the range of -2 to 16 pH with a resolution of 0.01 pH, mV over the range of -1000 to 1000 mV and temperature over the range of -39.9 to 149.9°C with a resolution of 0.1°C. The LCD display features both low battery indication and a user selectable backlight.

The pH readings are either manually or automatically temperature compensated over the range of 0 to 100°C. To automatically compensate, it is necessary to utilise a thermistor temperature probe. Each unit incorporates an auto-power off facility that automatically turns the instrument off after ten minutes, maximising battery life.

The 430-020 has an integrated rubber seal to ensure complete water resistance and helps to reduce the possiblity of damage in harsh environments. At the touch of a button, the instrument will automatically re-calibrate (two-point autocal) itself when used in conjunction with pH buffer solutions.

Each unit incorporates an easy to use BNC connector and Lumberg screw-locking type connector.

Further Information

Specification

Range Resolution Accuracy -2 to 16 pH 0.01 pH ± 0.02 pH ± 1000 mV 1 mV ±1 mV

-39.9 to 149.9 °C 0.1 °C ± 0.4 °C (-10 to 70 °C)

Battery 3 x 1.5 volt AAA

Battery Life Maximum 5 years (2500 hours) Combination electrode/ thermistor Sensor Type

Display 12 mm LCD **Dimensions** 32 x 71 x 141mm

+44 (0)1525 249 200

= +1 (800) 323 1242

Weight 230 grams

Spares/Consumables



Spare pH electrode for use with 430-020 meter

Code: 430-020/10