



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 08/06/2017, and contains the following Products:

34-3590/01

Tilting Drum Concrete Mixer 120/90L/ (4/3Cu.Ft) Complete with Stand

34-0300/01

Vibro Consistometer

34-6250/01

Vibrating Table 600 X 400mm Table Top. 220-240V 50Hz 1Ph. Supplied with clamping assembly

34-2910

Compacting Bar 25mm Sq X 380mm

34-0810

Set of Needle Points 1 1/2 1/4 1/10 1/20 1/40 Inch Sq.

29-3925

Proctor Penetrometer Spring Type with Adaptor Stem.

82-2820

Syringe with Rubber Bulb.

38-2695

Pocket Concrete Penetrometer

34-4570

150mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.



Tilting Drum Concrete Mixer 120/90L/ (4/3Cu.Ft) Complete with Stand

Code: [34-3590/01](#)

Product Group: [Tilting Drum Mixer](#)

120/90 litre mixing capacity. For 220 - 240 V AC, 50 Hz, 1 ph.

Standards

EN 12390-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Vibro Consistometer

Code: [34-0300/01](#)

Product Group: [Vebe Time](#)

Comprising of vibrating table, container, slump cone, graduated rod and plate. For 220 - 240 V AC, 50 Hz, 1 ph.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



Aluminium Scoop Large

Code: [81-0220](#)



Sample Tray - 1200 x 1160 x 50 mm

Code: [81-4230](#)



Shovel - With flat blade

Code: [81-0240](#)



Tamping Rod 16mm Dia X 600mm long hemispherical at both ends.

Code: [34-0130](#)



Transparent Disc for Vibro Consistometer 34-0300

Code: [34-0300/10](#)

Spares/Consumables



Stopwatch

Code: [81-0521](#)



Vibrating Table 600 X 400mm Table Top. 220-240V 50Hz 1Ph. Supplied with clamping assembly

Code: [34-6250/01](#)

Product Group: [Vibrating Table](#)

Vibrating table mounted on a steel stand, supplied
with clamp assembly.

Standards

EN 12390-2, EN 12350-6, EN 12350-7

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

3000 cycles per minute. For 220 - 240 V AC, 50 Hz, 1 ph.

Specification

Dimensions (table top)	600 x 400 mm
Maximum no. Cube moulds	2 x 150 mm ²
Clamp Assembly	Single
Weight	60 kg

Accessories



Compacting Bar 25mm Sq X 380mm

Code: [34-2910](#)



Wire Brush

Code: [81-0705](#)

Alternatives



100 X 100 X 500mm Beam Mould.

Code: [34-5003](#)



100mm Cube Mould 2-Part Clamp Type. Cast Iron Construction. BS EN Compliant.

Code: [34-4650](#)



100mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.

Code: [34-4520](#)



100mm Dia Cylinder Mould 200mm Long.

Code: [34-5210](#)



150 X 150 X 750mm Beam Mould.

Code: 34-5053



150mm Cube Mould 2-Part Clamp Type. Cast Iron Construction. BS EN Compliant.

Code: 34-4670



150mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.

Code: 34-4570



150mm Dia Cylinder Mould 150mm Long.

Code: 34-5230



150mm Dia Cylinder Mould 300mm Long.

Code: 34-5260



**200mm Cube Mould Clamp Type. Cast Iron Construction.
Stamped Mould Sections. EN Compliant.**

Code: [34-4620](#)



Compacting Bar 25mm Sq X 380mm

Code: [34-2910](#)

Product Group: [Accessories for Concrete Moulds,](#)
[Precision Air Entrainment Meter](#)

Steel, 380 x 25 mm (length x square) tamping area,
EN/BS.

Standards

EN 12390-1



Set of Needle Points 1 1/2 1/4 1/10 1/20 1/40 Inch Sq.

Code: 34-0810

Product Group: [Setting Time by Penetration Resistance](#)

Stainless steel, 1, 1/2, 1/4, 1/10, 1/20 and 1/40 in² area (645, 323, 161, 65, 32 and 16 mm²) with stainless steel adaptor for the smaller needles.

Further Information

NOT AVAILABLE FOR SALE IN THE USA



Proctor Penetrometer Spring Type with Adaptor Stem.

Code: [29-3925](#)

Product Group: [Proctor Penetrometer, Setting Time by Penetration Resistance](#)

Supplied without needle points

Standards

ASTM D1558

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories




Case for Proctor Penetrometer.

Code: [29-3933](#)



Set of Needle Points 1 1/2 1/4 1/10 1/20 1/40 Inch Sq.

Code: [34-0810](#)



Syringe with Rubber Bulb.

Code: [82-2820](#)





Syringe with Rubber Bulb.

Code: [82-2820](#)

Product Group: [Setting Time by Penetration Resistance, Syringe and Stirring Rod](#)

Further Information

****Not available for sale in the USA****



Pocket Concrete Penetrometer

Code: 38-2695

Product Group: Concrete Mortar Penetrometer,
Concrete Mortar Penetrometer, Setting Time by
Penetration Resistance

Supplied complete with belt-loop, canvas carrying
case.

Standards

ASTM C187, ASTM C191, ASTM C780

Specification

Needle	Steel shaft; 1/20 sq. in. surface area.
Range	0 to 700 psi.
Scale	Direct-reading; indicator sleeve holds reading until released.
Dimensions	3/4" (19 mm) diam. x 7" (178 mm) long.
Carrying Case	Canvas, with belt-loop.
Weight	Net 8 oz. (227 g).



150mm Cube Mould 4-Part Clamp Type. Cast Iron Construction. BS EN Compliant.

Code: [34-4570](#)

Product Group: [Cube Moulds, Cube Moulds](#)

4-part with clamp attached base plate.

Standards

BS 1881-108, EN 12390-1, EN 12390-2

Specification

Construction	Bolted sides and clamped base plate
Finish	Painted
Weight	42 lb (19.1 kg)

Accessories



Aluminium Scoop Large

Code: [81-0220](#)



Compacting Bar 25mm Sq X 380mm

Code: [34-2910](#)



Float - Plasterer's type

Code: [81-0340](#)



Mould Oil (25 Litre Drum)

Code: [82-7341](#)



Wire Brush

Code: [81-0705](#)

Spares/Consumables



Soft Headed Mallet.

Code: [29-5020](#)

Alternatives



Vibrating Table 600 X 400mm Table Top. 220-240V 50Hz 1Ph. Supplied with clamping assembly

Code: [34-6250/01](#)