

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents



This wishlist was generated on 08/07/2017, and contains the following Products:

36-6165/01

ADR Touch Manual Power Pack Including Fitting Kit 220-240V 50/60Hz 1Ph

42-5310/01

Los Angeles Abrasion Machine with CE Safety Cabinet W/ Microswitches. 220-240V 50Hz 1Ph.

42-5305/10

Set of 12 Abrasive Charges EN)

79-5950

12in Dia ASTM Sieve 500Mic Stainless Steel Mesh.

79-5910

12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.

79-5880

12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.

79-5870

12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.

79-5860

12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.

79-6040

12in Dia ASTM Sieve 106Mic Stainless Steel Mesh.

79-5830

12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.

79-5820

12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh, Non Standard Frame.

79-5800

12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame.

79-6200

12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.

79-6210

12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 2 of 28

Contents

79-6240

12in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.

79-6250

12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.

79-6260

12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.

79-6280

12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.

79-6300

12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh.

79-6310

12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.

79-6330

12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.

79-6350

12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh

79-6360

12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.



ADR Touch Manual Power Pack Including Fitting Kit 220-240V 50/60Hz 1Ph

Code: 36-6165/01

Product Group: Manual Power Packs, Manual Power

Packs

For use with ELE Compression and Flexural Frames;

37-6130: 100kN Flexural (beams) Frame

37-6140: 100kN Flexural and Transverse (flags)

Frame.

39-6120: 250/25 kN Compression Frame.

Alternatives



100kN Flexural (Beams) Frame. Supplied Without Specimen Bearers and Fitting Kit.

Code: 37-6130



100kN Flexural and Transverse (Flags) Frame. Supplied Without Specimen Bearers and Fitting Kit.


Code: 37-6140

www.ele.com +44 (0)1525 249 200



250/25 kN Compression Frame with Platens

Code: 39-6120



Los Angeles Abrasion Machine with CE Safety Cabinet W/ Microswitches. 220-240V 50Hz 1Ph.

Code: 42-5310/01

Product Group: Los Angeles Abrasion Machine

The machine consists of a closed hollow cylindrical steel drum rotating around its horizontal axis on ball bearing units mounted on a sturdy base framework. Also the full enclosure ensures noise is minimized.

The drum is driven at a speed of between 30 - 33 rpm via an enclosed belt drive arrangement from an electric motor/gearbox unit situated on the base frame. Inside the drum a full length steel shelf is attached, accessed by a dust-proof opening.

The cylinder incorporates a removable internal shelf, one shelf position is provided to meet the requirements of both the ASTM and EN test standards.

Controls are located easily on the right-hand side of the machine at convenient operator height.

Start and stop push buttons and a subtracting revolution counter allows the user to preset the number of revolutions before an automatic stop.

Standards

EN 1097-2, ASTM C131, ASTM C535, NF P18-573

Further Information

NOT AVAILABLE FOR SALE IN THE USA

Accessories

Set of 12 Abrasive Charges (ASTM).

Code: 42-5300/10



+44 (0)1525 249 200

Set of 12 Abrasive Charges EN)

Code: 42-5305/10



Alternatives



Los Angeles Abrasion Machine Meets ASTM and European Standards. 220-240V 50Hz 1Ph.

Code: 42-5305/01



Set of 12 Abrasive Charges EN)

Code: 42-5305/10

Product Group: Los Angeles Abrasion Machine

EN Set of 12.

Standards

EN 1097-2, ASTM C131, ASTM C535

Further Information

NOT AVAILABLE FOR SALE IN THE USA



12in Dia ASTM Sieve 500Mic Stainless Steel Mesh.

Code: 79-5950

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â (82.5 mm)

depth to mesh.

Construction Polished and lacquered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Net 4 lbs. (1.8 kg). Weights

Sieve Size or Number No. 35 500 um Sieve Opening Standard Sieve Opening Alternative (in.) 0.0197

Page 9 of 28



12in Dia ASTM Sieve 1.00mm Stainless Steel Mesh.

Code: 79-5910

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â (82.5 mm)

depth to mesh.

Construction Polished and lacquered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Net 4 lbs. (1.8 kg). Weights

Sieve Size or Number No. 18 1.00 mm Sieve Opening Standard Sieve Opening Alternative (in.) 0.0394



12in Dia ASTM Sieve 1.70mm Stainless Steel Mesh.

Code: 79-5880

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number No. 12
Sieve Opening Standard 1.70 mm
Sieve Opening Alternative (in.) 0.0661

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 2.0mm Stainless Steel Mesh.

Code: 79-5870

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number No. 10
Sieve Opening Standard 2.00 mm
Sieve Opening Alternative (in.) 0.0787

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.

Code: 79-5860

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number No. 7
Sieve Opening Standard 2.36 mm
Sieve Opening Alternative (in.) 0.0937

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 106Mic Stainless Steel Mesh.

Code: 79-6040

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number
No. 140
Sieve Opening Standard
106 um
Sieve Opening Alternative (in.)
0.0041

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 4.00mm Stainless Steel Mesh.

Code: 79-5830

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number No. 5 Sieve Opening Standard 4.00 mm Sieve Opening Alternative (in.) 0.157





12in Dia ASTM Sieve 4.75mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-5820

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number No. 4
Sieve Opening Standard 4.75 mm
Sieve Opening Alternative (in.) 0.187

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 6.30mm Stainless Steel Mesh. Non Standard Frame.

Code: 79-5800

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4" (82.5 mm)

depth to mesh.

Construction Polished and lacquered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 1/4" Sieve Opening Standard 6.3 mm Sieve Opening Alternative (in.) 0.25



12in Dia ASTM Sieve 8.00mm Stainless Steel Mesh.

Code: 79-6200

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â (82.5 mm)

depth to mesh.

Construction Polished and lacquered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Net 4 lbs. (1.8 kg). Weights

Sieve Size or Number 5/16" Sieve Opening Standard 8.0 mm Sieve Opening Alternative (in.) 0.312



12in Dia ASTM Sieve 9.50mm Stainless Steel Mesh.

Code: 79-6210

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 3/8"
Sieve Opening Standard 9.5 mm
Sieve Opening Alternative (in.) 0.375



12in Dia ASTM Sieve 13.2mm Stainless Steel Mesh.

Code: 79-6240

Product Group: 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards ASTM E11

Further Information

NOT AVAILABLE FOR SALE IN THE USA



12in Dia ASTM Sieve 16.0mm Stainless Steel Mesh.

Code: 79-6250

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â (82.5 mm)

depth to mesh.

Construction Polished and lacquered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 5/8" Sieve Opening Standard 16.0 mm Sieve Opening Alternative (in.) 0.625



12in Dia ASTM Sieve 19.0mm Stainless Steel Mesh.

Code: 79-6260

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 3/4"
Sieve Opening Standard 19.0 mm
Sieve Opening Alternative (in.) 0.75

www.ele.com +44 (0)1525 249 200





12in Dia ASTM Sieve 25.0mm Stainless Steel Mesh.

Code: 79-6280

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 1"

Sieve Opening Standard 25.0 mm

Sieve Opening Alternative (in.) 1

www.ele.com +44 (0)1525 249 200

= +1 (800) 323 1242

Page 23 of 28



12in Dia ASTM Sieve 31.5mm Stainless Steel Mesh.

Code: 79-6300

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 1-1/4"
Sieve Opening Standard 31.5 mm
Sieve Opening Alternative (in.) 1.25

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 37.5mm Stainless Steel Mesh.

Code: 79-6310

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 1-1/2"
Sieve Opening Standard 38.1 mm
Sieve Opening Alternative (in.) 1.5

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 50.0mm Stainless Steel Mesh.

Code: 79-6330

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 2"

Sieve Opening Standard 50 mm Sieve Opening Alternative (in.) 2

www.ele.com +44 (0)1525 249 200

= +1 (800) 323 1242

Page 26 of 28



12in Dia ASTM Sieve 63.0mm Stainless Steel Mesh

Code: 79-6350

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 2-1/2"
Sieve Opening Standard 63 mm
Sieve Opening Alternative (in.) 2.5

www.ele.com +44 (0)1525 249 200



12in Dia ASTM Sieve 75.0mm Stainless Steel Mesh.

Code: 79-6360

Product Group: U.S. Standard Testing Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves, 12" Diameter ASTM Sieves

Standards

ASTM E11

Specification

Frames Full height; 3-1/4â^{III} (82.5 mm)

depth to mesh.

Construction Polished and lacguered brass

with S.S. mesh.

Nameplates Show standard, alternate and

Tyler Screen Scale equivalent

designations.

Weights Net 4 lbs. (1.8 kg).

Sieve Size or Number 3"

Sieve Opening Standard 75 mm

Sieve Opening Alternative (in.) 3

www.ele.com +44 (0)1525 249 200