



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 13/09/2017, and contains the following Products:

81-5020

Bowl - 2.5 litre

81-5040

Bowl - 5 litre

81-5060

Bowl - 11 litre

81-0480

Crucible Tongs, Straight

79-7200

Sieve Brush Brass and Nylon

82-2500

Wash Bottle

82-8950/01

Masonry Saw

82-8950/12

Diamond Blade

39-6160/01

ADR-Auto V2.0 250/25 Cement Machine C/W Compression and Flexural Jigs and Platen Sets

39-6220

Set of Distance Pieces

38-6000

Flow Table

38-6040

Flow Mould

38-6080

ASTM Calipers

38-6160

Plastic Tamper

34-0450

Apparatus for Determining Flow In Concrete (Flow Table).

39-1300/01

Humidity Cabinet 320 Litre Capacity Compliant to EN196 and EN459-2

79-2680

300mm Dia BS Sieve 75.0mm Perforated Plate.

79-2670

300mm Dia BS Sieve 63.0mm Perforated Plate.

79-2655

300mm Dia BS Sieve 50.0mm Perforated Plate.

79-2650

300mm Dia BS Sieve 45.0mm Perforated Plate

79-2640

300mm Dia BS Sieve 37.5mm Perforated Plate.

79-2630

300mm Dia BS Sieve 31.5mm Perforated Plate.

79-2605

300mm Dia BS Sieve 25.0mm Perforated Plate.

79-2590

300mm Dia BS Sieve 19.0mm Perforated Plate.

79-2580

300mm Dia BS Sieve 16.0mm Perforated Plate.

79-2565

300mm Dia BS Sieve 12.5mm Perforated Plate

79-2550

300mm Dia BS Sieve 9.50mm Perforated Plate.

79-2540

300mm Dia BS Sieve 8.00mm Perforated Plate.

79-2525

300mm Dia BS Sieve 6.30mm Perforated Plate.

79-2510

300mm Dia BS Sieve 4.75mm Perforated Plate.

79-2310

300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

79-2280

300mm Dia BS Sieve 2.36mm Stainless Steel Mesh.

79-2270

300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

79-2260

300mm Dia BS Sieve 1.70mm Stainless Steel Mesh.

79-2240

300mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

79-2200

300mm Dia BS Sieve 600Mic Stainless Steel Mesh.

79-2190

300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

79-2160

300mm Dia BS Sieve 300Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2150

300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2120

300mm Dia BS Sieve 150Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2110

300mm Dia BS Sieve 125Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2090

300mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.



79-2080

300mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2070

300mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2020

300mm Dia Receiver.

79-2010

300mm Dia Lid.



Bowl - 2.5 litre

Code: [81-5020](#)

Product Group: [Beakers and Bowls](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Bowl - 5 litre

Code: [81-5040](#)

Product Group: [Beakers and Bowls](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Bowl - 11 litre

Code: [81-5060](#)

Product Group: [Beakers and Bowls](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Crucible Tongs, Straight

Code: [81-0480](#)

Product Group: [Miscellaneous Laboratory Hardware](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Sieve Brush Brass and Nylon

Code: [79-7200](#)

Product Group: [Sieve Brushes](#)

Double-ended, brass and nylon bristle

Standards

ASTM E11

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Wash Bottle

Code: [82-2500](#)

Product Group: [Bottles and Crucibles](#)

Polythene, 500 ml capacity.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Masonry Saw

Code: 82-8950/01

Product Group: Masonry Saw

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Specification

Dimensions (l x w x h)	1195 x 705 x 1350 mm
Cutting depth with 300 mm diameter blade	110 mm
Electrical supply	220-240 V AC, 50 Hz, 1 ph, separate fused power supply and switching required
Rated power	2200 W
Weight	120 kg



Diamond Blade

Code: [82-8950/12](#)

Product Group: [Masonry Saw](#)

Accessory. Wet cutting. Blade diameter 350 mm, depth of cut 110 mm.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



ADR-Auto V2.0 250/25 Cement Machine C/W Compression and Flexural Jigs and Platen Sets

Code: [39-6160/01](#)

Product Group: [ADR-Auto V2.0 250/25 Compression Machine, Activity Index](#)

- 250 kN maximum capacity
- Calibration accuracy to BS EN ISO 7500-1; ASTM E4
- Automatic loading cycle
- 25 kN low capacity frame supplied as standard
- Tests a wide variety of specimen sizes
- Tests mortar, lime, cement and Fly Ash
- Complete with compression/flexural jigs and platen sets
- Supplied with Windows(R) download software as standard

The ADR-Auto 250/25 Machine provides consistent automatic testing of a wide range of specimens. The machine comprises a standard ELE 250/25 kN load frame and ADR-Auto console and incorporates all the features included in the ADR-Auto series concrete testing machines.

As standard the machine is supplied with platens fitted to the load frame, compression jig with 40 mm and 50mm/2 inch square platen sets and flexural jig for testing 40.1 x 40 x 160 mm prisms.

The availability of the 25 kN low capacity load frame as standard extends the test capability of the machine for low strength compression or flexural testing. The automatic loading cycle is controlled by a closedloop microprocessor hydraulic system incorporated with the display in the ADR-Auto console attached to the load frame. A serial output port is built into the system, enabling test data to be stored in memory (up to 500 test results) for subsequent downloading to PC or suitable printer.

Standards

EN 196-1, EN 459-2, EN 1744, EN 1015-11, EN 13454-2, BS 3892-1, BS 4551-1, ASTM C109, ISO 679

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

For 220 - 240 V AC, 50 Hz, 1 ph.

Accessories



Impact Printer Rs232 Serial Connection. Supplied Complete with 1 Paper Roll.

Code: [37-4859/01](#)



Set of Distance Pieces


Code: [39-6220](#)

Spares/Consumables



40mm Square Platen Set

Code: [39-5600/10](#)



Compression Frame Jig Assembly

Code: [39-5600](#)



Flexural Jig Assembly

Code: [39-6160](#)



Pair of Square Platens 2"

Code: [39-5600/11](#)

Alternatives



ADR-Auto V2.0 250/25 Cement Machine C/W Compression and Flexural Jigs and Platen Sets

Code: [39-6160/06](#)



Set of Distance Pieces

Code: [39-6220](#)

Product Group: [ADR-Auto V2.0 250/25 Compression Machine](#)

Accessory: for testing samples 40mm, 50mm, 70.7mm and 100mm. Note: These items are required when testing above sample sizes NOT using the compression jig.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Flow Table

Code: [38-6000](#)

Product Group: [Flow and Workability of Mortar Lime](#)

Manufactured from cast bronze as specified in BS and ASTM C230. Complete with Tripod and Baseplate.

Standards

BS 4551-1, BS 3892-1, ASTM C230

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



ASTM Calipers

Code: [38-6080](#)




Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Plastic Tamper

Code: 38-6160



Flow Mould

Code: [38-6040](#)

Product Group: [10" Flow Table, Flow and Workability of Mortar Lime](#)

Manufactured from bronze as specified in BS and ASTM.

Standards

ASTM C230, BS 4551-1, BS 3892-1

Accessories



ASTM Calipers

Code: [38-6080](#)



Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Plastic Tamper

Code: [38-6160](#)

Alternatives



ASTM Calipers

Code: [38-6080](#)



Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Plastic Tamper

Code: [38-6160](#)



ASTM Calipers

Code: [38-6080](#)

Product Group: [Flow and Workability of Mortar Lime, 10" Flow Table](#)

For measuring the diameter of the sample.

Standards

ASTM C230, BS 4551-1

Accessories



Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Plastic Tamper


Code: [38-6160](#)

Alternatives




Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Plastic Tamper

Code: [38-6160](#)



Plastic Tamper

Code: [38-6160](#)

Product Group: [Flow and Workability of Mortar Lime](#)

Standards

ASTM C230, BS 4551-1, BS 3892-1

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



ASTM Calipers

Code: [38-6080](#)



Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)

Alternatives



ASTM Calipers

Code: [38-6080](#)



Flow Mould

Code: [38-6040](#)



Motorised Unit for the 38-6000 Flow Table

Code: [38-6100/01](#)



Apparatus for Determining Flow In Concrete (Flow Table).

Code: [34-0450](#)

Product Group: [Flow Table](#)

Comprising of mould, flow table, tamper, metre rule, float and stopwatch

Standards

EN 12350-5

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



Aluminium Scoop Large

Code: [81-0220](#)



Compacting Bar 25mm Sq X 380mm

Code: [34-2910](#)



Sample Tray - 1200 x 1160 x 50 mm

Code: [81-4230](#)



Shovel - With flat blade

Code: [81-0240](#)

Spares/Consumables



Stopwatch

Code: [81-0521](#)



Humidity Cabinet 320 Litre Capacity Compliant to EN196 and EN459-2

Code: 39-1300/01

Product Group: Humidity Cabinet BS EN, Prism
Moulds and Inserts

This cabinet has a stainless steel interior and it is fitted with adjustable shelves. It also has sealed chambers making it suitable for humidity's up to 98%. This can have an outer door heater to demist the inner toughened glass viewing door. Two 12 mm access ports are provided as standard.

Monitoring and control of both heating and cooling functions are performed with great accuracy, and achieves typical temperature stability of $\pm 0.5^{\circ}\text{C}$. The LED digital display allows the temperature performance to be easily verified. A digitally set over temperature safety cut-out is fitted to all models.

For 220 - 240 V AC, 50 Hz, 1 ph.

Standards

EN 196-1, EN 459-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

10 Reinforced Shelves and Circular Chart Recorder

Specification

Capacity	320 litres
Dimensions External, Internal	660 x 635 x 1745 mm, 490 x 510 x 1275 mm
Temperature Range	+5.0°C to +50°C
Fluctuation (better than)	$\pm 0.2^{\circ}\text{C}$
Variation (better than)	$\pm 0.5^{\circ}\text{C}$
Recorder:	7 day,
Electronic data logger,	0 – 50°C,
Temperature,	0 – 98% RH
Humidity	
Rated power	850 Watt
Number of shelves	10

Weight 200 kg

Accessories



Data Logger for Humidity Cabinet to EN 196 320 Litre capacity

Code: [39-1300/24](#)

Alternatives



Humidity Cabinet BS EN 150 Litre Capacity 50Hz

Code: [39-1600/01](#)



Humidity Cabinet BS EN 150 Litre Capacity 60Hz

Code: [39-1600/06](#)



300mm Dia BS Sieve 75.0mm Perforated Plate.

Code: 79-2680

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: 79-2655

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 37.5mm Perforated Plate.

Code: 79-2640

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: 79-2605

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 19.0mm Perforated Plate.

Code: 79-2590

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: 79-2580

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: 79-2565

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 9.50mm Perforated Plate.

Code: 79-2550

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: 79-2525

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 4.75mm Perforated Plate.

Code: 79-2510

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

Code: 79-2310

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 2.36mm Stainless Steel Mesh.

Code: 79-2280

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

Code: [79-2270](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 1.70mm Stainless Steel Mesh.

Code: 79-2260

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 1.18mm Stainless Steel Mesh.

Code: [79-2240](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 600Mic Stainless Steel Mesh.

Code: 79-2200

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

Code: 79-2190

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 300Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2160](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2150

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 150Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2120](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 125Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: [79-2110](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 90 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2090

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 75 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2080

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 63 Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2070

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Receiver.

Code: 79-2020

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Lid.

Code: 79-2010

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

NOT AVAILABLE FOR SALE IN THE USA