

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com +44 (0) 01525 249 200



This wishlist was generated on 15/02/2018, and contains the following Products:

39-0035/01

Automatic/Manual 5 litre nominal capacity Mortar Mixer

39-1100

Three-gang Mould







Automatic/Manual 5 litre nominal capacity Mortar Mixer

Code: 39-0035/01

Product Group: Automatic/Manual 5 Litre Nominal Capacity Mortar Mixer

- New Microprocessor control
- New mix program selector
- Complies with latest EN Standards update
- Choice of automatic mixing cycles
- Sand and water dispenser supplied as standard

This mixer is designed to mix mortars and cement pastes to the requirements of the above Standards. The mixing paddle has a planetary motion and is driven by a motor with a microprocessor based speed and program controller. The mixer can be operated either in an automatic or manual mode. When the mixer is used in the manual mode, the two mixing speeds can be changed by means of a rocker switch, without switching off the motor. In the automatic mode any one of the preset mixing programs may be selected.

Standards

EN 196-1, EN 196-3, EN 413-2, EN 459-2, EN 1744-1, EN 13279-2, EN 1015-2, EN 13395-1, EN 13454-2, ISO 679, BS 3892-1, BS 3892-3, BS 6463-103, BS 4551-1

Further Information

NOT AVAILABLE FOR SALE IN THE USA

Complete with bowl and paddle, sand and Water dispensers. For 220 - 240 V AC, 50 - 60 Hz, 1 ph.

Specification

Dimensions (l x w x h) 530 x 350 x 580 mm Speeds (rpm) Low, High Paddle: 140 ± 5 , 285 ± 10 Mixing Head: 62 ± 5 , 125 ± 10

Rated Power 180 W

Bowl Capacity 5 litres approx.

Weight 54 kg

Accessories

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 3 of 6







Bowl Cover

Code: 39-0060



Scraper

Code: 39-0065

Spares/Consumables



Bowl

Code: 39-0031/11



Paddle


Code: 39-0031/10

www.ele.com +44 (0)1525 249 200

= +1 (800) 323 1242







Three-gang Mould

Code: 39-1100

Product Group: Moulding of Prisms

For $40.1 \times 40 \times 160$ mm mortar prisms. This mould is manufactured to a very high specification. Supplied with glass plate.

Standards

EN 196-1, EN 413-2, EN 459-2, EN 1015-10, EN 13454-2, ISO 679, BS 3892-1, BS 4551-1

Further Information

NOT AVAILABLE FOR SALE IN THE USA

Accessories



Feeding Hopper

Code: 39-1120

Spares/Consumables



Glass Plate

Code: 39-1100/10



Mortar Sand

Code: 39-1170

Alternatives

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 5 of 6

www.ele.com +44 (0) 01525 249 200





Feeding Hopper

Code: 39-1120

www.ele.com +44 (0)1525 249 200

= +1 (800) 323 1242