

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com +44 (0) 01525 249 200



This wishlist was generated on 15/05/2018, and contains the following Products:

514-440

Double Ring Infiltrometer Kit.

530-178

Hammering Head 50mm.

530-179

Guide Cylinder for 50mm Sample Rings.

510-146

24 Sample Rings 50mm Dia In Aluminium Case.







Double Ring Infiltrometer Kit.

Code: 514-440

Product Group: Permeability

Used for the determination of infiltration capacity above the water table.

Allows synchronous determination of infiltration capacity in triplicate.

A comprehensive kit for the determination of soil infiltration capacity above the water table. The components are manufactured from high-quality materials for exhaustive field use.

514-440 kit comprises;

3 x double ring infiltrometers:

1x inner ring 280 mm, outer ring 530 mm diameter

1x inner ring 300 mm, outer ring 550 mm diameter

1x inner ring 320 mm, outer ring 570 mm diameter

Driving plate with handle for inner and outer rings

3 x adjustable measuring bridges

3 x floats with measuring rods

1 x nylon headed hammer

1 x stop watch, 0-30 sec x 0.1 sec accuracy

Specification

Maximum measuring depth

Measured parameters

Reading accuracy

Registration type

Package size

Weight

O cm

infiltration ratio

1 mm

manual

65 x 65 x 50 cm

50 kg

Accessories

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 3 of 7








Club hammer

Code: 29-5040

Spares/Consumables



Driving Plate

Code: 514-446



Soft Headed Mallet.

Code: 29-5020



Stopwatch

Code: 81-0521

Alternatives



Double Ring Infiltrometer

Code: 25-0660

www.ele.com +44 (0)1525 249 200

Page 4 of 7







Hammering Head 50mm.

Code: 530-178

Product Group: Density
For sample rings 53 mm.







Guide Cylinder for 50mm Sample Rings.

Code: 530-179

Product Group: Density







24 Sample Rings 50mm Dia In Aluminium Case.

Code: 510-146

Product Group: Density, Augers

In an aluminium case, 50 mm inside diamter, 53 mm outside diameter, 51 mm long. Includes 48 plastic end covers.

+44 (0)1525 249 200

= +1 (800) 323 1242