



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 07/06/2018, and contains the following Products:

23-3425

Large Capacity Sample Splitter.

23-3425/10

Material Catch Pan for Sample Splitter 23-3425

23-3000

Riffle Box 7mm Slot Width Complete with Three Containers.

23-3050

Riffle Box 13mm Slot Width Complete with Three Containers.

23-3070

Riffle Box 15mm Slot Width Complete with Three Containers.

23-3100

Riffle Box 19mm Slot Width Complete with Three Containers.

23-3150

Riffle Box 25mm Slot Width Complete with Three Containers.

23-3170

Riffle Box 30mm Slot Width Complete with Three Containers.

23-3200

Riffle Box 38mm Slot Width Complete with Three Containers.

23-3300

Riffle Box 50mm Slot Width Complete with Three Containers.

23-3350

Riffle Box 64mm Slot Width Complete with Three Containers.

78-1215/01

50 Litre Drying Oven

79-2270

300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

79-2550

300mm Dia BS Sieve 9.50mm Perforated Plate.

79-2590

300mm Dia BS Sieve 19.0mm Perforated Plate.

79-2640

300mm Dia BS Sieve 37.5mm Perforated Plate.

80-0200/01

ELE Sieve Shaker

79-0010

200 mm Diameter Lid

79-2020

300mm Dia Receiver.

79-2010

300mm Dia Lid.

79-2150

300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

79-2190

300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

79-2220

300mm Dia BS Sieve 850Mic Stainless Steel Mesh.

79-2230

300mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

79-2255

300mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.

79-2285

300mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.

79-2310

300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

38-7600

Spray Nozzle Apparatus

38-7600/12

45 µm Sieve

79-7200

Sieve Brush Brass and Nylon

79-7210

Sieve Brush Nylon

38-1200

Le Chatelier Flask

82-2170

Desiccator - Vacuum

82-7091

Silica Gel

81-0480

Crucible Tongs, Straight

81-0508

Heat-Resistent Gloves, With Gauntlet

82-3320

Porcelain Crucible

38-0620

Pure Mineral Oil 1 Litre Bottle.

38-0645

Reference Cement

38-0650

Filter Papers

38-1000

Blaine Air Permeability Apparatus

81-0518

Timer Clock

38-1000/10

Manometer U-tube

Contents

www.ele.com
+44 (0) 01525 249 200



38-1000/15

Blaine Air Permeability Cell

38-0500/11

Aspirator

39-0410

Three-gang Mould

34-2910

Compacting Bar 25mm Sq X 380mm



Large Capacity Sample Splitter.

Code: 23-3425

Product Group: Large Capacity Sample Splitter, Large Sample Splitter

The splitter is designed for the reduction of test samples which are too large in volume to be conveniently handled. It divides samples so that half is representative of the original total sample and handles material up to 6 inches in particle size.

The lever-actuated unit is constructed of heavy gauge welded steel with a hopper which holds up to 1 cuft. The single splitter chute provides wide flexibility in sizes of opening and adjustment is provided for chutes of 0.5, 1.5, 2, 3, 4 or 6 inch by positioning of the chute bars. Overall height is approximately 1 meter. Hopper size 735 mm long x 480 mm wide (approx).

Further Information

Complete with 2 material pans and a bag-loading chute.

[1] Splitter Designed For The Reduction Of Test Samples Which Are Too Large In Volume To Be Conveniently Handled.

[2] Handles Samples Up To 6 Inch Diameter.

[3] Wide Flexibility In Size Of Opening And Adjustment Is Provided For Chutes Of 0.5 1.5 2 3 4 Or 6 Inch By Positioning Of The Chute Bars.

[4] Lever Actuated Unit.

[5] Heavy Gauge Welded Steel Construction.

[6] Hopper Holds Up To One Cubic Ft.

[7] Single Splitter Chute.

[8] Hopper Size 735 X 480Mm Approx.

[9] 2 Material Pans.

[10] Bag Loading Chute.

Specification

Capacity	1 cu. ft. (0.028 m3); for sand sizes up to 4" (102 mm).
Hopper	Lever-actuated, clamshell design.
Chute Bars	48 aluminum bars, 1/2" (13 mm) width.

Product Sheet

www.ele.com
+44 (0) 01525 249 200



Chute Area	24 " (610 mm) overall width.
Chute Openings	Adjustable; 1/2", 1", 1-1/2", 2", 3", 4", or 6".
Frame	Welded, heavy-gage steel.
Chute Attachment	Replaces pan to allow sample collection in bag; 28-1/4" l. x 7"w. x 5-1/2" h. (718 x 178 x 140 mm).
Material Pans	Two included; 25 -3/4" l. x 9" w. x 6-1/2" h. (654 x 229 x 165 mm).
Overall Dimensions	29" l. x 19" w. x 39" h. (737 x 483 x 999 mm).
Weight	Shpg. 142 lbs. (64 kg).

Accessories



Sample Bag - 10" x 18" (254 x 457 mm)

Code: [23-1420](#)



Sample Bag - 17" x 32" (432 x 813 mm)

Code: [23-1422](#)

Alternatives



Large Capacity Sample Splitter.

Code: [23-3425](#)



Sample Splitter (Riffle Box) - 14 chutes, 1/2" (13 mm) chute width

Code: 23-3052



Sample Splitter (Riffle Box) - 14 chutes, 3/4" (19 mm) chute width

Code: 23-3102



Sample Splitter (Riffle Box) - 16 chutes, 1" (25 mm) chute width

Code: 23-3152



Sample Splitter (Riffle Box) - 8 chutes, 2-1/2" (64 mm) chute width

Code: 23-3352



Sample Splitter (Riffle Box) - 8 chutes, 2" (51 mm) chute width

Code: 23-3302



Material Catch Pan for Sample Splitter 23-3425

Code: [23-3425/10](#)

Product Group: [Large Capacity Sample Splitter](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 4.5 mm. EN recommended maximum particle size of 3.5 mm. Includes 12 slots each with a 7 mm slot width and an overall approximate capacity of 0.3 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	4.5
Recommended max particle size EN	3.5
Slot width mm	7
No. of slots	12
Approx. capacity kg	0.3
Weight kg	1.5

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 8.5 mm. EN recommended maximum particle size of 6.5 mm. Includes 12 slots each with a 13 mm slot width and an overall approximate capacity of 2 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	8.5
Recommended max particle size EN	6.5
Slot width mm	13
No. of slots	12
Approx. capacity kg	2
Weight kg	6

Alternatives



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 10 mm. EN recommended maximum particle size of 7.5 mm. Includes 12 slots each with a 15 mm slot width and an overall approximate capacity of 2 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	10
Recommended max particle size EN	7.5
Slot width mm	15
No. of slots	12
Approx. capacity kg	2
Weight kg	8

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 12.5 mm. EN recommended maximum particle size of 9.5 mm. Includes 10 slots each with a 19 mm slot width and an overall approximate capacity of 4 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	12.5
Recommended max particle size EN	9.5
Slot width mm	19
No. of slots	10
Approx. capacity kg	4
Weight kg	9

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: 23-3150

Product Group: Riffle Boxes (Sample Dividers)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 16.5 mm. EN recommended maximum particle size of 12.5 mm. Includes 10 slots each with a 25 mm slot width and an overall approximate capacity of 4 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	16.5
Recommended max particle size EN	12.5
Slot width mm	25
No. of slots	10
Approx. capacity kg	4
Weight kg	11.5

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: 23-3050



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: 23-3070



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: 23-3100



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 20 mm. EN recommended maximum particle size of 15 mm. Includes 10 slots each with a 30 mm slot width and an overall approximate capacity of 4 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	20
Recommended max particle size EN	15
Slot width mm	30
No. of slots	10
Approx. capacity kg	4
Weight kg	17.5

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 25 mm. EN recommended maximum particle size of 19 mm. Includes 8 slots each with a 38 mm slot width and an overall approximate capacity of 11 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	25
Recommended max particle size EN	19
Slot width mm	38
No. of slots	8
Approx. capacity kg	11
Weight kg	17.5

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 33 mm. EN recommended maximum particle size of 25 mm. Includes 8 slots each with a 50 mm slot width and an overall approximate capacity of 14 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	33
Recommended max particle size EN	25
Slot width mm	50
No. of slots	8
Approx. capacity kg	14
Weight kg	22.5

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



Riffle Box 64mm Slot Width Complete with Three Containers.

Code: [23-3350](#)

Product Group: [Riffle Boxes \(Sample Dividers\)](#)

Manufactured from heavy-gauge sheet metal. BS recommended maximum particle size of 42.5 mm. EN recommended maximum particle size of 32 mm. Includes 8 slots each with a 64 mm slot width and an overall approximate capacity of 18 litres.

Standards

BS 1377, BS 1924, BS 812, EN 932-1

Specification

Recommended max particle size BS	42.5
Recommended max particle size EN	32
Slot width mm	64
No. of slots	8
Approx. capacity kg	18
Weight kg	27

Alternatives



Riffle Box 13mm Slot Width Complete with Three Containers.

Code: [23-3050](#)



Riffle Box 15mm Slot Width Complete with Three Containers.

Code: [23-3070](#)



Riffle Box 19mm Slot Width Complete with Three Containers.

Code: [23-3100](#)



Riffle Box 25mm Slot Width Complete with Three Containers.

Code: [23-3150](#)



Riffle Box 30mm Slot Width Complete with Three Containers.

Code: [23-3170](#)



Riffle Box 38mm Slot Width Complete with Three Containers.

Code: [23-3200](#)



Riffle Box 50mm Slot Width Complete with Three Containers.

Code: [23-3300](#)



Riffle Box 7mm Slot Width Complete with Three Containers.

Code: [23-3000](#)



50 Litre Drying Oven

Code: [78-1215/01](#)

Product Group: [Oven Drying Method](#), [Oven Drying Method](#), [Oven Drying Method](#)

Standards

BS 2648, BS 598, BS 1377, BS 1924

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Alternatives



100 Litre Drying Oven

Code: [78-1225/01](#)



150 Litre Drying Oven

Code: [78-1235/01](#)



225 Litre Drying Oven

Code: [78-1250/01](#)



Drying Oven 425 Litre Capacity

Code: [78-0135/01](#)



300mm Dia BS Sieve 2.00mm Stainless Steel Mesh.

Code: [79-2270](#)

Product Group: [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#), [300mm Diameter BS Sieves](#)

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 9.50mm Perforated Plate.

Code: 79-2550

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 19.0mm Perforated Plate.

Code: 79-2590

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 37.5mm Perforated Plate.

Code: 79-2640

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



ELE Sieve Shaker

Code: [80-0200/01](#)

Product Group: [ELE Sieve Shaker](#)

The ELE sieve shaker is powered by an electromagnetic drive that has no rotating parts to wear making it maintenance free and extremely quiet in operation.

The unit features a triple Vertical-Lateral-Rotary vibrating action that moves the sample over the sieve producing faster more efficient sieving, while the rapid vertical movements also help keep the apertures from blinding.

The shaker is ideal for laboratory or on site use. It is robust, compact and sufficiently lightweight to be portable. The separate digital microprocessor controlled console unit incorporates a keypad for setting the sieving program and is isolated from any effects of vibration from the shaker.

As standard the shaker includes, timer 0-999 minutes, adjustable vibration intensity and adjustable intermittent or continuous operation.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

The unit accepts up to ten 200 mm or 8 inch, full height, diameter sieves and lid and receiver, or up to six 300 mm or 12 inch diameter sieves and lid and receiver. Complete as specified. Dimensions (l x w x h) 380 x 440 x 1085 mm. For 220 - 240 V AC, 50 Hz 1ph.



200 mm Diameter Lid

Code: 79-0010

Product Group: Sieve Lids and Receivers ISO and BS, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves, 200mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Receiver.

Code: 79-2020

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Lid.

Code: 79-2010

Product Group: Sieve Lids and Receivers ISO and BS, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 250Mic Stainless Steel Mesh. Fitted with Reinforcing Mesh.

Code: 79-2150

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, EN933-2, ISO 565

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 500Mic Stainless Steel Mesh.

Code: 79-2190

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia BS Sieve 850Mic Stainless Steel Mesh.

Code: 79-2220

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 1.00mm Stainless Steel Mesh.

Code: 79-2230

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia Iso:565 3310/1 Sieve 1.60mm Stainless Steel Mesh.

Code: 79-2255

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

NOT AVAILABLE FOR SALE IN THE USA



300mm Dia Iso:565 3310/1 Sieve 2.50mm Stainless Steel Mesh.

Code: 79-2285

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

BS 410-1, ISO 3310, ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



300mm Dia BS Sieve 4.00mm Stainless Steel Mesh.

Code: 79-2310

Product Group: 300mm Diameter BS Sieves, 300mm Diameter BS Sieves, 300mm Diameter BS Sieves

Standards

ISO 565, EN933-2

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Spray Nozzle Apparatus

Code: [38-7600](#)

Product Group: [Fineness of Fly Ash \(Wet Sieving\)](#)

Comprising a spray nozzle 17.5 mm ID with 17 holes as specified in EN451, a vacuum pressure gauge, 160 kPa graduated at 5 kPa divisions and fittings to attach the apparatus to a standard domestic water supply. Supplied without sieve.

Standards

BS 3892-1, EN 451-2, ASTM C430

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



45 µm Sieve

Code: [38-7600/12](#)



45 µm Sieve

Code: [38-7600/12](#)

Product Group: [Fineness of Fly Ash \(Wet Sieving\)](#)

Stainless steel mesh, 50 mm internal diameter.

Standards

BS 3892-1, EN 451-2, ASTM C430

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Sieve Brush Brass and Nylon

Code: [79-7200](#)

Product Group: [Sieve Brushes](#)

Double-ended, brass and nylon bristle

Standards

ASTM E11

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Sieve Brush Nylon

Code: [79-7210](#)

Product Group: [Sieve Brushes](#)

Nylon, double-ended

Standards

ASTM E11

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Le Chatelier Flask

Code: 38-1200

Product Group: Le Chatelier Flask, Specific Gravity (relative density) of Hydration Cement

For determining the density of hydraulic cement and lime, supplied complete with calibration certificate. Capacity 250ml. Graduated from 0 to 1ml and from 18 to 24ml graduations. Accurate to 0.05ml.

Standards

EN 196-6, ASTM C128, ASTM C188, E 694, AASHTO T133

Specification

Graduations

Zero mark represents 250 ml, the capacity of the large bulb; neck graduations from 0-1 ml in 0.1 ml divisions with two extra 0.1 ml graduations above the 1.0 and below the 0 marks; bulb portion of neck holds 17 ml; top portion of neck graduated from 18-24 ml in 0.1 ml divisions; 24 ml capacity.

Stopper

Ground glass.

Weight

Net 8 oz. (227 g).

Accessories



Chattaway Spatula 125 mm

Code: 81-0180



Electronic Balance - 620 g x 0.001 g

Code: [78-5405/01](#)



Water Bath - 12 litres

Code: [82-8500/01](#)



Desiccator - Vacuum

Code: [82-2170](#)

Product Group: [Desiccators](#)

280 mm internal diameter, soda glass. Supplied with perforated zinc disc and stopcock.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Silica Gel

Code: [82-7091](#)

Product Group: [Chemicals, Test and Reference Materials](#)

Coarse. No hazard. 500 g.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Crucible Tongs, Straight

Code: [81-0480](#)

Product Group: [Miscellaneous Laboratory Hardware](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Heat-Resistant Gloves, With Gauntlet

Code: [81-0508](#)

Product Group: [Miscellaneous Laboratory Hardware](#)

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Porcelain Crucible

Code: [82-3320](#)

Product Group: [Loss-on-Ignition, Bottles and Crucibles](#)

30ml capacity complete with lid.

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Alternatives



Heat of Hydration Apparatus

Code: [38-4600/06](#)



Heat of Hydration Apparatus

Code: [38-4600/01](#)



Pure Mineral Oil 1 Litre Bottle.

Code: [38-0620](#)

Product Group: [Blaine Fineness Apparatus](#),
[Determination of Fineness Blaine Apparatus](#)

Standards

EN 196-21, ASTM C204



Reference Cement

Code: [38-0645](#)

Product Group: [Determination of Fineness Blaine Apparatus](#)

Accessory: 5g sachet.

Standards

ASTM C204, AASHTO T153



Filter Papers

Code: [38-0650](#)

Product Group: [Determination of Fineness Blaine Apparatus](#)

Accessory: 12.7mm diameter. Box of 100.

Standards

ASTM C204

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Blaine Air Permeability Apparatus

Code: 38-1000

Product Group: Blaine Fineness Apparatus,
Determination of Fineness Blaine Apparatus

Standards

EN 196-6, EN 459-2, EN 13286-44, BS 4359-2, ASTM C204, AASHTO T153

Specification

Cell	Stainless steel; 12.70 \pm 0.10 mm i.d.
Disk	0.9 \pm 0.1 mm thick with 30-40 one mm diam. holes.
Plunger	Stainless steel.
Manometer	U-tube glass with ground joint, stop cock and rubber bulb assembly.
Filter Paper	12.70 mm diam.
Fluid	Pure Mineral Oil.
Weight	Net 7 lbs. (3.2 kg).

Accessories



Electronic Balance - 620 g x 0.001 g

Code: 78-5405/01



Filter Papers

Code: 38-0650



Pure Mineral Oil 1 Litre Bottle.

Code: 38-0620



Reference Cement

Code: 38-0645



Reference Cement

Code: 38-0640

Spares/Consumables



Aspirator

Code: 38-0500/11




Blaine Air Permeability Cell

Code: [38-1000/15](#)



Filter Paper

Code: [38-0652](#)



Manometer U-tube

Code: [38-1000/10](#)



Timer Clock

Code: [81-0518](#)

Product Group: [Rice Test Vibrator](#), [Watches and Clocks](#)

Accessory

Standards

EN 12697-5

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****



Manometer U-tube

Code: [38-1000/10](#)

Product Group: [Blaine Fineness Apparatus](#),
[Determination of Fineness Blaine Apparatus](#)

Spare.

Standards

ASTM C204



Blaine Air Permeability Cell

Code: [38-1000/15](#)

Product Group: [Blaine Fineness Apparatus](#),
[Determination of Fineness Blaine Apparatus](#)

Spare: Stainless steel with a perforated disc and plunger.

Standards

ASTM C204



Aspirator

Code: [38-0500/11](#)

Product Group: [Blaine Fineness Apparatus](#)

Spare for 38-1000 Blaine Air Permeability



Three-gang Mould

Code: [39-0410](#)

Product Group: [Moulding of 50 mm and 100 mm Specimens](#)

For 50mm mortar cubes. Manufactured from cast iron with simple cube release mechanism.

Standards

BS 1881-131, ASTM C109

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Accessories



Mould Oil (25 Litre Drum)

Code: [82-7341](#)



Compacting Bar 25mm Sq X 380mm

Code: [34-2910](#)

Product Group: [Accessories for Concrete Moulds,](#)
[Precision Air Entrainment Meter](#)

Steel, 380 x 25 mm (length x square) tamping area,
EN/BS.

Standards

EN 12390-1