




IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 13/06/2018, and contains the following Products:

24-9260

Swell Plate

24-9262

Swell Stand

78-0760

Clamped Boss Load Ring - 28.0 kN

24-9236

ASTM Cutting Collar.

42-0300

Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

42-0302

Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

42-0304

Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

42-0306

Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

42-0308

Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

42-0310

Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

42-0314

Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

42-0316

Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

42-0318

Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

42-0320

Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

42-0322

Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

42-0324

Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

42-0326

Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

42-0410

Flakiness Gauge.

42-2950

Quantab Chloride Titrator Type 1175 Titration Range 0.005% - 0.1% 30-600ppm NaCl Pack of 40 Strips.

42-2952

Quantab Chloride Titrator Strips Type 1176 Titration Range 0.05%-1% (300-6000 ppm) NaCl Pack of 40.

42-2958

Sulphate Test Strips



Swell Plate

Code: [24-9260](#)

Product Group: [Expansion \(swell\) Test Equipment](#),
[Swell Plate](#)

With adjustable stem.

Standards

ASTM D1883, AASHTO T193

Specification

Base Plate	5 15/16" diam. (150.8mm); perforated.
Contact Head	Adjustable; locks on stem with knurled nut.
Construction	Aluminium
Weight	Net 2-1/2 lbs. (1.1 kg).



Swell Stand

Code: [24-9262](#)

Product Group: [Expansion \(swell\) Test Equipment, Tripod Attachment](#)

For mounting Swell Dial Gauge in position on CBR mould collar.

Standards

ASTM D1883, AASHTO T193

Further Information

Requires dial indicator; not included, order separately

Specification

Construction	Machined, one-piece cast aluminum.
Contact Head	Integral part of ssembly; holds dial indicator.
Construction	2" I. (50.8 mm) included.
Weight	Net 1 lb. (0.4 kg).

Accessories



Mechanical Dial Indicator - 25 mm Range Clockwise Movement

Code: [88-4110](#)

Spares/Consumables

Product Sheet

www.ele.com
+44 (0) 01525 249 200



Dial Indicator - 1.0" Range

Code: 88-4100

Alternatives



Electronic Digital Indicator, 1.0"/25.4 mm range

Code: 88-4220



Clamped Boss Load Ring - 28.0 kN

Code: 78-0760

Product Group: Clamped Boss Load Rings, Digital Tritest 50 Load Frame, Load Measurement, Proving Rings, CBR-Test 50 Machine, Conversion of In-situ to Laboratory CBR, Load Measurement, CBR Loading Press, Hand-Operated, Force measurement

Standards

BS 1377, BS 1924

Specification

Capacity: kN, kgf, lbf	28.0, 2800, 6000
Typical Design sensitivity: N/div, kgf/div, lbf/div	25.5, 2.54, 5.45
Overall height mm	248
Approx weight kg	5.4
Capacity	28 kN
Value of CBR	Average range of CBR
Capacity - lbf	6,000
Capacity - kN	28
Capacity - kgf	2,800
Typical Design Sensitivity - lbf/div	5.45
Typical Design Sensitivity - kN/div	25.5
Typical Design Sensitivity - Kgf/div	2.54
Overall Height	9.76" (248 mm)
Approx Weight	11 .9 lbs.(5.4 kg)

Accessories



50kN Clamped Boss Load Ring

Code: 78-0860



Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 3.0 kN

Code: [78-0160](#)



Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)



Digital Proving Ring, 6,000 lbs (28.0 kN)

Code: [78-0764](#)

Spares/Consumables



Spare Dial Indicator for Load Rings

Code: [78-5461](#)

Alternatives



50kN Clamped Boss Load Ring

Code: [78-0860](#)



Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 3.0 kN

Code: [78-0160](#)



Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)



Digital Proving Ring, 6,000 lbs (28.0 kN)

Code: [78-0764](#)



ASTM Cutting Collar.

Code: [24-9236](#)

Product Group: [ASTM/AASHTO CBR mould accessories, Cutting Edge](#)

To fit ASTM CBR mould body, manufactured with a cutting edge to enable undisturbed samples to be taken in the field.

Standards

ASTM D1883, AASHTO T193

Specification

Dimensions	6" i.d. x 1-1/2" h. (152 .4 x 38 mm).
Construction	Machined seamless steel tubing; recessed for mounting on CBR Mold.
Finish	Plated.
Weight	Net 1-1/2 lbs. (0.7 kg).

Accessories



ASTM Cbr Mould Complete with Collar & Perferated Base


Code: [24-9228](#)

Alternatives



ASTM Cbr Mould Complete with Collar & Perferated Base

Code: [24-9228](#)



Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300

Product Group: Grid Sieves

2.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 5 mm Retained Size - 4 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302

Product Group: Grid Sieves

3.15mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 6.3 mm Retained Size - 5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304

Product Group: Grid Sieves

4mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 8 mm Retained Size - 6.3 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0306

Product Group: Grid Sieves

5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 10 mm Retained Size - 8 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)

Product Group: [Grid Sieves](#)

6.3mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 12.5 mm Retained Size - 10mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0310

Product Group: Grid Sieves

8mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 16 mm Retained Size - 12.5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: [79-2670](#)



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: [79-2540](#)



300mm Dia BS Sieve 80mm Perforated Plate

Code: [79-2684](#)



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: [79-2690](#)



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314

Product Group: Grid Sieves

10mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 20 mm Retained Size - 16 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0318




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0322




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316

Product Group: Grid Sieves

12.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 25 mm Retained Size - 20 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0318




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0322




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0306




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0308



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0310



Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0318

Product Group: Grid Sieves

16mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 31.5 mm Retained Size - 25 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0322




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)

Product Group: [Grid Sieves](#)

20mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 40 mm Retained Size - 31.5 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0326](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)

Product Group: [Grid Sieves](#)

25mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 50 mm Retained Size - 40 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: [79-2555](#)



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: [79-2560](#)



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: [79-2630](#)



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: [79-2500](#)



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: [79-2645](#)



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: [79-2650](#)



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: [79-2010](#)



300mm Dia Receiver.


Code: [79-2020](#)



Sample Tray - 406 x 406 x 50 mm


Code: [81-4030](#)

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0314](#)




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0316](#)




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0318




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0324

Product Group: Grid Sieves

31.5mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 63 mm Retained Size - 50 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0318




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0300




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0320




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0322




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0302




Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0304




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)




Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Grid Sieve 40mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0326

Product Group: Grid Sieves

40mm

Standards

EN 933-3

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Passing Size - 80 mm Retained Size - 63 mm

Accessories



300mm Dia BS Sieve 10.0mm Perforated Plate.

Code: 79-2555



300mm Dia BS Sieve 11.2mm Perforated Plate.

Code: 79-2560



300mm Dia BS Sieve 12.5mm Perforated Plate

Code: [79-2565](#)



300mm Dia BS Sieve 16.0mm Perforated Plate.

Code: [79-2580](#)



300mm Dia BS Sieve 20.0mm Perforated Plate.

Code: [79-2595](#)



300mm Dia BS Sieve 25.0mm Perforated Plate.

Code: [79-2605](#)



300mm Dia BS Sieve 31.5mm Perforated Plate.

Code: 79-2630



300mm Dia BS Sieve 4.00mm Perforated Plate.

Code: 79-2500



300mm Dia BS Sieve 40.0mm Perforated Plate

Code: 79-2645



300mm Dia BS Sieve 45.0mm Perforated Plate

Code: 79-2650



300mm Dia BS Sieve 5.00mm Perforated Plate.

Code: [79-2515](#)



300mm Dia BS Sieve 5.60mm Perforated Plate.

Code: [79-2520](#)



300mm Dia BS Sieve 50.0mm Perforated Plate.

Code: [79-2655](#)



300mm Dia BS Sieve 6.30mm Perforated Plate.

Code: [79-2525](#)



300mm Dia BS Sieve 63.0mm Perforated Plate.

Code: 79-2670



300mm Dia BS Sieve 8.00mm Perforated Plate.

Code: 79-2540



300mm Dia BS Sieve 80mm Perforated Plate

Code: 79-2684



300mm Dia BS Sieve 90.0mm Perforated Plate.

Code: 79-2690



300mm Dia Lid.

Code: 79-2010



300mm Dia Receiver.


Code: 79-2020



Sample Tray - 406 x 406 x 50 mm


Code: 81-4030

Alternatives




Grid Sieve 10mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0314




Grid Sieve 12.5mm Slot Width for EN Aggregate Flakiness Test.

Code: 42-0316




Grid Sieve 16mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0318](#)




Grid Sieve 2.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0300](#)




Grid Sieve 20mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0320](#)




Grid Sieve 25mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0322](#)




Grid Sieve 3.15mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0302](#)




Grid Sieve 31.5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0324](#)




Grid Sieve 4mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0304](#)




Grid Sieve 5mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0306](#)



Grid Sieve 6.3mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0308](#)



Grid Sieve 8mm Slot Width for EN Aggregate Flakiness Test.

Code: [42-0310](#)



Flakiness Gauge.

Code: [42-0410](#)

Product Group: [Flakiness Sieves and Gauges](#)

Constructed of heavy gauge sheet steel to the dimensions specified in BS 812.

Standards

BS 812

Further Information

****NOT AVAILABLE FOR SALE IN THE USA****

Alternatives



Length Gauge

Code: [42-0820](#)



Quantab Chloride Titrator Type 1175
Titration Range 0.005% - 0.1% 30-600ppm
NaCl Pack of 40 Strips.

Code: [42-2950](#)

Product Group: [Chloride Content: Rapid Method](#),
[Chloride Content: Rapid Method](#)

Type 1175 titration range 0.005% to 0.1% (30 to 600 ppm) NaCl. Pack of 50.



Quantab Chloride Titrator Strips Type 1176 Titration Range 0.05%-1% (300-6000 ppm) NaCl Pack of 40.

Code: [42-2952](#)

Product Group: [Chloride Content: Rapid Method](#),
[Chloride Content: Rapid Method](#)

Type 1176 titration range 0.05% to 1% (300 to 6000 ppm) NaCl. Pack of 40.



Sulphate Test Strips

Code: [42-2958](#)

Product Group: [Sulphate Content: Rapid Method](#)

Detection range 200 to 900 mg/l. Pack of 100.