

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com +44 (0) 01525 249 200



This wishlist was generated on 02/07/2018, and contains the following Products:

37-4990/09

ADR Touch Head Kit to upgrade manual compression machines

36-6165/01

ADR Touch Manual Power Pack Including Fitting Kit 220-240V 50/60Hz 1Ph

39-6120

250/25 kN Compression Frame with Platens







ADR Touch Head Kit to upgrade manual compression machines

Code: 37-4990/09

Product Group: Compression Machine Upgrades

Following the introduction of the new range of ADR Touch compression machines, ELE are pleased to announce the release of an upgrade package for existing machines.

This package is suitable for a wide range of ELE manually-controlled machines in service (contact our service department for details) and in most cases can fit directly to the existing machine.

Supplied complete in colour matched housing with all fittings and new replacement high quality pressure transducer this system enables users to take advantage of the latest touch screen technology plus enhanced data facilities.

* Includes sensor and all cables *

Further Information

Not available for sale in the USA

110 - 240 V, AC 50 - 60 Hz, 1 ph.

+44 (0)1525 249 200







ADR Touch Manual Power Pack Including Fitting Kit 220-240V 50/60Hz 1Ph

Code: 36-6165/01

Product Group: Manual Power Packs, Manual Power

Packs

For use with ELE Compression and Flexural Frames;

37-6130: 100kN Flexural (beams) Frame

37-6140: 100kN Flexural and Transverse (flags)

Frame.

39-6120: 250/25 kN Compression Frame.

Alternatives



100kN Flexural (Beams) Frame. Supplied Without Specimen Bearers and Fitting Kit.

Code: 37-6130



100kN Flexural and Transverse (Flags) Frame. Supplied Without Specimen Bearers and Fitting Kit.

Code: 37-6140

www.ele.com +44 (0)1525 249 200







250/25 kN Compression Frame with Platens

Code: 39-6120







250/25 kN Compression Frame with Platens

Code: 39-6120

Product Group: ADR 250/25 Compression Frames

- Open sided for ease of specimen loading
- Meets EN 12390-5, 1521, 13161, 772-6 and ASTM C78 for standard section beams
- Optional ball seating assembly

This rigidly constructed, open sided frame is suitable for testing 100 mm and 150 mm square-section beams. The frame supports a hydraulic ram and upper sub-platen assembly incorporating a spherical seating. The upper and lower sub-platens will accept various specimen loading bearers, which are supplied separately.

Further Information

Not available for sale in the USA

Accessories



100 kN Flexural Fitting Kit ADR Auto for 110 - 120 V AC, 60 Hz, 1 ph

Code: 37-6135/02



100 kN Flexural Fitting Kit ADR Auto for 220 - 240 V AC, 50 Hz, 1 ph

Code: 37-6135/01

www.ele.com +44 (0)1525 249 200





100 kN Flexural Fitting Kit ADR Auto for 220 - 240 V AC, 60 Hz, 1 ph

Code: 37-6135/06



100kN Flexural Fitting Kit (ADR) Used for Connecting Flexural Frames to ADR Compression Machines.

Code: 37-6138



ASTM C78 Specimen Bearer Assembly Case-Hardened 38mm Dia X 160mm Length.

Code: 37-6132



Ball Seating Assembly 150mm Dia Platens.

Code: 37-6133



BS 1881 Specimen Bearer Assembly 38mm Dia X 160mm Length.

Code: 37-6131

www.ele.com +44 (0)1525 249 200







Standard Distance Piece - 100 mm Depth

Code: 37-5100



Standard Distance Piece - 20 mm Depth

Code: 37-4980



Standard Distance Piece - 50 mm Depth

Code: 37-5000



Standard Distance Piece - 60 mm Depth

Code: 37-5020



Standard Distance Piece - 80 mm Depth

Code: 37-5050

Alternatives

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 8 of 10





Accu-Tek Touch 250 Automatic Compression Machine 110 V 60Hz

Code: 36-1690/02



Accu-Tek Touch 250 Automatic Compression Machine 220-240 V 50Hz

Code: 36-1690/01



Accu-Tek Touch 250 Automatic Compression Machine 220-240 V 60Hz

Code: 36-1690/06



ADR Touch Manual Power Pack Including Fitting Kit 110V 60Hz 1Ph

Code: 36-6165/02

www.ele.com +44 (0)1525 249 200







ADR Touch Manual Power Pack Including Fitting Kit 220-240V 50/60Hz 1Ph

Code: 36-6165/01

www.ele.com +44 (0)1525 249 200