

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com +44 (0) 01525 249 200



This wishlist was generated on 29/11/2018, and contains the following Products:

532-120

15-Bar Pressure Plate Extractor.

532-128

Low to high pressure manifold.







15-Bar Pressure Plate Extractor.

Code: 532-120

Product Group: Pressure plate extractors

Used to determine - available water capacity, water retentivity, hydraulic conductivity and field capacity.

Applications include - soil classification and survey, optimisation of irrigation and drainage, calibration of soil water and measuring apparatus for field use.

The pressure plate is used to determine soil water retention and suctions greater than 0.4 bar. The apparatus consists of strongly built metal chambers containing one or more ceramic plates, on to which uniform soil samples are placed. Having attained maximum moisture retention (field capacity) the samples within the cells are then subjected to controlled positive air pressures and water is gradually removed. By careful control of pressure, the various equilibrium conditions of pressure and soil water tension or suction are obtained.

The air pressure is provided either from a compressor, compressed air bottle or nitrogen bottle. The air pressure source must always be routed via a pressure regulation manifold.

ELE can supply three types of pressure plate extraction systems, which cover the pressure range 0-15 bar.

Specification

Capacity Up to 36 samples Pressure 0-15 bar (220psi)

Closure 8 bolts with wing nuts; O-ring

seal on hinged lid

Outflow 5 ports with outlet tubes NPT

outlet

For electrical leads 1/4 inch (6.45 mm)

Internal dimensions 305 mm x 101.6 mm (dia. x

depth)

Weight 40.4 kg

Accessories







1-Bar Pressure Plate Cell

Code: 532-104



15-Bar Pressure Plate Cell.

Code: 532-120/10



3-Bar Pressure Plate Cell

Code: 532-106



5-Bar Pressure Plate Cell

Code: 532-107



Soil Sample Retaining Rings Pack of 12.

Code: 532-108

Spares/Consumables

www.ele.com 🚟 +44 (0)1525 249 200 🔤 +1 (800) 323 1242 Page 4 of 8







Hose Manifold to 15 Bar Extractor.

Code: 532-112



O-Ring Lid Seal Pack of 2

Code: 532-100/10



Outflow tube assembly with seal

Code: 532-120/14



Plug bolts with seal

Code: 532-120/16



Right angle outflow adapter kit

Code: 532-120/12

Alternatives

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 5 of 8

www.ele.com +44 (0) 01525 249 200





5-Bar Pressure Plate Extractor.

Code: 532-100

www.ele.com +44 (0)1525 249 200 = +1 (800) 323 1242





Page 7 of 8



Low to high pressure manifold.

Code: 532-128

Product Group: Pressure plate extractors

Required to regulate gas pressure source in pressure plate extraction systems.

3 types available to cover all requirements.

Enables precise control of pressure.

Pressure manifolds are an essential component in pressure plate extraction systems. They are required to control the air pressure, from a compressor or compressed air vessel, into the extractor. ELE can supply three different types to cover all requirements;

Low pressure manifold: for 0.5 bar systems.

Low to high pressure manifold: for 1-15 bar systems.

Combination manifold: for both 0-5 & 1-15 bar systems running in parallel.

The combination manifold combines both the low pressure and low to high pressure manifolds.

Specification

Output pressure range 10 to 2
Double regulation pressure 5-150
range

Readout pressure test gauge Dimensions

Weight

10 to 250 psi (0.7 to 16 bars) 5-150 psa (0.3 to 10 bars)

0-300 psi (0-20 bars) 635 x 482 x 330 mm

6.6 kg

Alternatives



Combination Manifold.

Code: 532-136



Low Pressure Manifold

Code: 532-110

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242





+44 (0)1525 249 200