



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

# Contents

[www.ele.com](http://www.ele.com)  
+44 (0) 01525 249 200



This wishlist was generated on 06/02/2019, and contains the following Products:

---

24-2885

**Pyknometer Complete with Non-Corrodable Cone and Rubber Seal 1Kg Capacity**

---

79-5060

**8in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.**

---

79-5100

**8in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.**

---

79-5140

**8in Dia ASTM Sieve 600 Mic Stainless Steel Mesh.**

---



## Pyknometer Complete with Non-Corrodable Cone and Rubber Seal 1Kg Capacity

Code: [24-2885](#)

Product Group: [Particle Density: Pyknometer  
Methods, Pycnometer Top and Jar](#)

Glass jar complete with noncorrodible cone.

## Standards

BS 1377, BS 812-2, EN 1097-7, EN 1997-2, ASTM D854, AASHTO T100, ASTM C128, AASHTO T84

## Accessories



### 100ml Density Bottle with Perforated Stopper.

Code: [24-2950](#)



### 50ml Density Bottle with Perforated Stopper.

Code: [24-2900](#)



### Density Bottle 25ml.

Code: [24-2890](#)



## Pyknometer Gasket

Code: [24-2885/11](#)



## Pyknometer Jar Only

Code: [24-2885/10](#)



## Pyknometer Top

Code: [24-2885/12](#)

## Alternatives



## Sand Absorption Cone.

Code: [42-1700](#)



## 8in Dia ASTM Sieve 2.36mm Stainless Steel Mesh.

Code: 79-5060

Product Group: 8in Dia ASTM Brass Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves

## Standards

ASTM E11

## Specification

Frames	Full height; 2 1/4" (51 mm) depth to mesh.
Construction	Polished and lacquered brass with S.S. mesh.
Nameplates	Show standard, alternate and Tyler Screen Scale equivalent designations.
Weights	Net 1 lb. (453 g).
Sieve Size or Number	No. 7
Sieve Opening Standard	2.36 mm
Sieve Opening Alternative (in.)	0.0937



## 8in Dia ASTM Sieve 1.18mm Stainless Steel Mesh.

Code: 79-5100

Product Group: 8in Dia ASTM Brass Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves

## Standards

ASTM E11

## Specification

Frames	Full height; 2 1/4" (51 mm) depth to mesh.
Construction	Polished and lacquered brass with S.S. mesh.
Nameplates	Show standard, alternate and Tyler Screen Scale equivalent designations.
Weights	Net 1 lb. (453 g).
Sieve Size or Number	No. 16
Sieve Opening Standard	1.18 mm
Sieve Opening Alternative (in.)	0.0469





## 8in Dia ASTM Sieve 600 Mic Stainless Steel Mesh.

Code: 79-5140

Product Group: 8in Dia ASTM Brass Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves, 8" Diameter ASTM Sieves

## Standards

ASTM E11

## Specification

Frames	Full height; 2 1/4" (51 mm) depth to mesh.
Construction	Polished and lacquered brass with S.S. mesh.
Nameplates	Show standard, alternate and Tyler Screen Scale equivalent designations.
Weights	Net 1 lb. (453 g).
Sieve Size or Number	No. 30
Sieve Opening Standard	600 um
Sieve Opening Alternative (in.)	0.0234