



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

This wishlist was generated on 29/05/2019, and contains the following Products:

24-9150/01

Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar.

24-9345

CBR Loading Press, Hand-Operated



Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: [24-9150/01](#)

Product Group: [CBR Load Frames](#)

- Single speed machine (BS/EN and ASTM)
- Rapid platen adjustment
- Complete with stabilising bar
- Compact, bench-mounting design
- Options for mechanical or electronic measurement

Designed for performing laboratory CBR tests to BS 1377, EN13286-47 and ASTM D1883, this bench mounting machine comprises a twin column frame incorporating a motorised drive system. Rapid adjustment of the platen is provided, which enables daylight to be taken up quickly and also close control of application of a seating load.

Standards

BS 1377, BS 1924, EN 13286-47, ASTM D1883, AASHTO T193

Specification

Dimensions (l x w x h)	550 x 400 x 1220 mm
Max vertical clearance	800 mm
Horizontal clearance	255 mm
Platen diameter	133 mm
Platen travel	105 mm
Weight kg	80

Accessories



50kN Clamped Boss Load Ring

Code: [78-0860](#)



50kN S-type Load Cell

Code: [27-1559](#)




ASTM Cbr Mould Complete with Collar & Perforated Base

Code: [24-9228](#)




BS Cbr Mould Body.

Code: [24-9198](#)



BS Extension Collar

Code: [24-9200](#)



BS Solid Base or Top Plate

Code: [24-9204](#)



Cbr Penetration Piston (Adjustable).

Code: [24-9183](#)



CBR Penetration Transducer 50mm Travel Fitted with 5 Pin Din Plug.

Code: [27-1705](#)



Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



Penetration Dial Gauge BS

Code: [24-9186](#)



Penetration Piston

Code: [24-9182](#)



Penetration/Swell Dial Gauge ASTM.

Code: [24-9184](#)

Alternatives



CBR-Test 50 Machine 50 kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: [24-9150/02](#)



Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: [24-9150/01](#)



Cbr-Test 50 Machine 50kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: [24-9150/06](#)



MultiPlex 50 Load Frame

Code: [25-3700/01](#)



CBR Loading Press, Hand-Operated

Code: [24-9345](#)

Product Group: [CBR Loading Press, Hand-Operated](#)

Standards

ASTM 1883, AASHTO T193

Specification

Jack	Mechanical; with quick release device for rapid adjustments.
Frame	Heavy-duty steel construction with two column uprights.
Dimensions	14 .5" w. x 10.25 " d. x 46" h. (368 x 260 x 1,168 mm).
Weight	Net 145 lbs, (65.7 kg).

Accessories



50kN Clamped Boss Load Ring

Code: [78-0860](#)



CBR Penetration Piston Assembly

Code: [24-9179](#)



Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



Dial Indicator Holder

Code: [88-4194](#)



Digital Proving Ring, 11,200 lbs (50.0 kN)


Code: [78-0864](#)



Digital Proving Ring, 6,000 lbs (28.0 kN)

Code: [78-0764](#)

Spares/Consumables



Dial Indicator - 1.0" Range

Code: 88-4100

Alternatives



CBR-Test 50 Machine 50 kN Capacity BS and ASTM Supplied with Stabilising Bar.

Code: 24-9150/02



Digital Tritest 50 Load Frame

Code: 25-3518/02



Versa-Loader

Code: 25-3525/02