

















IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com +44 (0) 01525 249 200



This wishlist was generated on 11/07/2019, and contains the following Products:

532-100

5-Bar Pressure Plate Extractor.

532-120

15-Bar Pressure Plate Extractor.







5-Bar Pressure Plate Extractor.

Code: 532-100

Product Group: Pressure plate extractors

Used to determine - available water capacity, water retentivity, hydraulic conductivity and field capacity.

Applications include - soil classification and survey. optimisation of irrigation and drainage, calibration of soil water and measuring apparatus for field use.

The pressure plate is used to determine soil water retention and suctions greater than 0.4 bar. The apparatus consists of strongly built metal chambers containing one or more ceramic plates, on to which uniform soil samples are placed. Having attained maximum moisture retention (field capacity) the samples within the cells are then subjected to controlled positive air pressures and water is gradually removed. By careful control of pressure, the various equilibrium conditions of pressure and soil water tension or suction are obtained.

The air pressure is provided either from a compressor, compressed air bottle or nitrogen bottle. The air pressure source must always be routed via a pressure regulation manifold.

ELE can supply three types of pressure plate extraction systems, which cover the pressure range 0-15 bar.

Specification

Capacity 4 pressure plate cells. (Up to

48 samples)

Pressure 0-5 bar extractor (75psi) Closure

6 bolts with wing nuts; O-ring

seal on lid

Support Clips Stainless steel, adjustable Outflow 4 tube assemblies with 3 plug

bolts; screw into side wall

Dimensions 30cm dia x 22cm deep

Weight 10 kg

Accessories

+44 (0)1525 249 200 **=** +1 (800) 323 1242 www.ele.com

Page 3 of 9







1-Bar Pressure Plate Cell

Code: 532-104



3-Bar Pressure Plate Cell

Code: 532-106



5-Bar Pressure Plate Cell

Code: 532-107



Soil Sample Retaining Rings Pack of 12.

Code: 532-108

Spares/Consumables



O-Ring Lid Seal Pack of 2

Code: 532-100/10

Alternatives

www.ele.com 🚟 +44 (0)1525 249 200 🔤 +1 (800) 323 1242 Page 4 of 9

www.ele.com +44 (0) 01525 249 200





15-Bar Pressure Plate Extractor.

Code: 532-120





Page 6 of 9



15-Bar Pressure Plate Extractor.

Code: 532-120

Product Group: Pressure plate extractors

Used to determine - available water capacity, water retentivity, hydraulic conductivity and field capacity.

Applications include - soil classification and survey, optimisation of irrigation and drainage, calibration of soil water and measuring apparatus for field use.

The pressure plate is used to determine soil water retention and suctions greater than 0.4 bar. The apparatus consists of strongly built metal chambers containing one or more ceramic plates, on to which uniform soil samples are placed. Having attained maximum moisture retention (field capacity) the samples within the cells are then subjected to controlled positive air pressures and water is gradually removed. By careful control of pressure, the various equilibrium conditions of pressure and soil water tension or suction are obtained.

The air pressure is provided either from a compressor, compressed air bottle or nitrogen bottle. The air pressure source must always be routed via a pressure regulation manifold.

ELE can supply three types of pressure plate extraction systems, which cover the pressure range 0-15 bar.

Specification

Capacity Up to 36 samples Pressure 0-15 bar (220psi)

Closure 8 bolts with wing nuts; O-ring

seal on hinged lid

Outflow 5 ports with outlet tubes NPT

outlet

For electrical leads 1/4 inch (6.45 mm)

Internal dimensions 305 mm x 101.6 mm (dia. x

depth)

Weight 40.4 kg

Accessories







1-Bar Pressure Plate Cell

Code: 532-104



15-Bar Pressure Plate Cell.

Code: 532-120/10



3-Bar Pressure Plate Cell

Code: 532-106



5-Bar Pressure Plate Cell

Code: 532-107



Soil Sample Retaining Rings Pack of 12.

Code: 532-108

Spares/Consumables

www.ele.com 🚟 +44 (0)1525 249 200 🔤 +1 (800) 323 1242 Page 7 of 9







Hose Manifold to 15 Bar Extractor.

Code: 532-112



O-Ring Lid Seal Pack of 2

Code: 532-100/10



Outflow tube assembly with seal

Code: 532-120/14



Plug bolts with seal

Code: 532-120/16



Right angle outflow adapter kit

Code: 532-120/12

Alternatives

www.ele.com # +44 (0)1525 249 200 # +1 (800) 323 1242 Page 8 of 9

www.ele.com +44 (0) 01525 249 200





5-Bar Pressure Plate Extractor.

Code: 532-100

www.ele.com +44 (0)1525 249 200 **= +1 (800) 323 1242** Page 9 of 9