



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

Contents

www.ele.com
+44 (0) 01525 249 200



This wishlist was generated on 01/09/2019, and contains the following Products:

[25-3518/02](#)

Digital Tritest 50 Load Frame

Digital Tritest 50 Load Frame

Code: [25-3518/02](#)

Product Group: [Digital Tritest 50 Load Frame, CBR Load Frames](#)



Standards

ASTM D1883, ASTM D2166, ASTM D2850, ASTM D4767, ASTM D7181, AASHTO T99, AASHTO T134, AASHTO T135, AASHTO T136, AASHTO T180, AASHTO T193, AASHTO T208, AASHTO T296, AASHTO T297

Further Information

110V, 50/60 Hz, 1Ph, 300 Watts.

See Data Acquisition section for electronic load and strain measurement options.

Specification

Capacity	11 ,200 lbf. (50 kN).
Speed Range	English mode: 0.000001 to 0.399999 in/min. Metric mode: 0.00001 to 9.99999 mm/min.
Rapid Approach Speed	1.0 in/min. (25 mm/min.).
Platen Travel	3.9" (100 mm); limit switch protection.
Platen Diameter	5.2" (133mm).
Vertical Clearance	35 .8" (910 mm) maximum; 12 " (305 mm) minimum.
Horizontal Clearance	14 .3" (364 mm).
Serial Interface	RS232 C; programmable baud rate and protocol.
Overall Dimensions	19.7" w. x 19.7" d. x 57.8" h. (500 x 500 x 1,470 mm).
Weight	Net 220 lbs. (100 kg); Shpg. 300 lbs. (136 kg).

