



IF IT'S WORTH BUILDING, IT'S WORTH TESTING

# Contents

[www.ele.com](http://www.ele.com)  
+44 (0) 01525 249 200



This wishlist was generated on 06/08/2020, and contains the following Products:

---

514-022

**Dial-Type Gauge Tensiometer 600 mm**

---

514-040

**Jet Fill tensiometer 900 mm**

---



## Dial-Type Gauge Tensiometer 600 mm

Code: [514-022](#)

Product Group: [Tensiometers](#)

Durable weather and soil resistant tensiometer.

Designed for permanent installation.

Rapid response.

Accurate yet inexpensive, this tensiometer is ideal for long term deployment in both field and greenhouse environments. The tensiometer is easy to install via the use of the custom insertion tool (514-030), and maintain, with a full range of spares available. Rapid response is ensured by the sensitive 0-100 centibar dial gauge, having a re-calibration facility. For convenience, a range of lengths are available for monitoring at variable depths.

Note: For operating these tensiometers, a service kit (514-034) is required.

The insertion tool (514-030) is used to provide a clearance hole and also to maintain existing hole diameter for the tensiometer.

## Further Information

Requires Service Kit (514-034)

## Accessories



### Insertion Tool

Code: [514-030](#)



### Service Kit

Code: [514-034](#)

## Spares/Consumables



### Screw-top porous ceramic cup

Code: [514-020/11](#)



### Vacuum dial gauge

Code: [514-020/13](#)

## Alternatives



### Dial-Type Gauge Tensiometer 450 mm

Code: [514-021](#)



### Dial-Type Gauge Tensiometer 600 mm

Code: [514-022](#)



### Dial-Type Gauge Tensiometer 900 mm

Code: [514-024](#)



## Dial-type soil moisture gauge tensiometer 300 mm

Code: [514-020](#)



## Jet Fill tensiometer 900 mm

Code: [514-040](#)

Product Group: [Tensiometers](#)

- Advanced, sensitive tensiometer.
- Patented Jet-fill system.
- High accuracy.
- Fast response.
- 6 length options available.

The most advanced and sensitive instrument available for the field measurement of soil moisture. The Jet-fill range includes patented features for superior accuracy and even faster response time whilst retaining the ease of use, maintenance and durability of its counterparts.

At the push of a button, the Jet-fill action releases water into the tensiometer body with no disturbance of the surrounding soil. The large volume, detachable water reservoir enables the unit to be left in place for several months. The recalibrator-style gauge permits zero-point adjustments for research applications.

## Further Information

Requires Service Kit (514-034)

## Accessories



### Insertion Tool

Code: [514-030](#)



### Service Kit

Code: [514-034](#)



## Tensiometer Extension Tube

Code: [514-042](#)

---

### Alternatives



## Jet Fill tensiometer 150 mm

Code: [514-035](#)



## Jet Fill tensiometer 300 mm

Code: [514-036](#)



## Jet Fill tensiometer 460 mm

Code: [514-037](#)