



## Mechanical Dial Indicator - 0.4" Range

Code: 88-4070

Product Group: Mechanical Dial Indicators,  
Pneumatic Consolidation Apparatus, Table Top  
Consolidation Apparatus

### Specification

Range	0.4"
Divisions	0.0001"
Movement	Counter-clockwise
Face Diameter	3-5/8"
Contact Point	Immediate response, up or down; tip movement magnified to indicator hand with minimal friction; 3/16" (5 mm) radius x 1/4" (6 mm) l.
Dials	With continuous graduations and revolution counters.
Measure Movement	Measure movement away from dial case; pointer at zero with stem retracted.
Weight	Net 12 oz. (340 g).

### Accessories



#### 1" Extension Point

Code: 88-4154



#### 1/2" Extension Point

Code: 88-4152



## 1/4" Extension Point

Code: 88-4150

---



## 3" Extension Point

Code: 88-4156

---



## Electronic Digital Indicator, 0.600"/>" data-bbox="284 406 747 425"/>

Code: 88-4210

---



## Mechanical Dial Indicator - 1.0" Range Counter Clockwise Movement

Code: 88-4120

---



## Mechanical Dial Indicator - 10 mm Range

Code: 88-4080

---



## Mechanical Dial Indicator - 25 mm Range Counter Clockwise Movement

Code: [88-4130](#)

---

### Alternatives



#### 1" Extension Point

Code: [88-4154](#)

---



#### 1/2" Extension Point

Code: [88-4152](#)

---



#### 1/4" Extension Point

Code: [88-4150](#)

---



#### 3" Extension Point

Code: [88-4156](#)

---



## Electronic Digital Indicator, 0.600"/15 mm range

Code: 88-4210



## Mechanical Dial Indicator - 1.0" Range Counter Clockwise Movement

Code: 88-4120



## Mechanical Dial Indicator - 10 mm Range

Code: 88-4080



## Mechanical Dial Indicator - 25 mm Range Counter Clockwise Movement

Code: 88-4130